



Standard Materials Guide

Trendway >


Standard Materials Guide

Seating Fabric Grade A


Cadence



Pearl Z0P




Ruby Z0U




Sapphire Z0V


Dillon




Sage KPW




Williamsburg KR3




Luggage KPU




Lipstick KPT




Thunder KR2




Java KPR



Ocean KPV




Graphite KPP



Black KPG


Input




Lime Z1P




Squash Z1Y



Sky Z1X



Dove Z1J



Delft Z1H




Crimson Z1G



Orchid Z1U




Fossil Z1M



Midnight Z1R

Intuition




Bisque Z27



Honey Z2C



Sage Z2G



Peacock Z2E

Open House




Angora BEI




Green Apple BE7



Goose BEG



Pumpkin A65




Lapis BE5

Standard Materials Guide

Seating Fabric Grade A


Open House continued



Red Delicious A63




Aubergine A69



Fern KX3



Graphite BE9



Coffee Bean B5A



Midnight A67



Onyx A64

Smith



Fawn Z9H




Granite Z9G




Deep Taupe Z9J



Denim Z9F




Plum Z9K



Slate Z9M


Tome




Sisal ZA0




Sorrel ZC1




Poppy ZA3




Jewel ZA5




Scarlet ZA2



Walnut ZA1



Charcoal Z9Y




Sapphire ZA4


Standard Materials Guide

Seating Fabric Grade B


Bobby



Moss ZAN




Aqua ZAM



Glow ZAJ




Anchor ZAP



Iris ZAK

Guild




Amber ZC4



Dover ZCA



London ZC9



Mandarin ZC5




Shale ZCC



Indigo ZC8



Anise ZC3



Garnet ZC6




Plum ZC7

Graph



Alpine ZAX



Poppy ZAT



Parrot ZAY




Tidal ZAU



Alloy ZAW



Anchor ZAP



Bark ZAR

Linette



Platinum ZAG



Moss ZA7




Waterscape ZA8



Ash ZAH



Toffee ZAF



Flame ZAC



Steel ZAD



Cola ZAE



Denim ZAA




Peacock ZA9


Standard Materials Guide

Seating Fabric Grade B


Punch Card




Citronelle Z98



Gray Z9D



Red Z9A




Blue Jay Z99



Atlantic Z97



Earth Z9C




Domino Z9E


Stencil




Barley Z9P




Lemon Grass Z9R




Marble Z9X




Cayenne Z9T




Turquoise Z9V



Blue Coral Z9U



Slate Z9N




Midnight Z9W

Panel Fabric Grade 0

Framework



Grotto KJX




Sandy Pebble B4V




Grey Blue B4X



Eucalyptus B4Y




Hunter BFP



Dove Grey BJ7




Cappucino KK1



Marble BFR



Espresso KK2



Twilight BG8

Merge




Marshmallow Z4D




Dove Z42



Driftwood Z43



Fawn Z45




Green Apple Z49


Standard Materials Guide

Panel Fabric Grade 0


Merge continued




Ivy Z4A



Eucalyptus Z44




Midnight Z4F



Mandarin Z4C



Fire Engine Z46



Graphite Z47



Slate Z4H

Panel Fabric Grade 1


Intermix




Swan KDR



Seagull KDH




Rocket Ship KDJ



Foggy KDM



Neptune KDT



Husky KDK




Smokey Quartz KDV


Netiquette



Analog KK5



Chipset KK3



Refresh KKA



Gamma KK8



Vector KK9



Dashboard KK4



Schema KK6



Inkjet KK7



Pixel KKC

Standard Materials Guide

Panel Fabric
Grade 1

Pursuit




Dove KDA



White Linen KDD



Whisper KD9



Mist Grey KDC




Cement KDG




Elephant KDF

Aurora



Cloud Z55




Latte Z56



Frost Z54




Pewter Z57



Granite Z58


Chase



Ecru Z4M



Coin Z4K



Shadow Z4N




Mushroom Z4P



Pumice Z4R

Mingle



Biscuit Z53




Wheatberry Z52



Winter Z51




Crystal Z4Y



Carbon Z4X

Amaze



Platinum Z4T



Morel Z4W



Steel Z4V



Sky Z4U

Standard Materials Guide

Panel Fabric Grade 2


Pact




Toasty BMX



Putty BMN



Patina BMN




Fern BME



Harbour BMF



Aloe BM5




Sketch BMU




Coastal BM8



Dove BMA




Taupe BMW



Midnight BMJ

Tabby Weave




Silver Papier BV2



Quartz 380



Cement Mix QQ3



Crystal Blue 175



Gray Mix 238



Wedgewood 150



Medium Grey K99

Panel Fabric Grade 3

Anchorage




Birch AQ8




Vanilla AQ1



Angora AR1



Slate AQ5



Green Apple BFF

Standard Materials Guide

Panel Fabric
Grade 3


Anchorage
continued




Pool KX1



Asteroid AR0




Willow BFG




Quarry Blue AQ6




Wolf BFJ




Waterfall BXP



Pumpkin BF2



Thistle BFC




Lapis BFA



Deep Water AQ7



Red Delicious BFN



Colbalt BF9



Graphite BFM



Aubergine BF4



Midnight BFD




Onxy GEB

Glint



Opal KG9



Serene KGE




Gypsum KG7



Column KG5



Relic KGC



Caspian KG4



Pumice KJ2



Shale KGF

For additional options that are in grade and in stock search our 5 Clicks real time inventory.

Click Here




Standard Materials Guide




HPL
Solid Color
Grade 1


HPL Code/
Edge Code



Designer White
J0C/E1



Stucco J11/J




Light Gray 573/L




Sand J20/Y



Shadow J04/E7



Graphite J9D/E6




Charcoal 583/K

Patterned
Grade 1



White Tigris J09



Gray Tigris JN2




Evening Tigris JM4



Crisp Linen
J69/EB



Classic Linen
J6A/E9



Casual Linen
J6B/E8



Sarum Twill
J9G/EE




Earthen Twill
J9H/EG



Graphite Twill
J9J/EH

Woodgrains
Grade 1




Beigewood
J0G/W8



Fusion Maple J25/
W5




Finnish Oak
J98/WY



Brazilwood
J0D/WE




Wild Cherry
J1R/W6



Walnut J99/WZ



Empire Mahogany
J2A/W7



Espresso Pearwood
J9X/ER

Standard Materials Guide

Woodgrains
Grade 2



Phantom Pearl
J9A/E3



Phantom Ecrú
J9B/E4




Phantom Charcoal
J9C/E5

TFL
Solid Color
Grade 1



Designer White
XZH/E1



Black XZ4/K

TFL Code/
Edge Code


Woodgrains
Grade 1



Beigewood
XZ8/W8



Fusion Maple
XZ2/W5



Finnish Oak
XZY/WY



Brazilwood
XZE/WE




Wild Cherry
XZ1/W6



Walnut
XZZ/WZ



Empire Mahogany
XZ3/W7



Espresso Pearwood
XY6/ER

Woodgrains
Grade 2



Phantom Pearl
XY0/E3



Phantom Ecrú
XY1/E4




Phantom Charcoal
XY2/E5

Paint
Smooth/
Textured



Designer White
DW/TDW




Stucco J/TJ



Light Gray L/TL



Gray G/TG



Platinum PA



Sand Y/TY



Charcoal K/TK

SEATING FABRIC TECHNICAL INFORMATION

Pattern Name	Grade	Content	Finish	Weight	Repeat	Lightfastness	Flame Resistance	Crocking	Abrasion	Cleaning Code
Bobby	B	68% Repreve® post-consumer recycled polyester 32% polyester	none	1.24 lb.	.875"v x .5"h	Class 3.5 @40 hours	CA Bulletin 117 2013; UFAC Class 1	Grade 4 min. dry & Grade 3 min. wet	150,000 D.R.	W-S
Cadence	A	90% polyester, 6% pre-consumer recycled polyester, 4% post-consumer recycled polyester	stain repellent	12.9+/- 1.0 oz./lin. yd.	1.5"v x 2"h	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 4 min. dry & Grade 3 min. wet	100,000 D.R.	W-S
Dillon	A	100% polyurethane	Anti-microbial, Silver Ion technology	20.16 oz./lin. yd.	n/a	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1, MVSS 302, IMO A. 652 (16) 8.2	Grade 4 dry & Grade 4 wet	200,000 D.R.	W-S. Difficult stains use Fantastik® or Formula 409®
Graph	B	75% Repreve® post-consumer recycled polyester, 25% polyester	none	.86 lb.	3.375"v x 7.5"h	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 4 min. dry & Grade 3 min. wet	170,000 D.R.	W
Guild	B	71% post-consumer recycled polyester, 29% polyester	none	1.0 lb.	none	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 4 min. dry & Grade 3 min. wet	90,000 D.R.	W-S
Input	A	94% post-consumer recycled polyester, 6% pre-consumer recycled polyester	none	11.1 +/- 1.0 oz./lin. yd.	2.5"v x 12.25"h	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 4 min. dry & Grade 3 min. wet	100,000 D.R.	W-S
Intuition	A	55% post-consumer recycled polyester, 34% pre-consumer recycled polyester, 11% polyester	stain repellent	11.2 +/- 1.0 oz./lin. yd.	none	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1, ASTM E84 Class 1	Grade 4 min. dry & Grade 3 min. wet	100,000 D.R.	W-S
Linette	B	100% vinyl	Anti-microbial, i-clean™	40.19 oz./lin. yd.	n/a	Class 4/200 hours min.	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 5 dry & Grade 5 wet	exceeds 100,000 D.R.	W-S. Difficult stains use Fantastik® or Formula 409®
Open House	A	65% pre-consumer recycled polyester, 35% post-consumer recycled polyester	none	13.1 +/- 1.0 oz./lin. yd.	n/a	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1, ASTM E 84 Class 1	Grade 4 min. dry & Grade 3 min. wet	250,000 D.R.	W-S
Punch Card	B	61% polyester, 39% Repreve® recycled polyester	none	15.4 oz.	7.5"v x 11"h	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 4 min. dry & Grade 3 min. wet	40,000 D.R.	W
Smith	A	100% polyester	i-clean™	19.33 oz./lin. yd.	n/a	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1, ASTM E84 Class 1	Grade 4 min. dry & Grade 3 min. wet	95,000 D.R.	W
Stancil	B	100% polyester	i-clean™	19.33 oz./lin. yd.	n/a	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1, ASTM E84 Class 1	Grade 4 min. dry & Grade 3 min. wet	95,000 D.R.	W
Tome	A	100% polyester	i-clean™	10.61 oz./lin. Yd.	n/a	Class 4 @40 hours	CA Bulletin 117 2013; UFAC Class 1, NFPA 260 Class 1	Grade 4 min. dry & Grade 3 min. wet	95,000 D.R.	W

SEATING FABRIC PRODUCT APPLICATION INFORMATION


Pattern	Grade	Cushion Tops	Live, Live II	Jet	Sketch	Zego	Parley	Plus
Bobby	B	A	A	A	A	•	A	A
Cadence	A	A	A	A	A	•	A	•
Dillon	A	A	A	A	A	A	A	A
Graph*	B	A	A	A	A	•	A	A
Guild	B	A	A	A	A	•	A	A
Input	A	A	A	A	A	•	A	A
Intuition	A	A	A	A	A	•	A	A
Linette	B	A	A	A	A	•	A	A
Open House	A	A	A	A	A	A	•	A
Punch Card	B	A	A	A	A	•	A	A
Smith	A	A	A	A	A	•	A	A
Stancil	B	A	A	A	A	•	A	A
Tome	A	A	A	A	A	•	A	A

A = Approved • = Does not apply

* Graph on Parley will be charged as a Grade F.

Go to [Trendway.com](https://www.trendway.com) for product application information on products not listed.

Punch Card pattern repeat shown at 50% scale



PANEL FABRICS TECHNICAL INFORMATION

Pattern Name	Grade	Content	Lightfastness	Flame Resistance	Repeat	Weight	Width	Cleaning Code
Amaze	1	82% polyester, 18% post-consumer recycled polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	12.8" v x 11.7" h	12.9 +/- 1.0 oz./lin. yd.	66"	W-S
Anchorage	3	65% pre-consumer recycled polyester, 35% post consumer recycled polyester	Grade 4 min. @ 40 hours	CA Tech Bulletin 117-2013 Sec 1, NFPA 260/UFAC class 1, ASTM E84 Class 1 or A	none	15.0 +/- 1.0 oz./lin. yd.	66"	W-S
Aurora	1	80% post-consumer recycled polyester, 20% polyester	Grade 4 min. @ 40 hours	Cal. 117-2013 pass	none	12.94 oz. / lin. yd.	66"	W-S
Chase	1	74% polyester, 26% post-consumer recycled polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	none	13.3 +/- 1.0 oz./lin. yd.	66"	W-S
Framework	0	100% polyester	Grade 4.5 min. @ 40 hours	ASTM E84 Class 1 or A	none	10.5 oz./lin. yd.	66"	W-S
Glint	3	100% post-consumer recycled polyester	Class 4.5 @ 40 hours	ASTM E84	none	1.06 lbs.	66"	W-S
Intermix	1	100% pre-consumer recycled polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	none	15.3 +/- 1.0 oz. per lin. Yd.	66"	W-S
Merge	0	75% post-consumer recycled polyester, 25% polyester	Class 4.5 @ 40 hours	ASTM E84 Class 1 or A	none	16.2 oz./lin. yd.	66"	W-S
Mingle	1	77% pre-consumer recycled polyester, 23% post-consumer recycled polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	16.7" v x 16.2" h	10.9 +/- 1.0 oz./lin. yd.	66"	W-S
Netiquette	1	31% recycled polyester, 69% polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	7.25" v x 14"h	9.5 oz./lin. yd.	66"	W-S
Pact	2	65% post-industrial recycled polyester, 35% post-consumer recycled polyester	Class 4 @ 60 hours	CA Bulletin 117 2013; UFAC Class 1; ASTM E84	.125" v x .125"h	.81 lbs.	66"	W-S
Pursuit	1	100% pre-consumer recycled polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	none	9.1 +/- .5 oz./lin. Yd.	66"	W-S
Tabby Weave	2	100% pre-consumer recycled polyester	Grade 4 min. @ 40 hours	ASTM E84 Class 1 or A	none	16.0 +/- .5 oz./lin. Yd.	66"	W-S

PANEL FABRIC TECHNICAL INFORMATION

Pattern	Grade	Capture Tiles	Choices® Panels/ All Systems Components	Fabric Screens	Freestanding Tackboards		Cushion Tops	TrendWall®	Volo®
					< 60" H	>60" H			
Amaze	1	A	A	A	A	A	•	A	A
Anchorage	3	A	A	A	A	A	•	•	A
Aurora	1	A	A	A	A	A	•	A	A
Chase	1	A	A	A	A	A	•	A	A
Framework	0	A	A	A	A	A	•	•	A
Glint	3	A	A	A	A	A	•	A	A
Intermix	1	A	A	•	A	A	•	A	A
Intuition	3	A	•	•	A	A	A	•	A
Merge	0	A	A	A	A	A	A	A	A
Mingle	1	A	A	A	A	A	•	A	A
Netiquette*	1	A	•	•	A	A	•	A	A
Pact	2	A	A	A	A	A	•	A	A
Pursuit	1	A	A	A	A	A	•	A	A
Tabby Weave	2	A	A	A	A	A	•	A	A

A = Approved • = Does not apply

* Approved for Choices® Tackboards and Flipper Doors

Go to [Trendway.com](https://www.trendway.com) for product application information on products not listed.

Trendway >

Fellowes
Brands. | FAMILY BUSINESS
SINCE 1917

TRENDWAY HEADQUARTERS | Holland, Michigan

CHICAGO | LOS ANGELES | WASHINGTON, DC

Trendway.com | October 2020

