# Trig® Desking

PRICE LIST | JANUARY 2022

For Canadian pricing, please visit Trendealer to see the current conversion rate being used or contact your local Trendway Representative.

## Trendway. >

#### Trig Desking

Trig Desking is a fully integrated line of laminate freestanding components including desks, credenzas, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Trendway product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on dealer.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

#### Ordering Information

The most efficient way to enter an order is through Trendway On-Line Order Entry on dealer.trendway.com, which also accepts .sif files from the design software 8. listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGRECD2048 represents a Trig Rectangle Desk that is 20" (508) deep and 48" (1219)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

#### Placing an Order

To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.

- A complete "ship to" address with correct Zip code.
- A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
- 4. A signature or name of person authorizing the purchase order.
- 5. A contact name and phone number at your company.
- An actual calendar date for the requested delivery date (not ASAP).
- 7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

(Refer to your price list for ordering options.)

- Special products referenced by their control numbers as well as their descriptions.
- 9. Line items that include price per unit, as well as extended totals.
- 10. A total dollar amount for the purchase order.
- 11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

#### Lead-Times

The majority of Trig Desking products are shipped within Trendway's standard lead time.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.

## Product Questions, Quotes & Order Placement On-Line

dealer.trendway.com

Hours: 24 Hours, 7 Days a Week

### **Customer Care Representative**

Hours: Monday-Friday 7:30 am-5:30 pm EST Phone: 1-800-893-8115 Fax: 1-800-893-8121

e-mail: customercare@trendway.com

## Trendway Custom Solutions

Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.

#### 1. Transportation

All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact Trendway Customer Care 1-800-893-8115.

#### 2. Prices

Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.

#### **Sequence Information**


The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.

Sample Part Number: Catalog Top Number Color

TRGRECD2048 .XZ3

## Trig | Desks | Work Surfaces | Screens & Modesties | Tables | Filing + Storage | Statement of Line

#### Desks




\*widths in increments of 6"

← Denotes direction of wood grain

30" x 54" x 24' 30" x 72" x 24'


#### **Work Surfaces**

30" x 36' 30" x 72'





\*widths in increments of 6"


#### Work Surface Support Legs




#### **Screens & Modesties**














Post Mount Screen -U Configuration








Desk Top Clamp Mount Screen




Fabric Mounted Screens



\*widths in increments of 6'

#### Filing & Storage

#### Credenzas





D W H 20" x 30" x 26<sup>3</sup>/<sub>4</sub>"








Under Desk Support Storage







#### Bench-Height Storage













## Freestanding Storage







D

20" x 30" x 27<sup>3</sup>/<sub>4</sub>" 24" x 30" x 27<sup>3</sup>/<sub>4</sub>" 30" x 30" x 273/41



20" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>" 24" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>" 30" x 15<sup>1</sup>/<sub>2</sub>" x 27<sup>3</sup>/<sub>4</sub>"

20" x 30" x 27<sup>3</sup>/<sub>4</sub>" 24" x 30" x 27<sup>3</sup>/<sub>4</sub>" 30" x 30" x 27<sup>3</sup>/<sub>4</sub>"

### Stack Storage - Open Shelf\*




14" x 30" x 271/4"



14" x 30" x 391/4"

#### Stack Storage -Paper Management



Trig to Panel Bracket



Will allow Trig Work Surface Legs and Storage Units to directly connect to Choices Panels.

\*To match 54" & 66" high Storage Towers when placed on top of 26.75" high Credenzas

\*To match Credenza Storage widths

#### Overhead - Single and Dual Sliding Door



14" x 48" x 15<sup>1</sup>/<sub>2</sub>" 14" x 72" x 15<sup>1</sup>/<sub>2</sub>"



D W\* H 14" x 48" x 15<sup>1</sup>/<sub>2</sub>" 14" x 72" x 15<sup>1</sup>/<sub>2</sub>"

## Overhead - Open Shelf



D W\* H 14" x 48" x 15<sup>1</sup>/<sub>2</sub>" 14" x 84" x 15<sup>1</sup>/<sub>2</sub>"

#### Overhead - Hinged Doors\*\*







\*Widths in 6" increments.


\*\*The same door size is used for all units. Overheads 66" and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit.


#### Combination Storage




D W H 20" x 30" x 53<sup>3</sup>/<sub>4</sub>"












4

### Filing & Storage Continued

#### Tower Storage



Door Style Options



Laminate Door



Framed Door Insert (Plexiglass)

#### Wardrobe Storage







## **Benching Electrical**

Power Raceway



Power Grommets







#### Accessories










#### **Tables**



Note: See the Tables Price Book for the complete Tables offering.

## Trendway, >

#### **Surface Material Program**

The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

#### **Standard Program**

Trendway's Standard Program of timeless and popular fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded and swatched by Trendway. Materials in the Trendway Standard Program offering are readily available for orders to ship within 2-4 weeks. Refer to individual panels for fire rating classifications.

#### **Scheduled Program**

Trendway's Schedule Program is made up of additional colors of standard patterns, as well as an evolving collection of fabrics from our textile partners designed to solve all your needs. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years and is not considered part of the standard program. To see the Scheduled fabrics go the the surface material page on our website at www.Trendway.com and filter for "Scheduled" under "Lead-Times". Scheduled fabrics may have different lead time than standard fabrics. Please call Trendway customer care for estimated ship dates.

Both Standard and Scheduled Materials in this program comply with the industry standards for quality and performance.

They all pass California Technical Bulletin 117-2013 and are listed as part of the UL recognized component program.

### Terratex®

Terratex is a Duvaltex brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

#### COM

Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information see item #11 (COM) in the Pricing, Procedures and Policies section in the back of the price list or on Trendealer.com.

#### **Pre-Approved COM**

Select from popular COM fabrics pre-approved by Trendway. Customers = 100% Recycled Content are able to search the COM library on dealer.trendway.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

## **HOW TO ORDER SAMPLES**

#### Standard Program Binder Cards

Seating and panel binder cards are available through Trendway fulfillment. dealer.trendway.com

## **Standard Program Samples**

Samples of fabrics and finishes are available through Trendway fulfillment. dealer.trendway.com

## **Scheduled Samples** Samples must be ordered directly through the supplier. Contact on our website www.trendway.com/

information is listed below and also surfacematerials. Click on the link next to the swatch samples.

#### Camira

www.camirafabrics.com 1-616-288-0655

#### **Culp Contract**

www.culpcontract.com 336-888-6274

#### **Guilford Of Maine®**

www.quilfordofmaine.com 1-800-544-0200

### **Mayer Fabrics**

www.mayerfabrics.com 1-800-428-4415

#### Momentum® Textiles

www.memosamples.com 1-800-366-6839

#### Nevamar

www.nevamar.com 1-800-638-4380

#### **Pionite**

www.pionite.com 1-800-746-6483

### Ultrafabrics®

www.ultrafabricsinc.com 914-460-1730

#### Wilsonart®

www.wilsonart.com 1-800-433-3222

## **Surface Material Legend**





= Bleach Cleanable.Refer to specific cleaning instructions for each fabric on www.Trendway.com.

6


	LIIES	Choices Panels &	Fabric	Tackboards				•
Pattern		All Systems Components	Screens	> 60"	< 60"	TrendWall	Volo	Cushion Tops
Amaze	+	•	+	R		+	•	•
Anchorage	•	•	+	R	•	•	•	•
Aurora	•	•	+	R	•	+	•	•
Chase	•	•	+	R		+	•	•
Framework	♦	\$	4	♦	♦	•	♦	•
Glint	•	•	•	R	•	•	•	•
Intermix	•	•	•	R	•	+	•	•
Intuition*	•	•	•	R		•	•	+
Merge	d∳⊳	♦₽	♦₽	₫>	4	♦	4	\$
Mingle	•	•	+	R	•	•	•	•
Netiquette**	+	•	•	R	•	+	•	•
Pact	+	•	+	R		+	•	•
Pursuit	+	•	+	R	•	•	•	•
Tabby Weave	4€>	€	€	4	4	₫>	4	•

- Not Available
- Non Directional Pattern will be applied for best yield
- Down Roll The height dimension of the tile or component is parallel to the warp of the fabric
- Railroaded The height dimension of the tile or component is perpendicular to the warp of the fabric
- Multi-use fabric (seating and panel) available on Capture, Fabric Screens, and Volo
- Not available on Choices Panels, but approved on Choice's Tackboards and Flipper Doors

#### Down-Roll (♣)

Down-roll means the height dimension of the tile or component is parallel to the warp of the fabric (Fig. A).

## Fig. A



#### **COM Fabrics**

COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that 84" (2134)-high Choices and TrendWall Panels cannot be Railroad due to panel fabric being 66" (1676)-wide (Fig. C).

#### Railroad

Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B





Fig. C



	Panel Fabrics						
Framewor		Grade 0 Intermix		Grade 1	Tabby Wea	ave Grad	e 2
Value Fab	_	<mark>ർ</mark> Guilford o	f Maine		QQ3	Cement Mix	
KK1	Cappuccino	KDM	Foggy		175	Crystal Blue	
BJ7	Dove Gray	KDK	Husky		238	Grey Mix	
KK2	Espresso	KDT	Neptune		K99	Medium Grey	
B4Y B4X	Eucalyptus Gray Blue	KDJ	Rocket Ship		380	Quartz	
KJX	Grotto	KDH	Seagull		BV2	Silver Papier	
BFP	Hunter	KDV	Smoky Quartz		150	Wedgewood	
BFR	Marble	KDR	Swan		.00	augumeeu	
B4V	Sandy Pebble	T(D)	Owarr		Anchorage	e Grad	1a 3
BG8	Twilight	Mingle		Grade 1	Guilford C		
		Guilford of	Maine				
Merge		Grade 0 Z53	Biscuit		AR1	Angora	
Z42	Dove	Z4X	Carbon		AR0	Asteroid	
Z43	Driftwood	Z4X Z4Y			BF4	Aubergine	
Z44	Eucalyptus		Crystal		AQ8	Birch	
Z45	Fawn	Z52	Wheatberry		BF9	Cobalt	
Z46	Fire Engine	Z51	Winter		AQ7	Deep Water	
Z40 Z47	Graphite	Nationalis		Crade 1	BFM	Graphite	
Z47 Z49	· ·	Netiquette		Grade 1	BFF	Green Apple	
Z49 Z4A	Green Apple	KK5	Analog		BFA	Lapis	
	lvy Mandarin	KK3	Chipset		BFD	Midnight	
Z4C	Mandarin	KK4	Dashboard		GEB	Onyx	
Z4D	Marshmallow	KK8	Gamma		KX1	Pool	
Z4F	Midnight	KK7	Inkjet		BF2	Pumpkin	
Z4H	Slate	KKC	Pixel		AQ6	Quarry Blue	
		KKA	Refresh		BFN	Red Delicious	
		KK6	Schema		AQ5	Slate	
Amaze		rade 1 KK9	Vector		BFC	Thistle	
Guilford o	f Maine	1 11 10			AQ1	Vanilla	
Z4W	Morel	Pursuit		Grade 1	BXP	Waterfall	
Z4T	Platinum	ல் Guilford of	f Maine				
Z4V	Steel	KDG	Cement		BFG	Willow	
Z4U	Sky	KDA	Dove		BFJ	Wolf	
240	OKy	KDA KDF	Elephant				
Aurora	G	irade 1 KDC			Glint	Grade	e 3
Guilford c	of Maine	KDC KD9	Mist Grey		Momentur	n	
Z55	Cloud		Whisper		KG4	Caspian	
Z54	Frost	KDD	White Linen		KG5	Column	
Z56	Latte				KG7	Gypsum	
	Pewter				KG9	Opal	
Z57	rewiei				KJ2	Pumice	
Chase		rade 1			KGC	Relic	
nase Guilford o				Cuarl	KGE	Serene	
	T Walle	Pact	Maina	Grade 2	KGF	Shale	
Z4K	Coin	Guilford of					
Z4M	Ecru	BM5	Aloe		Industrial and		
Z4P	Mushroom	BM8	Coastal		Intuition*	Grad	e 4
Z4R	Pumice	BMA	Dove		Guilford of		
Z4N	Shadow	BME	Fern		Z27	Bisque	
		BMF	Harbour		Z2C	Honey	
		BMJ	Midnight		Z2E	Peacock	
		BMM	Patina		Z2G	Sage	
		BMN	Putty			J	
		BMU	Sketch				
		BMW	Taupe				
		HIVIVI	ISHDE				
		BMX	Toasty				

<sup>\*</sup> Available on Capture, Fabric Screens, and Volo

8

#### Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our six trim colors.

## Systems Paints and Trim

Charcoal DW Designer White G Gray Light Gray Υ Sand

Stucco ΤK **Textured Charcoal TDW** Textured Designer White TG **Textured Gray** 

TL Textured Light Gray ΤY Textured Sand TJ **Textured Stucco** 

### Glazed Panels

## **Plexiglass**

01 Clear E3A \*Frosted

## \*Tempered Glass

Clear 05 Frosted

#### **Ecoresin**

The color options are semi-transparent with (or without) patterns.

#### \*3form

E02 Solo Aqua Supermatte Ecoresin E01 Solo Supermatte Ecoresin E03 Spider Ecoresin

\*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

#### **Premium Systems Finishes**

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge. Textured colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

### **Smooth Metallic Paint**

PΑ Platinum

## Standard Vinyl Edgeband

Solid	
K	Charcoal
E1	Designer White
E6	Graphite
L	Light Gray
Υ	Sand
E7	Shadow
J	Stucco

Patterned	
E8	Casual Linen
E9	Classic Linen
EB	Crisp Linen
EG	Earthen Twill
EH	Graphite Twill
EE	Sarum Twill

Woodgrai	n
W8	Beigewood
WE	Brazilwood
W7	Empire Mahogany
ER	Espresso Pearwood
WY	Finnish Oak
W5	Fusion Maple
E5	Phantom Charcoal
E4	Phantom Ecru
E3	Phantom Pearl
WZ	Walnut
W6	Wild Cherry

<sup>\*</sup> Available on Capture, Fabric Screens, and Volo

#### High Pressure Laminates - for Work Surfaces and Laminate Tiles **Standard Program** Grade 2 Grade 1 Solid Woodgrain **Pattern** Woodgrain Beigewood Casual Linen J0G Phantom Charcoal 583 Charcoal J6B J9C J<sub>0</sub>C Designer White J6A Classic Linen J0D Brazilwood J9B Phantom Ecru J9D Graphite J69 Crisp Linen J2A **Empire Mahogany** J9A Phantom Pearl 573 Light Gray Earthen Twill J9X Expresso Pearwood J9H J20 Sand JM4 **Evening Tigris** J98 Finnish Oak J04 Shadow J9J Graphite Twill J25 Fusion Maple Stucco JN2 **Grey Tigris** J99 Walnut J11 J09 White Tigris J1R Wild Cherry

### Thermofused Laminates – for Storage and Laminate Tiles

J9G

Sarum Twill

Standa	rd Program			
Solid	Grade 1	Woodgr	ain	Grade 1
XZ4	Black	XZ8	Beige	ewood
XZH	Designer White	XZE	Brazil	wood
		XZ3	Empir	e Mahogany
		XY6	Espre	sso Pearwood
		XZY	Finnis	sh Oak
		XZ2	Fusion	nMaple
		XZZ	Walnu	ıt
		XZ1	Wild (	Cherry

Woodgr	ain Grade 2
XY2	Phantom Charcoal
XY1	Phantom Ecru
XY0	Phantom Pearl

## **CROSS REFERENCE**

High Pressure Laminate (HPL), Thermofused Laminate (TFL), Edgebanding, Wood Veneer, Panel Vinyl

Solid Color Name	HPL Capture, Choices, Pack, Worksurfaces	TFL Capture, Intrinsic, Trig	Edgeband	Finish Code	Panel Vinyl Choices, TrendWall, Volo
Black		XZ4			
Charcoal**	583		K	K	V39
Designer White**	JOC	XZH	E1	DW	V52
Graphite	J9D		E6		
Gray**				G	V38
Light Gray**	573		L	L	V51
Platinum**				PA	V53
Sand**	J20		Y	Y	V48
Shadow	J04		E7		
Stucco**	J11		J	J	V49

Pattern Color Name	HPL Capture, Choices, Pack, Worksurfaces	Edgeband		
Casual Linen	J6B	E8		
Classic Linen	J6A	E9		
Crisp Linen	J69	EB		
Earthen Twill	J9H	EG		
Graphite Twill	J9J	EH		
Sarum Twill	J9G	EE		

Woodgrain  Pattern Name  HPL Capture, Choices, Pack, Worksurfaces Trig  TFL Capture, In Trig		Capture, Intrinsic,	Edgeband	Wood Veneer Choices, Volo	Panel Vinyl TrendWall
American Natural					AS2
Beigewood	JOG	XZ8	W8	M4	
Brazilwood	JOD	XZE	WE	M5	
Empire Mahogany		XZ3	W7	M8	
Espresso Pearwood	J9X	XY6	ER		
Finnish Oak	J98	XZY	WY		
Fusion Maple	J25	XZ2	W5	M2	
Phantom Charcoal	J9C	XY2			
Phantom Ecru	J9B	XY1	E4		
Phantom Pearl	J9A	XYO	E3		
Russian Maple					AS3
Sorrel Pear					AS4
Walnut	J99	XZZ	WZ		
Wild Cherry	J1R	XZ1	W6	M9	

<sup>\*\*</sup> Trendway standard trim paint color

Trendway. >					

Accessories

## **Trig Keying Order Form**

This form can be used as a worksheet or an order form to determine what keyalike Trig Core/Key Sets are needed for key-alike Trig filing and storage, Trig locks on Choices flipper units and for additional Trig Lock Keys, Core Keys and Master Keys\*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

#### Trig Core/Key Set

Trig Core/Key Set includes a lock core and 2 lock key. Trig Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers\*\* may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

#### Trig Core Installation/Removal Key

Trig Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Tria lock cores.

## \*Trig Master Key

Trig Master Key is used to open any Trig style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

endway ( 467 Quir ione: (80	orporation acy St. Holland M 0) 893-8115 Fax way.com	•			Trig Keying Order Forn
ustome	r P.O. Numbe	r 12345			Trendway Order Number
		rent from P.O			
ria C	ore/Kev S	et – TLCK			
					Key-Alike Special Tagging Instructions
Qty.	List Price \$13	Key Number S101 - S200	Floor	Office	
2	\$26	0101	3	5	John's Office
6	\$78	S101 S101	2	3	Offices 201, 252
	ψ. σ	0.01			
					10
				2	
		G			
		-			
dditi	onal Trig	Lock Key(s) -	TKEY	7	
Qty.	List Price \$8	Key Number S101 - S200			
1	\$8	S101			
		Core Installat	tion/Re	moval	Key(s) – TCK
Qty.	List Price \$4		One co	re removal	key is included at no charge for every 50 lock sets ordered.

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

# Trendway. >

**Trendway Corporation** 13467 Quincy St. Holland MI 49424 Phone: (800) 968-5344 Fax: (616) 399-0668 www.trendway.com

## Trig Keying Order Form

ustome	er P.O. Numb	er			Trendway Order Number
nip to a	address if diffe	erent from P.O			
ria C	ore/Kev S	Set - TLCK			
					Key-Alike Special Tagging Instructions
Qty.	List Price \$13	Key Number S101 - S200	Floor	Office	
dditi	onal Trig	Lock Key(s)	– TKE	Y	
Qty.	List Price \$8	Key Number S101 - S200			
dditi	onal Trig	Core Installa	tion/R	emoval K	Key(s) – TCK
Qtv.	List		One co	ore removal ka	ev is included at no charge for every 50 lock sets ordered.

## Trig Master Key(s)

Price \$4

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

One core removal key is included at no charge for every 50 lock sets ordered.

## Trig Core/Key Set

The Trig Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the "disposable" core that ships with Trig filing units in order for these units to lock. This set can also be ordered to replace an existing Trig Core/Key Set. Includes a Trig lock core and 2 lock keys.

## Trig Core Installation/Removal Key

The Trig Core Installation/Removal Key is needed to install or remove Trig Cores in Trig filing units. One Core Key is included at no charge with every 1 to 50 Trig Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.

### **Trig Lock Key**

Replacement Trig Keys are available for order.

	Trig Core/Key Set			
5		List Price	Catalog Number	Key Number
		\$15	TLCK	S101 - S200
	Trig Core Installation/Re	emoval Key		
		List Price	Catalog Number	
		\$4	тск	
	Trig Lock Key			
		List Price	Catalog Number	Key Number
		\$8	TKEY	S101 - S200

Total Cost \$8 =


TKEY		. <b>S112</b>
\$8	4	N/C

## Trig Desking

17
26
32
38
40
41
43
52
57
59
62
65
66
72

Typical – 7'x7' "L" Shape Worksta	tion Li	st Price \$6,048
	Quantity	Catalog Number
	1 1 1 1 1	TRGRECS2484 TRGULEG24 TRGCOS30 TRG612LAT20 TRGUDPED24 TRGTSSDR66

Typical – Mirrored 17' x 9' (8.5' x 9' per station) Workstation




Typical – 6'x8' "L" Shape Workstation


List Price \$6,872

Typical – 10' x 10' (5' x 5' per station)
Benching Workstation

List Price \$13,336

List Price \$8,924





Typical – 8' x 7' "U" Shape Workstation List Price \$6,598

Quantity Catalog Number

1 TRGEPSR487230
1 TRGESSL487220
1 TRGULEG30
1 TRGUDLAT20
1 SICSP
1 TRG612PED20
1 TRGTSSDL66

Typical – 6.5' x 16' "L" (6.5' x 8' per station) Shape Workstation

Shape Workstation	Lis	t Price \$12,182
	Quantity	Catalog Number
	2 1 2 2 1 1 1	TRGRECS2478 TRGULEG48 TRGUDPED24 TRGBF2LAT60 TRGTSSDR54 TRGTSSDL54 TRGTMS7813

Typical - Desk Workstation

List Price \$4,801

Quantity Catalog Number

1 TRGRECD2472
1 TRGRECS2072
1 TRGUDPED20
1 TRGUDDD20
1 TRGMOD60

Typical – 8' x 15' (4' x 7.5' per station) 4 Pack Workstation

Pack Workstation	<u> </u>	ist Price \$13,738
	Quantity	Catalog Number
	2 2 4 2 2 2	TRGEPSL307248 TRGEPSR487230 TRGWSBRKTS TRGCS6612OSR30 TRGCS6612OSL30 TRGTMS7213

### **Trig Desking Overview**

Trig Desking is a fully integrated line of quality freestanding desks and modular case goods. The collection includes desks, credenzas, conference tables, and bench height, underdesk, combination and tower storage.

#### **Ordering Information**

For ease in specifying, Trendway's catalog numbering system uses meaningfull characters to convey description, surface type, and size. For example, TRGC2DDCS75 is a Trig Credenza unit with 2 Double Doors, Center Shelves, 75" (1905) wide.

By following the Sample Part Number Example below, you create a Part Number for each product. This Part Number will match your acknowledgement and packaging slip.

## When ordering filing and storage units, list the following:

- 1. Quantity (combine same products)
- Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
- 3. For ease of reading, place a period between each option number (TRGCOS30.XZ1.XZ1.XZ4.G)


11-:4/

### **Trig Key Option**

Trig Desking filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see page 9 for more information). When the randomly keyed option "R" is chosen the Trig Desking filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Trig Desking storage unit will ship with a "disposable" core in place of the core/key and the specified Trig Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing and storage unit to lock. The Core/Key set (TLCK) must be ordered separately or by using the Trig Keying order form.

	Catalog Number	Shelf Color	Top Color	Edge Color	Trim Color
Sample Part Number:	TRGCOS30	<u>.XZ1</u>	. <u>XZ1</u>	.XZ4	. <u>G</u>
Total Cost \$1114 =	\$1114	- N/C -	<b>-</b> N/C <b>-</b>	N/C	N/C



#### STANDARD FEATURES

#### Edgebanding

Components are finished with PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate unless an option pick is noted. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding.

#### Wire Management

Grommets are available in black or silver. (Optional)

#### **Drawers**

All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

#### **Doors**

Storage doors have 95 degree hinges and shock absorbent bumpers.


#### Leveling Glides


Desks and Table allow up to 1" height adjustment.


Pedestals, Laterals, Credenza, Storage Cabinets and Towers allow up to 15/6" height adjustment, and are adjustable from inside the storage unit.


#### **Pull Style Options**

Trig filing and storage units have four 128mm center applied pull options (Classic, Streamline, and Designer), and one 256mm center pull (Modern). These are all plated nickel finish.









#### **Dimensions**

All dimensions listed are nominal unless otherwise noted.

#### Certification

All components of the Trig Desking offering meet or exceed ANSI/BIFMA X5.6-2016 performance standards unless noted.

#### **Special Products and Finishes**

Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

#### **SPECIFICATIONS**

#### **Load Capacities**

All Trig Laminate storage units meet or exceed the following load requirements. For a complete listing of load capacities, contact Trendway Customer Care or visit trendealer.com

#### Desks:

5 lbs. (2.3kg) per linear inch, uniformly distributed.

#### Pedestal:

6" (152) Pedestal Drawer — 20 lbs. (9kg) 12" (305) Pedestal Drawer — 40 lbs. (18kg) Top — 90 lbs. (41kg)

#### Laterals:

Drawer — approx. 2.6 lbs. (1.17kg) per linear inch

Top — approx. 4.6 lbs. (2.1kg) per linear inch

#### Storage Towers:

6" (152) Pedestal Drawer — 20 lbs. (9kg) 12" (305) Pedestal Drawer — 40 lbs. (18kg) Top — 140 lbs. (64kg) Unit Shelf — 60 lbs. (27kg) Unit Bottom — 90 lbs. (41kg)

#### **Double-Door Storage Units:**

Shelf — 100 lbs. (45kg) Top — 160 lbs. (73kg) Bottom of Cabinet — 160 lbs. (73kg)

#### Tables:

36" (914) - 60" (1524) — 200 lbs. (276kg) 72"(1829) and longer — 400 lbs. (552kg)

Accessories

# Trendway. >

## Maximum Load Capacity For Any Storage Unit

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eg: Maximum load capacity for a TRGTSDD66 = load capacity for bottom + 3 shelves + unit top

- $= 160 \text{ lbs.} + 100 \text{ lbs.} \times 3 + 160 \text{ lbs.}$
- = 620 lbs. maximum load

Eg: Maximum load capacity for a TRG612LAT20 = load capacity for drawer x 2 drawers + unit top

- = 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./ linear in. x 36"
- = approx. 352 lbs. maximum load (for actual load capacities for each size Trig Laminate Lateral File contact Trendway Customer Care or visit trendealer.com).

Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.


#### WARNING:

Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.

#### **Laminate Lateral Files Specifications**


Trig Laminate Lateral Files are factory configured for side-to-side filing. If front-to-back filing is desired, the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.



#### For use with Trig Laminate Lateral Files

## Letter Size Filing

30" - Wide & File Center



1 Pair Trig Laminate Front-to-Back Filing Bars

## **Legal Size Filing**



30" - Wide & File Center

1 Trig Laminate Front-to-Back Filing Bars

#### **Lateral Files**

CAUTION: Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.

Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.

Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-by-side ganging does not improve stability.


To avoid tipping, always load bottom drawers before loading top drawer.

Trig offers pre-configured desks with support legs on both ends. Work surfaces with various support options may also be specified.


#### **Specifing Work Surfaces with Support Options**

Trig work surfaces are ordered by selecting a work surface shape and then ordering supports separately for the left and right. Storage units can be used as support on both ends of the Rectangle & Wedge work surfaces, but only one end of the Blade, Primary and Secondary work surfaces.


## **Work Surface With No Supports**



### **Work Surfaces With One Support**





### **Work Surface Support Options**



Shared Work Surface Support Leg

- Under desk support storage includes a 1" riser to attach the work surface to the storage unit
- Support leg depth must match the work surface depth
- Shared support legs are utilized when two work surfaces of equal depth are paired together
- · Support leg depth must match the work surface depth






- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth
- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth

Trendway, >


#### Creating an "L" shaped office with a return

It is easy to configure "L" shaped offices using these simple guidelines.


Returns can be used on Rectangle, Primary and Secondary Desks







Return with Flush Plate and Under Desk Storage or Credenza



Return with Flush Plate and Combination Storage


Use the following chart for a quick reference for Available Work Surface Support Options

#### Desks

Support	Combinations			Su	ırface Wi	idth		
Support 1	Support 2	48"	54"	60"	66"	72"	78"	84"
Leg	Leg	Y	Υ	Υ	Υ	Υ	-	-
Leg	Under Desk / Credenza	Y	Υ	Υ	Υ	Υ	Y	Υ
Leg	Combination Storage	Y	Υ	Υ	Υ	Υ	-	-
Under Desk / Credenza	Under Desk / Credenza	Y	Υ	Υ	Υ	Υ	Υ	Υ
Under Desk / Credenza	Combination Storage	Y	Υ	Υ	Υ	Υ	Υ	Υ
Combination Storage	Combination Storage	Υ	Υ	Υ	Υ	Υ	-	-

#### Using a Bridge


A Bridge work surface can be used to connect two freestanding rectangular desks.



Bridge with Flush Plates


**Credenza Support Option** 

- The support riser attaches the work surface to the storage
- The 1" Support Riser needs to be ordered separately and field installed.
- Credenza top will need to be drilled in the field. Only Under Desk Support Storage comes pre-drilled.
- Field installed riser is 13" long, and when mounted to the bottom of the work surface, it is centered relative to the depth. To give the riser the appropriate support on the credenza, the following chart shows the maximum that the work surface can overhang the storage unit:





Work Surface Depth	Maximum Overhang
20"	3.5"
24"	5.5"
30"	8.5"



#### **Under Desk Storage Depth for** Rectangle, Blade & Secondary Work Surfaces




Surface	Leg	Storage
Depth	Depth	Depth
20"	20"	20"
24"	24"	24"
30"	30"	30"

#### **Under Desk Storage Depth for Wedge Work Surfaces**



Surface	Leg	Storage
Depth	Depth	Depth
20"	20"	20"
24"	24"	20"
30"	30"	24"

#### Under Desk Storage Depth for **Primary Work Surfaces**




Surface	Leg	Storage
Depth	Depth	Depth
30"	30"	

## Trendway, >


#### **Primary & Secondary Work Surfaces**

Primary and Secondary work surfaces are available in 42" and 48" depths.

Primary & Secondary 48"-deep work surfaces can be paired together to create a U-shaped work station. This U-shaped configuration is not recommended for 42"-deep work surfaces as it creates a narrow opening. However, they can be paired with rectangular work surfaces to create L-shaped work stations.




#### **Surface Mount Screen**



Surface mount screens are used when two work surfaces are positioned back-to-back and no gap exists between them. The base of each post spans seam between two surfaces and mounts on top with two screws. Screens are available in 13" and 19" heights, and lengths that span from 24" to 84" in 6" increments. Screen lengths of 48" and less are a single screen and two vertical posts. Screen lengths greater than 48" are two screens and three posts (center post is shared) see chart below:

Application	Number of Screens	Number of Posts
24" Span	(1) 24"	2
30" Span	(1) 30"	2
36" Span	(1) 36"	2
42" Span	(1) 42"	2
48" Span	(1) 48"	2
54" Span	(1) 24" + (1) 30"	3
60" Span	(2) 30"	3
66" Span	(1) 30" + (1) 36"	3
72" Span	(2) 36"	3
78" Span	(1) 36" + (1) 42"	3
84" Span	(2) 42"	3

(Total length of each screen is .25" shorter then nominal length)



## **Desk Top Screen**Desk Top Screens

are used in benching or multiple-workstation configurations, where surfaces

are positioned adjacent to each other end to end. Screens are available in 8" and 13" heights in each of the following widths: 16", 20", 26", 38" & 44". Screen length selected should be 4" shorter then the depth of the adjacent surfaces.




## Screen / Modesty Combination

The Screen / Modesty Combinations are mounted 1" off the back edge of the work surface to

provide clearance for cord pass-through. The size needed will depend on the right and left hand support options selected. For work surfaces with legs on both ends, subtract 12" from the width of the top. For work surfaces where underdesk storage or surface support brackets are used with Combination Storage, the screen/modesty width required can be determined by subtracting 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work suface with 30"-wide underdesk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your screen or screen / modesty combination width.



#### Modesty

The Modesty will be mounted 2" from the back edge of the work surface, and will be sized

to limit physical interference with legs or storage support units. The size needed will depend on the right- and left-hand support options selected. For work surfaces with legs on both ends, the modesty width required can be determined by subtracting 12" from the width of the top. For work surfaces where under desk storage or work surface support brackets are used with Combination Storage, subtract 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.


Example: 84"-wide work suface with 30"- wide under desk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your modesty width.

## Using Support Leg and Storage to Panel Brackets

These brackets are designed to provide stability to panel layouts that otherwise would require return panels. When using these brackets, the panel layout rules for Loaded and Non-loaded panel runs must be followed to ensure a safe installation.


### **Non-Loaded Panel Runs**

A Non-Loaded panel run is defined as having no panel hung components regardless of size or weight. The maximum length of a Non-Loaded panel run is 192" with a maximum of 66" high panels. Two Panel bracket connections, one on each end of the run, are required when used in place of a return panel (with the exception of Parallelmounted Trig Desk). The Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of Nonloaded panel run. Storage units can be side-mounted or back-mounted (Fig. 1).




For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 2):

- The minimum Trig Desk size is 48"W
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit.




For a parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. IF the desk depth is less than 30" then a third panel support is required on the back side of the panel run
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 4).




#### **Loaded Panel Runs**

A Loaded panel run is defined as having panel hung components with two or more panels connected in a straight line. The maximum length of a loaded panel run with one panel connection before a panel bracket is needed is 120", and with 2 panel connections is 96". The maximum panel height depends on whether there is a overhead storage on the adjacent panel. Maximum height with no overhead storage on adjacent panel is 66", and with overhead storage on the adjacent panel is 62". "Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of a loaded panel run. Storage units can be side-mounted or back-mounted (Fig 5).



For a perpendicular-mounted Trig Desk the following criteria must be met

- The minimum Trig Desk size is 48"W
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit



For parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. If the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig. 7).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 8).





Fig. 8



## Trendway. >

#### Grommets

Grommets are optional on all work surfaces. They can be specified in Black or Silver.

Multiple Grommets or a single Power Grommet can be specified for Rectangle and Wedge Surfaces. If the Power Grommet option is selected the Surface will ship with a factory cut opening to house the unit, but the Grommet must be ordered separately.

**Note:** A power grommet will not fit into a standard grommet opening specified with GY or GY2.

**Note:** A power grommet cannot be installed in a worksurface with a 26.75" high storage unit below.

The following drawings show standard Grommet locations.

#### Code Position

Single Grommet, centered left to right, 4" from the back of the table top.

**GY2** Pair of Grommets, 14" to the center from each end, and 4" from the back of

the table top

**PNDR** One cutout for the Power Grommet 14" from the right edge of the top, and 4


3/8" in from the back edge.

**PNDL** One cutout for the Power Grommet 14"


from the left edge of the top, and 4 3/8"

in from the back edge.


#### **Grommet Dimensions**





#### **Power Grommet Locations**



#### **Standard Grommet Locations**







Right- & Left-Hand Secondary Work Surfaces

Centered

4" (102)

Left-Hand

Right- & Left-Hand Secondary Work Surfaces

Centered

Centered


Centered

Centered

Centered

Right- & Left-Hand Secondary Work Surfaces

Right- & Left-Hand Blade Work Surfaces



Accessories

**Rectangular Desks** 

Trig Rectangular desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens, Modesties, Monitor Arms and Personal Task Lights.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 87 for details.


Note: For36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be

			Price used Grade		Power	Non- Power		_	Тор	
Dim Depth	ensions Width	1	2	Catalog Number	Grommet Option	Grommet Option	Grommet Color	Top Color	Edge Color	
20" (508)	36" (914)	\$882	\$897	TRGRECD2036	NN	No Cost	GB	Thermo-	Thermo-	Sta
	42" (1067)	887	903	TRGRECD2042	No	GN	Black	fused	fused	Fi
	48" (1372)	893	908	TRGRECD2048	Power	No		Laminate	Laminate	No
	54" (1372)	998	1014	TRGRECD2054		Grommet	GS	(See	(See	Pr
	60" (1524)	1003	1018	TRGRECD2060	PNDR	01/	Silver	Surface	Surface	Fir
	66" (1676)	1026	1041	TRGRECD2066	Power	<b>GY</b> One		Materials Page 10)	Materials	+ 5
	72" (1829)	1070	1085	TRGRECD2072	Right	Grommet		rage 10)	Page 10)	
					PNDL					
24" (610)	36" (914)	\$925	\$940	TRGRECD2436	Power	GY2				
	42" (1067)	930	946	TRGRECD2442	Left	Two				
	48" (1219)	936	951	TRGRECD2448		Grommets				
	54" (1372)	1026	1041	TRGRECD2454		(Not avail-				
	60" (1524)	1031	1047	TRGRECD2460		able with PNDR or				
	66" (1676)	1041	1057	TRGRECD2466		PNDL)				
	72" (1829)	1070	1085	TRGRECD2472		I NDL)				
30" (762)	36" (914)	\$1015	\$1030	TRGRECD3036						
	42" (1067)	1020	1036	TRGRECD3042						
	48" (1219)	1026	1041	TRGRECD3048						
	54" (1372)	1082	1112	TRGRECD3054						
	60" (1524)	1092	1122	TRGRECD3060						
^	66" (1676)	1114	1144	TRGRECD3066						
	72" (1829)	1141	1171	TRGRECD3072						
										$\vdash$
		uild your c art Numbe								



Total Cost \$893 =

P | 1-800-893-8115 F | 1-800-893-8121



**Wedge Desks** 


Trig Wedge desks are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Desks include two work surface support legs for right- and left-hand support. Additional accessories include field installed Screens, Modesties, Monitor Arms and Personal Task Lights.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 87 for details.

Depth1	Dimensions Width	Depth2	Therm	Price ofused ade 2	Catalog Number		Non-Power Grommet Option		Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372) 2 60" (1524) 66" (1676) 72" (1829)	24" (610)	\$1048 1070 1092 1109	\$1063 1085 1107 1125	TRGWEGDR205424 TRGWEGDR206024 TRGWEGDR206624 TRGWEGDR207224	NN No Power PNDR Power Right	No Cost GN No Grommet GY 1 Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 10)	(See Surface Materials	Standar Finish No Cost Premiur Finish + \$36
20" (508)	54" (1372) 3 60" (1524) 66" (1676) 72" (1829)	30" (762)	\$1054 1082 1105 1120	\$1084 1112 1135 1150	TRGWEGDR205430 TRGWEGDR206030 TRGWEGDR206630 TRGWEGDR207230	PNDL Power Left	GY2 2 Grommets (Not available		rage to	rage 10)	
24" (610)	54" (1372) 3 60" (1524) 66" (1676) 72" (1829)	30" (762)	\$1054 1082 1105 1120	\$1084 1112 1135 1150	TRGWEGDR245430 TRGWEGDR246030 TRGWEGDR246630 TRGWEGDR247230		if PNDR or PNDL selected)				
	D2										



Total Cost \$1048



Wedge Desks

Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include fieldinstalled screens, modesties, Monitor Arms and Personal Task Lights.


Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 87 for details.

## Trig Wedge Desk - Left-Hand

				Price sed Grade		Power Grom-	Non-Power			Тор	Leg
Depth1	Dimensions Width	Depth 2	1	2	Catalog Number	met Option	Grommet	Grommet Color	Top Color	Edge Color	Trim Color
24" (610)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	20" (508)	\$1048 1070 1092 1109	\$1063 1085 1107 1125	TRGWEGDL245420 TRGWEGDL246020 TRGWEGDL246620 TRGWEGDL247220	No Power PNDR Power	No Cost GN No Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials	Thermo- fused Laminate (See Surface Materials	Standard Finish No Cost Premium Finish + \$36
30" (762)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	20" (508)	\$1054 1082 1105 1120	\$1084 1112 1135 1150	TRGWEGDL305420 TRGWEGDL306020 TRGWEGDL306620 TRGWEGDL307220	Power	1 Grommet  GY2 2 Grommets (Not available if PNDR		Page 10)	Page 10)	
30" (762)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	24" (610)	\$1054 1082 1105 1120	\$1084 1112 1135 1150	TRGWEGDL305424 TRGWEGDL306024 TRGWEGDL307224		or PNDL selected)				
			uild your o								_
Ψ											

Sample Part Number:

Total Cost \$1048 =



#### **Blade Desks**

Trig Blade desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include fieldinstalled screens, modesties, Monitor Arms and Personal Task Lights.

## Trig Blade Desk - Right-Hand

Depth1	Dimensions Width	Depth 2		Price sed Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	94" (2388) W	30" (914)	\$1460	\$1531	TRGANGDR249430	No Cost GN No Grommet GY Grommet	GB Black GS Silver	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost Premium Finish + \$36
Trig Bla	ide Desk -	- Left-Ha		Drico						

Sample Part Number:

.GN

N/A

.XZ2


.XZ4

.K


TRGANGDR249430

## **Primary Desks**

Trig Primary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.



Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.



Desks include two work surface support legs for the right- and lefthand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.


## Trig Primary Desk - Right-Hand

	Dimens	sions		Therm	Price ofused ade	Catalog		Grommet	Тор	Top Edge	Leg Trim
Depth 1	Width	Depth 2	Depth 3	1	2	Number	Grommet	Color	Color	Color	Color
42" (1067)	54" (1372)	30" (762)	24" (610)	\$1428	\$1479	TRGEPDR425430	No Cost	GB	Thermo-	Thermo-	Standard
	60" (1524)	30" (762)		1428	1479	TRGEPDR426030	GN	Black	fused	fused	Finish
	66" (1676)	30" (762)		1438	1489	TRGEPDR426630	No		Laminate	Laminate	No Cost
	72" (1829)	30" (762)		1438	1489	TRGEPDR427230	Grommet	GS	(See	(See	Dromium
							0)/	Silver	Surface	Surface	Premium Finish
							Grommet		Materials Page 10)	Materials Page 10)	+ \$36
48" (1219)	54" (1372)	30" (762)	24" (610)	\$1438	\$1489	TRGEPDR485430	Grommet		rage 10)	rage 10)	1 700
- ( - /	60" (1524)	30" (762)	( /	1438	1489	TRGEPDR486030					
	66" (1676)	30" (762)		1450	1501	TRGEPDR486630					
	72" (1829)	30" (762)		1450	1501	TRGEPDR487230					
	. ,	, ,									

## Trig Primary Desk - Left-Hand


	Dimen	olono		Therm	Price ofused	
Depth 1	Width	Depth 2	Depth 3	1	ade 2	Catalog Number
30" (762)	54" (1372)	42" (1067)	24" (610)	\$1428	\$1479	TRGEPDL305442
30" (762)	60" (1524)			1428	1479	TRGEPDL306042
30" (762)	66" (1676)			1438	1489	TRGEPDL306642
30" (762)	72" (1829)			1438	1489	TRGEPDL307242
30" (762)	54" (1372)	48" (1219)	24" (610)	\$1438	\$1489	TRGEPDL305448
30" (762)	60" (1524)			1438	1489	TRGEPDL306048
30" (762)	66" (1676)			1450	1501	TRGEPDL306648
30" (762)	72" (1829)			1450	1501	TRGEPDL307248
				your com		

Sam	ple
Part	Number:



#### **Secondary Desks**

Trig Secondary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.



Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.



Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

## Trig Secondary Desk - Right-Hand

	Dimens	ions			Price sed Grade	Catalog		Grommet	Тор	Top Edge	Leg Trim
Depth 1	Width	Depth 2	Depth 3	1	2	Number	Grommet	Color	Color	Color	Color
20" (508)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	42" (1067)	24" (610)	\$1416 1416 1428 1428	\$1467 1467 1479 1479	TRGESDR205442 TRGESDR206042 TRGESDR206642 TRGESDR207242	No Cost GN No Grommet	Silver	Thermo- fused Laminate (See Surface Materials		Stan- dard Finish No Cos Pre- mium
20" (508)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	48" (1219)	24" (610)	\$1428 1428 1438 1438	\$1479 1479 1489 1489	TRGESDR205448 TRGESDR206048 TRGESDR206648 TRGESDR207248	- Grommet		Page 10)	rage IU)	Finish + \$36

## Trig Secondary Desk - Left-Hand

Depth 1	Dimens Width	ions Depth 2	Depth 3		Price sed Grade 2	Catalog Number
42" (1067)	54" (1372)	20" (508)	24" (610)		\$1467	TRGESDL425420
	60" (1524)			1416	1467	TRGESDL426020
	66" (1676)			1428	1479	TRGESDL426620
	72" (1829)			1428	1479	TRGESDL427220
48" (1219)	54" (1372) 60" (1524) 66" (1676) 72" (1829)	20" (508)	24" (610)	\$1428 1428 1438 1438	\$1479 1479 1489 1489	TRGESDL485420 TRGESDL486020 TRGESDL486620 TRGESDL487220
			Bu	ild your co	mplete	

Build your complete Part Number here:

> Sample Part Number:

.GB

.XZ2

.XZ4

.K

.GY

TRGESDL425420

#### **Rectangular Work Surface**

Trig Rectangular Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/ or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Order supports separately. Additional

accessories include field-installed Screens, Modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required under one end using under desk storage or a Credenza with riser.

Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 87 for details.

**Note:** For 36" wide surfaces with the PNDR, PNDL or GY2 option, the Trig Power sets, TRGDR12, should not be used.

## **Trig Rectangular Work Surface**

		List Price Thermofused Grade			Power Grom-	Non-Power			Тор
Dime Depth	ensions Width	1	2	Catalog Number	met Option	Grommet Option	Grommet Color	Top Color	Edge Color
20" (508)	24" (610)	\$179	\$194	TRGRECS2024	NN	No Cost	GB	Thermo-	Thermo-
$\rightarrow$	30" (762)	184	200	TRGRECS2030	No	GN	Black	fused	fused
	<sub>≥</sub> 36" (914)	190	205	TRGRECS2036	Power	No		Laminate	Laminate
	42" (1067)	196	212	TRGRECS2042	DNIDD	Grommet	GS	(See	(See
	48" (1219)	202	217	TRGRECS2048	PNDR Power	GY	Silver	Surface Materials	Surface Materials
	54" (1372)	306	322	TRGRECS2054	Right	1 Grommet		Page 10)	Page 10)
	60" (1524)	312	327	TRGRECS2060	(Not	Taroninet		i age iu)	rage ro)
	66" (1676)	335	350	TRGRECS2066	available	GY2			
	72" (1829)	378	393	TRGRECS2072	on 24"	2 Grommets			
	78" (1981)	401	431	TRGRECS2078	and 30"	(Not avail-			
	84" (2134)	429	458	TRGRECS2084	wide)	able if			
24" (610)	24" (610)	\$222	\$237	TRGRECS2424	PNDL	PNDR or PNDL			
	30" (762)	227	243	TRGRECS2430	Power	selected)			
	36" (914)	233	248	TRGRECS2436	Left	30loctou)			
	42" (1067)	238	254	TRGRECS2442	(Not				
	48" (1219)	245	260	TRGRECS2448	available				
	54" (1372)	335	350	TRGRECS2454	on 24"				
	60" (1524)	341	356	TRGRECS2460	and 30"				
	66" (1676)	350	366	TRGRECS2466	wide)				
	72" (1829)	378	393	TRGRECS2472					
	78" (1981)	429	458	TRGRECS2478					
	84" (2134)	446	476	TRGRECS2484	-				
30" (762)	24" (610)	\$289	\$304	TRGRECS3024					
	30" (762)	294	310	TRGRECS3030					
	36" (914)	300	315	TRGRECS3036					
	42" (1067)	305	321	TRGRECS3042					
	48" (1219)	312	327	TRGRECS3048					
	54" (1372)	368	398	TRGRECS3054					
	60" (1524)	378	408	TRGRECS3060					
	66" (1676)	401	431	TRGRECS3066					
	72" (1829)	429	458	TRGRECS3072					
	78" (1981)	489	519	TRGRECS3078					
	84" (2134)	520	550	TRGRECS3084					
		uild your co							
		rt Number							

Sample Part Number:

Total Cost \$202 =



Wedge Work Surface

Trig Wedge Work Surfaces are constructed of 1"-thick Thermofused Laminate with a 3mm vinyl edge band. They are available with an optional black or silver grommet and/ or a factory-cut opening for a power grommet. See planning section for standard grommet / power locations. Work Surfaces do not include supports. Supports must be specified separately. Additional accessories include field-installed Screens, Modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on under end using under desk storage or a Credenza with riser.


Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 87 for details.

## Trig Wedge Work Surface - Right-Hand

	Dimensions		List Price Thermofused Grade		Catalog	Power Grom- met	Non-Power	Grommet	T	Top Edge
Depth1		Depth 2	1	2	Number	Option	Grommet Option	Color	Top Color	Color
20" (508)	54" (1372)	24" (610)	\$355	\$370	TRGWEGSR205424	NN	No Cost	GB	Thermo-	Thermo
	60" (1524)		378	393	TRGWEGSR206024	No	GN	Black	fused	fused
	66" (1676)		401	416	TRGWEGSR206624	Power	No		Laminate	
	72" (1829)		419	434	TRGWEGSR207224	PNDR	Grommet	<b>GS</b> Silver	(See Surface	(See Surface
	78" (1981)		475	504	TRGWEGSR207824	Power	GY	Silvei	Materials	
	84" (2134)		512	542	TRGWEGSR208424	Right	1 Grommet	Page 10)		
20" (508)	54" (1372)	30" (762)	\$355	\$385	TRGWEGSR205430	lugiit	. 3.0		1 33 17	1 33 11
	60" (1524)		378	408	TRGWEGSR206030	PNDL	GY2			
	66" (1676)		401	431	TRGWEGSR206630	Power	2 Grommets			
	72" (1829)		419	448	TRGWEGSR207230	Left	(Not avail-			
	78" (1981)		475	504	TRGWEGSR207830		able if PNDR or PNDL			
	84" (2134)		512	542	TRGWEGSR208430		selected)			
24" (610)	54" (1372)	30" (762)	\$355	\$385	TRGWEGSR245430		Scioolog			
	60" (1524)		378	408	TRGWEGSR246030					
	66" (1676)		401	431	TRGWEGSR246630					
	72" (1829)		419	448	TRGWEGSR247230					
	78" (1981)		475	504	TRGWEGSR247830					
	84" (2134)		512	542	TRGWEGSR248430					
~ <u></u>	W Use Right	D2 CSide It Hand								
			Build your							



Total Cost \$355 =



#### Wedge Work Surface

Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

They are available with an optional black or silver grommet and/or a factory-cut opening for a power grommet. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.


Power Grommets are ordered separately. They will only fit into an opening that has been specified PNDR(L). See page 87 for details.

## Trig Wedge Work Surface - Left-Hand

	Dimensions		List Price Thermofused Grade		Catalog	Power	Non- Power	Grommet	Тор	Top Edge
Depth1	Width 1	Depth 2	1	2	Number	Option	Option	Color	Color	Color
24" (610)	54" (1372)	20" (508)	\$355	\$370	TRGWEGSL245420	NN	No Cost	GB	Thermo-	Thermo-
	60" (1524)		378	393	TRGWEGSL246020	No	GN	Black	fused	fused
	66" (1676)		401	416	TRGWEGSL246620	Power	No			Laminate
	72" (1829)		419	434	TRGWEGSL247220	PNDR	Grommet	GS Silver	(See Surface	(See Surface
	78" (1981)		475	504	TRGWEGSL247820	Power	GY	Sliver		Materials
	84" (2134)		512	542	TRGWEGSL248420	Right	1 Grom-			Page 10)
30" (762)	54" (1372)	20" (508)	\$355	\$385	TRGWEGSL305420	i iigiit	met		l ago 10)	l ago io,
	60" (1524)		378	408	TRGWEGSL306020	PNDL				
	66" (1676)		401	431	TRGWEGSL306620	Power	GY2			
	72" (1829)		419	448	TRGWEGSL307220	Left	2 Grom-			
	78" (1981)		475	504	TRGWEGSL307820		mets			
	84" (2134)		512	542	TRGWEGSL308420		(Not available			
30" (762)	54" (1372)	24" (610)	\$355	\$385	TRGWEGSL305424		if PNDR			
	60" (1524)		378	408	TRGWEGSL306024		or PNDL			
	66" (1676)		401	431	TRGWEGSL306624		selected)			
	72" (1829)		419	448	TRGWEGSL307224					
	78" (1981)		475	504	TRGWEGSL307824					
	84" (2134)		512	542	TRGWEGSL308424					
_D1										
User S Left L	W	<b>&gt;</b>								
Left Hai	ide nd									
			Build your Part Numbe							

Sample Part Number:

Total Cost \$355 =



#### **Blade Work Surface**

Trig Blade Work Surface are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.


Right-handed Blade Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Blade Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

#### Trig Blade Work Surface - Right-Hand **List Price** Top Leg Thermofused Grade Catalog **Dimensions** Grommet Top Edge Trim Number Color Color Color Depth1 Width Depth 2 2 Grommet Color 24" (610) 94" (2388) 30" (914) \$1114 \$1184 TRGANGSR249430 No Cost GB Thermo-Stan-Thermo-Black fused dard fused No aminate Laminate **Finish** No Grommet GS (See (See Cost User Side Surface Surface Silver GΥ Materials Materials Pre-Page 10) Page 10) Grommet mium **Finish** + \$19 Trig Blade Work Surface - Left-Hand **List Price** Thermofused Grade Catalog **Dimensions** Depth1 Width Number Depth 2 2 30" (914) 94" (2388) 24" (610) \$1114 \$1184 TRGANGSL309424 User Side **Build your complete** Part Number here:



Total Cost \$1114 =



#### **Primary Work Surface**

Trig Primary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-Handed Primary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Left-handed Primary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Primary Work Surfaces can be used alone or paired with Secondary Work Surfaces to create a U-shape work station. Primary Work Surfaces are available in right- and left-hand versions. Right-hand Primary surfaces are paired with left-hand Secondary surfaces to form a U-shaped work station. Or left-hand Primary surfaces are paired with right-hand Secondary surfaces to form the mirrored affect.

If Primary Work Surfaces are paired with Secondary Work Surfaces to create U-shaped work stations, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include fieldinstalled screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

# Trig Primary Work Surface - Right-Hand

Depth 1	Dimens Width	ions Depth 2	Depth 3		Price sed Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
42" (1067)  48" (1219)	54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134)	30" (762) 30" (762)	24" (610)	1070 1082 1082 1238 1254	\$1120 1120 1133 1133 1309 1324 \$1133 1142 1142 1320 1336	TRGEPSR425430 TRGEPSR426030 TRGEPSR426630 TRGEPSR427230 TRGEPSR428430 TRGEPSR428430 TRGEPSR486430 TRGEPSR486030 TRGEPSR486630 TRGEPSR487230 TRGEPSR487230 TRGEPSR487830 TRGEPSR488430	No Cost GN No Grommet GY Grommet	Black  GS  Silver	Thermo- fused Lami- nate (See Surface Materi- als Page 10)	Thermo- fused Lami- nate (See Surface Materi- als Page 10)	Standard Finish No Cost Pre- mium Finish + \$19

# Tric

g Pı	Primary Work Surface – Left-Hand											
	D. H. A	Dilliensions			Thermofu	List Price Thermofused Grade Catalog						
_ !	Depth 1	Width	Depth 2	Depth 3	1	2	Number					
	30" (762)	54" (1372)	42" (1067)	24" (610)	\$1070	\$1120	TRGEPSL305442					
	30" (762)	60" (1524)			1070	1120	TRGEPSL306042					
	30" (762)	66" (1676)			1082	1133	TRGEPSL306642					
	30" (762)	72" (1829)			1082	1133	TRGEPSL307242					
	30" (762)	78" (1981)			1238	1309	TRGEPSL307842					
	30" (762)	84" (2134)			1254	1324	TRGEPSL308442					
	30" (762)	54" (1372)	48" (1219)	24" (610)	\$1082	\$1133	TRGEPSL305448					
	30" (762)	60" (1524)			1082	1133	TRGEPSL306048					
	30" (762)	66" (1676)			1092	1142	TRGEPSL306648					
	30" (762)	72" (1829)			1092	1142	TRGEPSL307248					
	30" (762)	78" (1981)			1249	1320	TRGEPSL307848					
	30" (762)	84" (2134)			1266	1336	TRGEPSL308448					
01	*											
	4	Build your complete Part Number here:										
X D3	D2			Sample Part Number:			TRGEPSR425430	.GN	N/A 	.XZ2	.XZ4	.K _
-							\$1070 <b>-</b>	■ N/C ■	N/C	■ N/C ■	N/C	N/C

#### **Secondary Work Surface**

Trig Secondary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Secondary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately. Left-handed Secondary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Secondary Work Surfaces can be used alone or paired with Primary Work Surfaces to create U-shaped workstations. Secondary Work Surfaces are available in right- and left-hand versions. Right-hand Secondary surfaces are paired with left-hand Primary Surfaces to form U-shaped workstations. Or Left-hand Secondary surfaces can be paired with right-hand

Primary Surfaces to form the mirrored affect. If Secondary Work Surfaces are paired with Primary Work Surfaces to create a U-shaped workstation, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

**Note:** For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

# Trig Secondary Work Surface - Right-Hand

72" (1829) 1082 1133 TRGESSR207242 Grommet GS (See Silver Surface													
60" (1524)		Depth 1			Depth 3	Thermofu	sed Grade					Top Edge Color	Leg Trim Color
Trig Secondary Work Surface – Left-Hand	n D2	20" (508)	60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981)	. ,		1070 1082 1082 1238 1254 \$1082 1082 1092 1092 1249	1120 1133 1133 1309 1324 \$1133 1133 1142 1142 1320	TRGESSR206042 TRGESSR206642 TRGESSR207242 TRGESSR207842 TRGESSR208442 TRGESSR206048 TRGESSR206048 TRGESSR206048 TRGESSR207248 TRGESSR207248 TRGESSR207848	GN No Grommet	Black  GS  Silver	fused Laminate (See Surface Materials	fused Laminate (See Surface Materials	No Cost
l iet Prica	Triç	g Second	dary Wor	k Surface	e – Left-			I					

rig Second	ig Secondary Work Surface – Left-Hand										
Depth 1	Dimen: Width	sions Depth 2	Depth 3	Thermofu	Price used Grade 2	Catalog Number					
42" (1067)	54" (1372)	20" (508)	24" (610)	\$1070	\$1120	TRGESSL425420					
	60" (1524)			1070	1120	TRGESSL426020					
	66" (1676)			1082	1133	TRGESSL426620					
	72" (1829)			1082	1133	TRGESSL427220					
	78" (1981)			1238	1309	TRGESSL427820					
	84" (2134)			1254	1324	TRGESSL428420					
48" (1219)	54" (1372)	20" (508)	24" (610)	\$1082	\$1133	TRGESSL485420					
	60" (1524)			1082	1133	TRGESSL486020					
	66" (1676)			1092	1142	TRGESSL486620					
	72" (1829)			1092	1142	TRGESSL487220					
<u> </u>	78" (1981)			1249	1320	TRGESSL487820					
	84" (2134)			1266	1336	TRGESSL488420					
				ild your co							_
D3 D1				Sample Part Numb	er:	TRGESSL425420	.GY	.GS 	.XZ2	.XZ4	.K _
			7	Total Cost \$1070 =		\$1070 <b>-</b>	■ N/C ■	N/C	N/C	N/C	N/C

**Work Surface Support Legs** 

Trig Work Surface Support Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

#### **Shared Work Surface Support Legs**

Trig Shared Work Surface Support Legs are used when two work surfaces of equal depth are paired together backto-back and a single support is desired. Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.


When the Shared Work surface Support Leg is used, Flush Support Plate (SICSP) must be ordered to connect the two surfaces together in the middle.

# Trig Work Surface Support Legs



Depth	Dimensions Width	s Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508) 24" (610) 30" (762)	27°/4" (705)	\$346 346 355	TRGULEG20 TRGULEG24 TRGULEG30	Standard Finish No Cost  Premium Finish + \$19  (See Surface Materials Page 10)
		Build your Part Numb			_

# Trig Shared Work Surface Support Legs



Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	40" (1016) 48" (1219) 60" (1524)	273/4" (705)	\$434 456 469	TRGULEG40 TRGULEG48 TRGULEG60	Standard Finish No Cost  Premium Finish + \$19  (See Surface Materials Page 10)
		Build your Part Numb		_	

Sample Part Number:

Total Cost \$346 =

TRGULEG20	. <b>Y</b> _		
\$346	-	N/C	

#### **Trig Work Surface Post Leg**

The Work Surface Post Leg can be used for additional mid-span support along wider Trig work surfaces. Price includes post leg, leveling glide and attachment hardware.

**Note:** A pair of Work Surface Post Legs cannot be used to replace Trig Work Surface Support Legs as the main support on the end of a work surface.

# **Trig Bench Storage Work Surface Short Support**

The Bench Storage Work Surface leg is used with Trig Bench Height Storage units to support the end of a

work surface. 20" and 24" deep work surfaces use TRGBSWSL13 and 30" deep surfaces use TRGBSWSL19. Legs are available in all Trendway Standard and Premium Finishes.

All necessary attachment hardware is included.

# Side to Side Shared Work Surface Support Leg

Side to Side Shared Work Surface Support Legs are used when work surfaces of equal depth are positioned next to each other and a single support is desired. Legs are available for single depth applications (equal depth surfaces are side to side) and dual depth applications (equal depth surfaces are back to back).


In a layout with (4) equal depth work surfaces that are both front-to-back and side-to-side, a single Side to Side Shared Support Leg can be used centrally to support all (4) surfaces. Legs are available in all Trendway Standard and Premium Systems Trim Finishes.

All necessary attachment hardware is included.



### **Trig Work Surface Post Leg**


Dimens	sions	List	Catalog	Trim
Leg Depth	Height	Price	Number	Color
2" (51)	27¾" (705)	\$95	TRGSPRTLEG	



# **Trig Bench Storage Work Surface Short Support**

Dimer Depth	sions Height	List Price	Catalog Number	Trim Color
13" (330) 19" (483)	6½" (165)	\$214 229	TRGBSWSL13 TRGBSWSL19	Standard Finishes No Cost
19 (400)		229	MGDSWSEI9	Premium Finishes +\$19


# Side to Side Shared Work Surface Support Leg



Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508) 24" (610) 30" (762) 40" (1016) 48" (1219) 60" (1524)	27¾" (705)	\$509 517 523 647 661 688	TRGULEGSS20 TRGULEGSS24 TRGULEGSS30 TRGULEGSS40 TRGULEGSS48 TRGULEGSS60	Standard Finish No Cost  Premium Finish + \$19  (See Surface Materials Page 10)
		Build your Part Numb			_

Sample Part Number:

Total Cost \$509 =



# **Support Riser**

Trig Support Riser ships with necessary hardware to mount work surface to top of Under Desk Storage or Credenza.

Available in Black only.

#### **Work Surface Support Brackets**

Trig Work Surface Support Brackets are used with Combination Storage to support work surfaces instead of Work Surface Support Legs. All necessary attachment hardware included.

Available in Black only.

#### **Flush Support Plates**


Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.



#### **Trig Support Riser** Catalog **Dimensions** List Number Height **Price** 1" (25) **TRGWSRISER** 8" (203) x 13" (330) \$96 **Build your complete** Part Number here:



### **Trig Work Surface Support Brackets** List Catalog **Dimensions** Price Number **TRGWSBRKTS** Includes Two Support Brackets \$61 **Build your complete** Part Number here:



ush Support Plates					
Dimensions	List Price	Catalog Number			
Includes 2 Connecting Plates	\$55	SICSP			
Build you	r complete				


Build your complete Part Number here:	
Sample Part Number:	TRGWSRISER

\$96 Total Cost \$96 =

Trig Surface Mount Screens are used

when two work surfaces are positioned back-to-back with no gap between them. Screen widths can span from 24" to 84", in 6" increments. Screen widths 24" - 48" are a single screen and two posts. Screen widths 54" - 84" are 2 screens and three posts (center post is shared). All necessary mounting hardware is included.

# **Trig Surface Mount Screens**



Dimer Width	nsions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1961) 84" (2134) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1961) 84" (2134)	13" (330) 19" (483)	\$790 887 903 919 933 1410 1488 1505 1505 1520 1520 \$854 966 973 983 998 1488 1615 1646 1646 1663 1663	TRGTMS2413 TRGTMS3013 TRGTMS3613 TRGTMS4213 TRGTMS4213 TRGTMS5413 TRGTMS6613 TRGTMS6613 TRGTMS7213 TRGTMS7813 TRGTMS7813 TRGTMS7819 TRGTMS3019 TRGTMS3019 TRGTMS4219 TRGTMS4219 TRGTMS4219 TRGTMS4819 TRGTMS6619 TRGTMS5419 TRGTMS6619 TRGTMS6619 TRGTMS7219 TRGTMS7219 TRGTMS7819 TRGTMS7819 TRGTMS7819	Plexiglass (01, 02) No Cost Frosted Plexiglass (E3A) 24" + \$46 30" - 48" + \$97 54" - 84" + \$196 3-Form (E01-E03) 24" + \$183 30" - 48" + \$393 54" - 84" + \$787	Standard Finish No Cost Premium Finish + \$13 (See Surface Materials Page 10)
	Build your co				_

Sample Part Number:

Total Cost \$836 =

TRGTMS2413			.E3A		. <u>G</u>	
\$790	4	}	\$46	-	N/C	

Accessories


#### **Desk Top Screens**

Trig Desk Top Screens are intended to provide privacy between adjacent desks. Mostly used in benching applications. All Screens available in either plexiglass or 3-Form Ecoresin.

#### **Back Edge Mount Screens**

Trig Back Edge Mount Screens assemble to the back of a work surface with a 1" gap between it and another work surface. The gap allows for power cords to pass between them.

Note: See planning guide for proper size selection. All necessary mounting hardware is included.



# **Trig Desk Top Screen**

Dimen: Width	sions Height	List Price	Catalog Number	Insert Material	Trim Color
16" (406) 20" (508) 26" (660) 38" (965) 44" (1118)	8" (203)	\$247 261 275 289 302	TRGLDS168 TRGLDS208 TRGLDS268 TRGLDS388 TRGLDS448	Plexiglass (01, 02) No Cost Frosted Plexiglass	Standard Finish No Cost Premium Finish
16" (406) 20" (508) 26" (660) 38" (965) 44" (1118)	13" (330)	\$317 331 344 358 371	TRGLDS1613 TRGLDS2013 TRGLDS2613 TRGLDS3813 TRGLDS4413	(E3A) 16" - 20" + \$39 26" - 44" + \$78 3-Form (E01-E03) 16" - 20" + \$118 26" - 44" + \$235	+ \$13 (See Surface Materials Page 10)




# **Trig Back Edge Mount Screens**

_					
	Dimen: Width	sions Height	List Price	Catalog Number	Plexiglass (01, 02)
_	24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829)	13" (330) 19" (483)	\$606 661 730 778 820 867 907 957 1012 \$654 730 790 848 889 951 1019 1093 1158	TRGBMS2413 TRGBMS3013 TRGBMS3613 TRGBMS4213 TRGBMS4813 TRGBMS5413 TRGBMS6013 TRGBMS6613 TRGBMS7213 TRGBMS2419 TRGBMS3019 TRGBMS3619 TRGBMS4219 TRGBMS4219 TRGBMS4219 TRGBMS6619 TRGBMS6619 TRGBMS6619 TRGBMS7219	Frosted Plexiglass (E3A) 24" + \$39 30" - 48" + \$104 54" - 72" + \$130  3-Form (E01-E03) 24" + \$158 30" - 48" + \$421 54" - 72" + \$524
-		Build your co	mplete		

**Build your complete** Part Number here:

> Sample Part Number:

Total Cost \$286 =



#### Modesty

The Trig Modesty mounts 2" from the back edge of the work surface.

Note: See planning guide to proper size selection. All necessary mounting hardware is included.

#### **Note: Modesty Only**


If electrical components are to be used with a Modesty-Only configuration on a Rectangle, Wedge or Blade work surface, the optional grommet should be selected for cord pass-through.

#### **Screen/Modesty Combination**

The Trig Screen/Modesty Combination mounts to the underside back edge of a work surface. There is a 1" gap between the Screen/Modesty and the work surface, allowing power cords to pass between them.

See planning guide for proper size selection. All necessary mounting hardware is included. All Modesty and Screen Modesty Combinations available in either plexiglass or 3-Form Ecoresin.

### Trig Modesty



Dimen Width	sions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829)	14" (356)	\$536 578 620 676 744 799 867 924 977	TRGMOD24 TRGMOD30 TRGMOD36 TRGMOD42 TRGMOD48 TRGMOD54 TRGMOD50 TRGMOD60 TRGMOD66 TRGMOD72	Plexiglass (01, 02) No Cost Frosted Plexiglass (E3A) 24" +\$39 30" - 60" +\$78 66" - 72" +\$104 3-Form (E01-E03) 24" +\$158 30" - 60" +\$315 66" - 72" +\$421	Standard Finish No Cost Premium Finish + \$13 (See Surface Materials Page 10)
Build your complete Part Number here:				_	

# **Trig Screen/Modesty Combination**



Dimen Width	sions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829)	28" (711)	\$716 812 917 977 1054 1081 1141 1233 1321	TRGBMSM2428 TRGBMSM3028 TRGBMSM3628 TRGBMSM4228 TRGBMSM4828 TRGBMSM5428 TRGBMSM6028 TRGBMSM6028 TRGBMSM628 TRGBMSM7228	Plexiglass (01, 02) <b>No Cost</b> Frosted Plexiglass (E3A) 24" +\$78 30" - 60" +\$196 66" - 72" +\$261 3-Form (E01-E03) 24" +\$315 30" - 60" +\$787 66" - 72" +\$917	Standard Finish No Cost Premium Finish + \$13 (See Surface Materials Page 10)
	Build your co	•			

Part Number here:

Sample Part Number:

Total Cost \$694 =

TRGMOD24		.E01		.G _
\$536	+	\$158	-	N/C


#### **Acrylic Modesty**

The Acrylic Modesty mounts to the underside of any work surface or table to provide privacy. Included with the modesty is a 1/4" thick Frosted Acrylic and brackets. The brackets are a raw aluminum finish.

Note: The actual width of the acrylic modesty is 2" shorter than nominal.

Note: There is no gap between the acrylic and the underside of the desk for cable pass through.

# **Acrylic Modesty**



•	•		
Dime	nsions		
Width	Height	List Price	Catalog Number
24" (610)	12" (305)	\$212	MODACRC2412
30" (762)		232	MODACRC3012
36" (914)		251	MODACRC3612
42" (1067)		273	MODACRC4212
48" (1219)		294	MODACRC4812
54" (1372		333	MODACRC5412
60" (1524)		360	MODACRC6012
66" (1676)		388	MODACRC6612
72" (1829)		415	MODACRC7212

Single Acrylic Screen -Post Style Bracket- Screw Mount

The Post Style Bracket can be mounted with screws to any laminate work surface, desk or table top to provide a division. Included with the Screen are two posts, one acrylic screen, and the necessary mounting hardware.


Note: The No Gap option will have a ¾" gap to allow for cord pass through.

Note: The actual width of the acrylic screen is 3 3/8" shorter than nominal.

Access Slot Width Opening						
Width	Access Slot Opening					
24"	10.13"					
30"	16.13"					
36"	22.13"					
42"	20.13"					
48"	26.13"					
54"	32.13"					
60"	30.13"					
66"	36.13"					
72"	42.13"					


# Single Acrylic Screen - Post Style Bracket- Screw Mount

Dime	ensions	Lis	st Price	Catalog	Work Surface	Insert	Trim
Width	Height	Clear Plexi 01	Frosted Plexi E3A	Number	Gapping	Material	Color
24" (610)	24" (610)	\$ 462	\$ 501	SCNSMPS2424	NP	01	Standard
30" (762)		473	544	SCNSMPS3024	No Gap	Clear	Finish
36" (914)		548	629	SCNSMPS3624	4A	Plexi	No Cost
42" (1067)		561	632	SCNSMPS4224	4" Access Slot	E3A	Premium
48" (1219)		572	638	SCNSMPS4824	along back	Frosted	Finishes
54" (1372		583	907	SCNSMPS5424		Plexi	+\$13
60" (1524)		594	918	SCNSMPS6024			
66" (1676)		752	923	SCNSMPS6624			
72" (1829)		764	935	SCNSMPS7224			
24" (610)	30" (762)	462	543	SCNSMPS2430			
30" (762)	, ,	491	712	SCNSMPS3030			
36" (914)		548	719	SCNSMPS3630			
42" (1067)		561	726	SCNSMPS4230			
48" (1219)		572	731	SCNSMPS4830			
54" (1372		635	1416	SCNSMPS5430			
60" (1524)		649	1424	SCNSMPS6030			
66" (1676)		752	1428	SCNSMPS6630			
72" (1829)		764	1440	SCNSMPS7230			
24" (610)	36" (914)	548	627	SCNSMPS2436			
30" (762)	, ,	561	712	SCNSMPS3036			
36" (914)		723	882	SCNSMPS3636			
42" (1067)		737	885	SCNSMPS4236			
48" (1219)		748	891	SCNSMPS4836			
54" (1372 <sup>°</sup>		753	1416	SCNSMPS5436			
60" (1524)		764	1424	SCNSMPS6036			
66" (1676)		1100	1430	SCNSMPS6636			
72" (1829)		1100	1441	SCNSMPS7236			
$\overline{}$		Build your Part Numb	complete per here:				



Sample Part Number:

Total Cost \$420 =



### Single Acrylic Screen -Freestanding Plate

The Freestanding Acrylic Screen can be placed on any work surface or table to provide a division. Included with the screen is either 2 or 4 Gray Brackets depending on the width of the screen. The brackets come with two types of foam pads for the underside of the bracket plates based on installation needs. One pad helps to prevent the screen from skidding on the worksurface, and the other pad uses double-sided tape for more of a secure attachment.


Note: The actual width of the acrylic screen is 3 3/8" shorter than nominal.

Note: Screens 24-54" in width will have 2 brackets and Screens 60-72" in width will have 4 brackets.

Access Slot Width Opening					
Width	Access Slot Opening				
24"	9.5"				
30"	15.5"				
36"	21.5"				
42"	23.5"				
48"	29.5"				
54"	35.5"				
60"	14.187"				
66"	16.187"				
72"	18.187"				

# Single Acrylic Screen - Freestanding Plate

Dimensions		Li	List Price		Work Surface	Insert	
Width	Height	Clear Plexi 01	Frosted Plexi E3A	Number	Gapping	Material	
24" (610)	24" (610)	\$ 363	\$ 425	SCNAFS2424	NP	01	
30" (762)		383	461	SCNAFS3024	No Gap	Clear	
36" (914)		404	497	SCNAFS3624	4A	Plexi	
42" (1067)		425	533	SCNAFS4224	4" Access Slot	E3A	
48" (1219)		447	571	SCNAFS4824	along back	Frosted	
54" (1372		478	617	SCNAFS5424		Plexi	
60" (1524)		555	711	SCNAFS6024			
66" (1676)		576	747	SCNAFS6624			
72" (1829)		598	785	SCNAFS7224			
24" (610)	30" (762)	383	461	SCNAFS2430			
30" (762)		410	506	SCNAFS3030			
36" (914)		436	552	SCNAFS3630			
42" (1067)		463	599	SCNAFS4230			
48" (1219)		489	645	SCNAFS4830			
54" (1372		525	699	SCNAFS5430			
60" (1524)		608	803	SCNAFS6030			
66" (1676)		634	848	SCNAFS6630			
72" (1829)		661	895	SCNAFS7230			
		Build your Part Numb	complete				



Sample Part Number:

Total Cost \$330 =

SCNAFS2424	.4A 	.01 
\$1339 <b>-</b>	N/A	N/A

#### Single Acrylic Screen -Edge Mount Bracket

The Edge Mount Bracket uses clamps to attach to the back edge of a work surface. It is compatible with work surfaces up to 1 1/3" thick. The screen sits slightly offset from the back edge, creating a 3/4" gap to facilitate power/data cable management and other accessories. The final installed height of the


screen is measured from the desktop to the top of the screen. The screen width is 3/8" shorter than nominal. All necessary mounting hardware is included.

Note: Screens 24"-54" wide will ship with 2 brackets. Screens 60" and wider will ship with 3 brackets.

# Single Acrylic Screen - Edge Mount Bracket

Din	nensions	Lis	st Price	Catalog	Insert				
Width	Height	Clear Plexi 01	Frosted Plexi E3A	Number	Material	Color			
24" (610)	24" (610)	\$ 338	\$ 400	SCNBECMS2424	No Cost	G			
30" (762)		359	438	SCNBECMS3024	01	Gray			
36" (914)		381	475	SCNBECMS3624	Clear Plexi				
42" (1067)		402	513	SCNBECMS4224	riexi	K			
48" (1219)		424	550	SCNBECMS4824		Charcoal			
54" (1372		456	599	SCNBECMS5424					
60" (1524)		500	658	SCNBECMS6024	E3A	DW			
66" (1676)		521	695	SCNBECMS6624	Frosted	Designer			
72" (1829)		543	733	SCNBECMS7224	Plexi	White			
24" (610)	30" (762)	\$ 359	\$ 438	SCNBECMS2430					
30" (762)		387	486	SCNBECMS3030					
36" (914)		413	531	SCNBECMS3630					
42" (1067)		441	579	SCNBECMS4230					
48" (1219)		467	626	SCNBECMS4830					
54" (1372		504	682	SCNBECMS5430					
60" (1524)		554	752	SCNBECMS6030					
66" (1676)		580	798	SCNBECMS6630					
72" (1829)		607	846	SCNBECMS7230					
		В	uild your complete						

Build your complete Part Number here:



Sample Part Number:

Total Cost \$ 338 =

SCNBECMS2424			.01 			.G 	
\$338	4	-	N/A	4	-	N/A	

#### Single Acrylic Screen -**Top Mount Bracket**

The Top Mount Bracket uses clamps to attach to the top of the work surface. It is compatible with work surfaces up to 1 1/3" thick. The screen sits on the work surface creating a 1 3/4" gap between the work surface and the bottom of the screen. The final installed height of the screen is measured from the desktop to the top of the screen. The screen width is 3/8" shorter than nominal. All necessary mounting hardware is included.

Note: Screens 24"-54" wide will ship with 2 brackets. Screens 60" and wider will ship with 3 brackets.


#### **Corner Connector Kit**

The Corner Connector Kit attaches Edge Mount Screens to Top Mount Screens at the intersecting corners. This creates 'L' and 'U' shape configurations connected as one unit. The SCNCCK Kit provides 2 brackets to create one corner connection for an 'L' Shape. The SCNCCK2 Kit provides 4 brackets to accommodate 2 corner connections for a 'U' Shape.

Note: these are the same corner brackets used with the Post Style and Low Profile Bracket Screens, and can be utilized as service parts for these screens if needed.

# Single Acrylic Screen - Top Mount Bracket

	_	•	•				
	Dimen	sions	Lis	st Price	Catalog	Insert	Bracket
	Width	Height	Clear Plexi 01	Frosted Plexi E3A	Number	Material	Color
	24" (610)	24" (610)	\$ 338	\$ 400	SCNDTCMS2424	No Cost	G
	30" (762)		359	438	SCNDTCMS3024	01	Gray
	36" (914)		381	475	SCNDTCMS3624	Clear Plexi	
	42" (1067)		402	513	SCNDTCMS4224	I ICAI	K
	48" (1219)		424	550	SCNDTCMS4824		Charcoal
	54" (1372		456	599	SCNDTCMS5424		
	60" (1524)		500	658	SCNDTCMS6024	E3A	DW
	66" (1676)		521	695	SCNDTCMS6624	Frosted	Designer
	72" (1829)		543	733	SCNDTCMS7224	Plexi	White
	24" (610)	30" (762)	\$ 359	\$ 438	SCNDTCMS2430		
	30" (762)		387	486	SCNDTCMS3030		
, ~	36" (914)		413	531	SCNDTCMS3630		
	42" (1067)		441	579	SCNDTCMS4230		
	48" (1219)		467	626	SCNDTCMS4830		
	54" (1372		504	682	SCNDTCMS5430		
	60" (1524)		554	752	SCNDTCMS6030		
	66" (1676)		580	798	SCNDTCMS6630		
	72" (1829)		607	846	SCNDTCMS7230		
			Bui	ld your complete			
			Par	t Number here:			




Corner Connector Kit											
	List Price	Catalog Number	Trim Color								
2 Brackets to Connect 1 Corner	\$ 55	SCNCCK	Standard Finish No Cost								
4 Brackets to Connect 2 Corners	\$ 88	SCNCCK2	Premium Finishes \$13								

Note: For the Clamp Mount Screens specify Gray, Charcoal or Designer White to match the bracket color.

> Sample Part Number:

Total Cost \$338 =



The U-Shape Post Style Bracket can be mounted with screws or adhesive to any laminate work surface, desk or table top to provide a division. Included with the screen are six posts, three acrylic screens, and the necessary mounting hardware.

Note: The No Gap option will have a ¾" gap to allow for cord pass through.

Note: The minimum overall width of a desk needed to house a screen is 2.25" less than nominal. The minimum overall depth needed to house the screen is 2.5" less than the nominal depth.

Access	Slot Width Opening
Width	Access Slot Opening
36"	22.13"
42"	20.13"
48"	26.13"
54"	32.13"
60"	30.13"
66"	36.13"
72"	42.13"

# U-Shape Acrylic Screen - Post Style Bracket

	Dimensions			st Price	Catalog	Work Surface	Insert	Trim
Width	Depth	Height	Clear Plexi 01	Frosted Plexi E3A	Number	Gapping	Material	Color
36" (914)	24" (610)	24" (610)	\$ 1408	\$ 1567	SCNSMPU362424	NP	01	Standar
42" (1067)			1413	1572	SCNSMPU422424	No Gap	Clear	Finish
48" (1219)			1419	1578	SCNSMPU482424	2B	Plexi	No Cost
54" (1372			1435	1846	SCNSMPU542424	2" Gap	E3A	Premiun
60" (1524)			1446	1853	SCNSMPU602424		Frosted	Finishes
66" (1676)			1611	1858	SCNSMPU662424	4A 4" Access Slot	Plexi	+\$
72" (1829)			1622	1864	SCNSMPU722424	along back		
36" (914)	30" (762)	24" (610)	1408	1650	SCNSMPU363024	a.og zuen		
42" (1067)			1413	1655	SCNSMPU423024			
48" (1219)			1419	1661	SCNSMPU483024			
54" (1372			1435	1930	SCNSMPU543024			
60" (1524)			1446	1935	SCNSMPU603024			
66" (1676)			1611	1941	SCNSMPU663024			
72" (1829)			1622	1946	SCNSMPU723024			
36" (914)	24" (610)	30" (762)	1408	1738	SCNSMPU362430			
42" (1067)			1413	1743	SCNSMPU422430			
48" (1219)			1419	1749	SCNSMPU482430			
54" (1372			1493	2435	SCNSMPU542430			
60" (1524)			1507	2442	SCNSMPU602430			
66" (1676)			1611	2447	SCNSMPU662430			
72" (1829)			1622	2452	SCNSMPU722430			
36" (914)	30" (762)	30" (762)	1465	2073	SCNSMPU363030			
42" (1067)	. ,		1474	2079	SCNSMPU423030			
48" (1219)			1485	2084	SCNSMPU483030			
54" (1372			1553	2777	SCNSMPU543030			
60" (1524)			1567	2782	SCNSMPU603030			
66" (1676)			1669	2787	SCNSMPU663030			
72" (1829)			1683	2794	SCNSMPU723030			
36" (914)	24" (610)	36" (914)	1757	2070	SCNSMPU362436			
42" (1067)	24 (010)	30 (314)	1765	2078	SCNSMPU422436			
48" (1219)			1771	2084	SCNSMPU482436			
54" (1219)			1784	2606	SCNSMPU542436			
•			1798	2612	SCNSMPU602436			
60" (1524)								
66" (1676)			2131	2617	SCNSMPU662436			
72" (1829)			2145	2623	SCNSMPU722436			
36" (914)	30" (762)	36" (914)	1757	2239	SCNSMPU363036			
42" (1067)			1765	2243	SCNSMPU423036			
48" (1219)			1771	2249	SCNSMPU483036			
54" (1372			1784	2777	SCNSMPU543036			
60" (1524)			1798	2782	SCNSMPU603036			
66" (1676)			2131	2787	SCNSMPU663036			
72" (1829)			2145	2794	SCNSMPU723036			
				Build your complete Part Number here:				
Full S	Screen shown			Sample Part Number:	SCNSMPU362424	.NP 	.01 	.K 
1 311 (	23.33 01104411			Total Cost \$1280 =	\$1339 <b>-</b>	<b>-</b> N/A <b>-</b>	- N/A -	<b>₽</b> N/A

Storage

**Electrical** 

Accessories

#### U-Shape Acrylic Screen -Low Profile Bracket

The U-Shape Low Profile Bracket can be mounted with adhesive to any laminate work surface, desk or table top to provide a division. Included with the screen are six brackets, three acrylic screens, and the necessary mounting hardware.


Note: The No Gap option will have a .6" gap to allow for cord pass through.

Note: The minimum overall width of a desk needed to house a screen is 2.25" less than nominal. The minimum overall depth needed to house the screen is 2.125" less than the nominal

Access S	Slot Width Opening
Width	Access Slot Opening
36"	18.88"
42"	16.88"
48"	22.88"
54"	28.88"
60"	26.88"
66"	32.88"
72"	38.88"

# **U-Shape Acrylic Screen - Low Profile Bracket**

				. D.Z.				
Width	imensions) Depth	Height	Clear Plexi 01	t Price Frosted Plexi E3A	Catalog Number	Work Surface Gapping	Insert Material	Trim Color
	<u> </u>							
36" (914)	24" (610)	24" (610)	\$ 852	\$ 1011	SCNTDMU362424	NP No Gap	<b>01</b> Clear	Standard Finish
42" (1067)			858	1017	SCNTDMU422424	Ινο σαρ	Plexi	No Cost
48" (1219)			863	1022	SCNTDMU482424	4A		
54" (1372			881	1292	SCNTDMU542424	4" Access Slot	E3A	Premium
60" (1524)			891	1298	SCNTDMU602424	along back screen	Frosted Plexi	Finishes +\$
66" (1676)			1056	1303	SCNTDMU662424	Scieen	FIEXI	тф
72" (1829)			1067	1309	SCNTDMU722424			
36" (914)	30" (762)	24" (610)	852	1094	SCNTDMU363024			
42" (1067)			858	1100	SCNTDMU423024			
48" (1219)			863	1105	SCNTDMU483024			
54" (1372			881	1376	SCNTDMU543024			
60" (1524)			891	1380	SCNTDMU603024			
66" (1676)			1056	1386	SCNTDMU663024			
72" (1829)			1067	1391	SCNTDMU723024			
36" (914)	24" (610)	30" (762)	852	1182	SCNTDMU362430			
42" (1067)			858	1188	SCNTDMU422430			
48" (1219)			863	1193	SCNTDMU482430			
54" (1372			939	1880	SCNTDMU542430			
60" (1524)			951	1886	SCNTDMU602430			
66" (1676)			1056	1892	SCNTDMU662430			
72" (1829)			1067	1897	SCNTDMU722430			
36" (914)	30" (762)	30" (762)	910	1517	SCNTDMU363030			
42" (1067)	, ,	, ,	918	1523	SCNTDMU423030			
48" (1219)			924	1529	SCNTDMU483030			
54" (1372			997	2221	SCNTDMU543030			
60" (1524)			1006	2227	SCNTDMU603030			
66" (1676)			1113	2232	SCNTDMU663030			
72" (1829)			1127	2238	SCNTDMU723030			
			1127		23.1.2072000			
	$\wedge$		D.	ild your complete				
				rt Number here:				



Sample Part Number:

Total Cost \$775 =

SCNTDMU362424	.NP 	.01 	.K
\$1339 <b>-</b>	N/A	N/A	N/A

#### **Trig Top Mounted Fabric Screen**

The Trig Top Mounted Fabric Screens are mounted on top of a Trig Desk. The 18, 22 and 28 inch screens are designed to work as side screens. The larger widths are designed to mount to the front edge of a surface, or across the seam of two surfaces positioned back to back. The screen is fully tackable, fabric covered, and comes with all the hardware to attach it. The

hardware has a small reveal at the very bottom of the screen and what the trim color is related to.

# Trig Fabric Screen / Modesty Combination


The Trig Fabric Screen Modesty Combination mounts to the underside back edge of the desk top. The screen is fully tackable, fabric covered, and comes with all the hardware to attach it. It provides 13" of privacy above the surface and 14" below the surface. Match the screen width to the Trig desk width.

Note: The Fabric Screen/ Modesty Combination cannot be used in conjunction with the Trig Power Raceway.

# **Trig Top Mount Fabric Screen**


Dimen	sions				Price Grade			Catalog	Fabric	Trim
Width	Height	0/1	2	3	4	5	6	Number	Color	Color
18" (457)	13" (330)	\$ 647	\$ 702	\$ 735	\$ 785	\$ 842	\$ 902	TRGFTMS1813	(See	Standard
22" (559)		658	713	746	796	853	913	TRGFTMS2213	Surface	Smooth
28" (711)		698	753	786	836	893	953	TRGFTMS2813	Materials Page 7)	Finishes Only
35 <sup>7</sup> /8" (911)		795	850	883	933	990	1050	TRGFTMS3613	rage 1)	Only
41 <sup>7</sup> /8" (1064)		842	897	930	980	1037	1097	TRGFTMS4213		
47 <sup>7</sup> /8" (1216)		888	943	976	1026	1083	1143	TRGFTMS4813		
53 <sup>7</sup> /8" (1368)		939	994	1027	1077	1134	1194	TRGFTMS5413		
59 <sup>7</sup> /8" (1521)		986	1041	1074	1124	1181	1241	TRGFTMS6013		
65 <sup>7</sup> /8" (1673)		1037	1092	1125	1175	1232	1292	TRGFTMS6613		
71 <sup>7</sup> /8" (1826)		1084	1139	1172	1222	1279	1339	TRGFTMS7213		
18" (457)	19" (483)	\$ 656	\$ 711	\$ 744	\$ 807	\$ 880	\$ 950	TRGFTMS1819		
22" (559)		668	723	756	819	892	962	TRGFTMS2219		
28" (711)		711	766	799	862	935	1005	TRGFTMS2819		
35 <sup>7</sup> /8" (911)		811	866	899	962	1035	1105	TRGFTMS3619		
41 <sup>7</sup> /8" (1064)		860	915	948	1011	1084	1154	TRGFTMS4219		
47 <sup>7</sup> /8" (1216)		909	964	997	1060	1133	1203	TRGFTMS4819		
53 <sup>7</sup> /8" (1368)		963	1018	1051	1114	1187	1257	TRGFTMS5419		
59 <sup>7</sup> /8" (1521)		1013	1068	1101	1164	1237	1307	TRGFTMS6019		
65 <sup>7</sup> /8" (1673)		1067	1122	1155	1218	1291	1361	TRGFTMS6619		
71 <sup>7</sup> /8" (1826)		1116	1171	1204	1267	1340	1410	TRGFTMS7219		1

# Trig Fabric Screen/Modesty Combination



Sample Part Number:

Total Cost \$647 =



#### Credenzas

Trig Credenza come with a 1"
Thermofused laminate top and 2"
support legs with leveling glides.
Credenzas are 20" deep and 26.75"
high, Units are intended for freestanding applications. Units ship fully assembled except for 2" support legs.

**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

#### Credenzas with Doors

Features include hinged doors with optional locking. (Locking not available on aluminum door option) Credenzas 60", 72" and 75" wide have (1) adjustable shelf in each double door. The 45" wide Credenza has one adjustable shelf in the double door and one in the single door. Shelves adjust vertically in 2 1/2" increments.

#### Trig Credenzas with Doors List Price Thermofused Framed Unit/ Тор Grade Pull Shelf Тор Catalog Door Door Trim Dimensions Door Edge Lock Lock Height Option Depth Width Number Style Insert Style Color Color Color Color Color Type No Cost **Double Door and Single Door RH** LD Plexi-Thermo-Thermo Thermo-Thermo Stan-NL No Cos glass Applied fused fused fused fused dard No No TRGCDDSDR45 20" (508) 30" (762) 26<sup>3</sup>/<sub>4</sub>" (680) \$1721 \$1791 Lami-Νo Laminate Laminate \_aminate \_aminate Finish Cost Cost **Double Door and Single Door LH** Cost Trig Classic TRGCDDSDL45 Door 20" (508) 36" (914) 263/4" (680) 1721 1791 (See (See (See Cost Ran-Door Lock Frosted Surface Surface Surface Edge dom FD Plexi-Materials Materials Pre-TRG Materials Streamglass Page 10) Page 10) Page 10) mium Framed match Trig line Finish Lock \$-30 door 3 Doors 3 Doors + \$13 color + \$47 Trig ΑZ + \$1180 + \$196 Trig Key Designer Specify (See Lock Alike 4 Doors 4 Doors MM only if Surface Right-Hand Shown + \$1574 + \$261 Mod2 LD Materials Note: selected Page 10) Be 2 Double Door MD 3-Form sure to 60" (1524) 26<sup>3</sup>/<sub>4</sub>" (680) \$2169 \$2263 **TRGC2DD60** 20" (508) Modern (E01order È03) core/ Not 3 Doors kev avail-+ \$393 sets able with (TLCK) framed 4 Doors sepadoor (FD) rately + \$524 option (2 per unit) 2 Double Door w/ 2 Center Shelves 72" (1829) 26<sup>3</sup>/<sub>4</sub>" (680) \$2427 \$2553 **TRGC2DDCS72** 20" (508) 75" (1905) 26<sup>3</sup>/<sub>4</sub>" (680) \$2492 \$2618 **TRGC2DDCS75** 20" (508)

Build your complete Part Number here:

Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
20" (508) <b>Double Doo</b> 20" (508)	r and Open S 60" (1524) r and Open S 60" (1524)	26 <sup>3</sup> / <sub>4</sub> " (680) ihelf LH 26 <sup>3</sup> / <sub>4</sub> " (680)		\$2064 2064	TRGCDDOSR60 TRGCDDOSL60	LD No Cost Laminate Door FD Framed Door + \$787	Plexi- glass No Cost Frosted Plexi- glass (E3A) + \$130 3-Form (E01- E03) + \$261	No Cost Applied L Classic E Stream- line AZ Designer MM Mod2 MD Modern Not avail- able with framed door (FD) option	(See Surface Materials	Thermo- fused Laminate (See Surface Materials Page 10)	(See Surface Materials	Thermo- fused Laminate  Door  Edge will  match door color  Specify only if LD selected	dard Finish No Cost  Pre- mium Finish + \$13	NL No Cost No Lock TRG (One Lock) + \$31 Trig Lock	R No Cost Trig Randor T \$-15 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa- (rately (2) per unit)
	-	•	our com	•									_		_

Sample

Part Number:

#### **Credenzas with Laterals**

Lateral units include full extension ball bearing slides, and interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front to back filing bars, and adjustable leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. Shelves adjust vertically in 2 1/2" increments.

For 45" wide Lateral Single Door units, the single door includes hinged door with optional locking and (1) adjustable shelf. Shelf adjusts vertically in 2 1/2" increments.

Classic   Soe   Surface   Surface	Depth	Dimensions Width	Height	Locks	List I Thermo Gra 1	ofused	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Color	Trim Color	Lock Type	Lock Optior
(612) Lateral and 2 Open Shelves LH 20" (508) 45" (1143) 2634" (680) 20" (508) 45" (11219) 2634" (680) 20" (508) 60" (1524) 2634" (680) 21 (508) 60" (1524) 2634" (680) 21 (508) 60" (1524) 2634" (680) 21 (508) 60" (1524) 2634" (680) 22 (612) Lateral 20" (508) 60" (1524) 2634" (680) 21 (508) 60" (1524) 2634" (680) 22 (612) Lateral 20" (508) 60" (1524) 2634" (680) 21 (508) 60" (1524) 2634" (680) 22 (612) Lateral 20" (508) 75" (1905) 2634" (508) 21 (508) 75" (1905) 2634" (508) 22 (508) 75" (1905) 2634" (508) 23 (508) 75" (1905) 2634" (508) 24 (508) 75" (1905) 2634" (508) 25 (508) 75" (1905) 2634" (508) 26 (508) 75" (1905) 2634" (508) 27 (508) 75" (1905) 2634" (508) 28 (508) 75" (1905) 2634" (508) 29 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 21 (508) 75" (1905) 2634" (508) 21 (508) 75" (1905) 2634" (508) 22 (508) 75" (1905) 2634" (508) 23 (508) 75" (1905) 2634" (508) 24 (508) 75" (1905) 2634" (508) 25 (508) 75" (1905) 2634" (508) 26 (508) 75" (1905) 2634" (508) 27 (508) 75" (1905) 2634" (508) 28 (508) 75" (1905) 2634" (508) 29 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508) 20 (508) 75" (1905) 2634" (508)	20" (508) (612) Latera 20" (508) 20" (508)	30" (762)  al and 2 Open 45" (1143) 48" (1219)	26 <sup>3</sup> / <sub>4</sub> " (680)  Shelves RH 26 <sup>3</sup> / <sub>4</sub> " (680) 26 <sup>3</sup> / <sub>4</sub> " (680)	1 Lock 1 Lock	\$1804 1849	\$1874 1919	TRGCLATOSR45 TRGCLATOSR48	Cost Applied L Classic E Stream- line AZ De-	fused Laminate (See Surface Materials	fused Laminate (See Surface Materials	fused Laminate (See Surface Materials	fused Laminate  Drawer Edge will match Drawer	dard Finish No Cost Pre- mium Finish + \$13 (See Surface	No Cost No Lock  TRG (One Lock) + \$31  Trig Lock	No Cost Trig Random  T (One Lock) \$-15
20" (508) 60" (1524) 263/4" (680) 2 Locks \$2376 \$2470 TRGC2LAT60  2 (612) Lateral w/ 2 Center Shelves 20" (508) 72" (1829) 263/4" (508) 2 Locks \$2674 \$2799 TRGC2LATCS72 20" (508) 75" (1905) 263/4" (508)  Build your complete Part Number here:  Sample  TRCCLATOSP45 MD 770 770 770 770 770 770 770 770 770 77	20" (508) 20" (508) 20" (508)	45" (1143) 48" (1219) 60" (1524)	26 <sup>3</sup> / <sub>4</sub> " (680) 26 <sup>3</sup> / <sub>4</sub> " (680) 26 <sup>3</sup> / <sub>4</sub> " (680)	1 Lock 1 Lock	1849	1919	TRGCLATOSL48	MM Mod2 MD					als Page	Locks) + \$47 Trig	<b>\$30</b> Trig
20" (508) 72" (1829) 263/4" (508) 2 Locks \$2674 \$2799 TRGC2LATCS72 20" (508) 75" (1905) 263/4" (508) 2 Locks \$2748 \$2874 TRGC2LATCS75 Build your complete Part Number here:	` '		263/4" (680)	2 Locks	\$2376	\$2470	TRGC2LAT60								
Part Number here:  Sample  TDCCI ATOSEAS ND 7V3 V73 V73 V TBC B	20" (508)	72" (1829)	263/4" (508)												
													_		-
Part Number:					ber:		TRGCLATOSR45	.MD	.ZX2	.XZ2	.XZ2	.XZ2	. <b>K</b>	.TRG	.R _


**Credenzas Continued** 

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Single lock can be specified for laterals.

# **Trig Credenzas with Doors and Laterals**

Dimensions Depth Width	Height	List Pr Thermot Grad	fused	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer/ Door Color	Trim Color	Lock Type	Lock Option
(612) Lateral and Single I 20" (508) 45" (1143)  (612) Lateral and Single I 20" (508) 45" (1143)	26 <sup>3</sup> / <sub>4</sub> " (680)  Door LH 26 <sup>3</sup> / <sub>4</sub> " (680)	1887	1958	TRGCLATSDR45	LD No Cost Lami- nate Door FD +\$393 Framed Door	Plexi- glass (01, 02) No Cost Frosted Plexi- glass (E3A) +\$66 3-Form (E01- E03) +\$130	No Cost Applied  L Classic  E Stream-line  AZ Designer  MID Modem  MIM Mod2 When specifying a Modem pull, the Framed Door (FD) will include coordinating Mod2 pull.	Thermo- fused Laminate (See Surface Materials Page 10)	(See Surface Materials	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10) Specify for Lateral/ Laminate Door only	Standard Finish No Cost  Pre- mium Finish + \$13  (See Surface Materials Page 10)	No Lock TRG (One Lock) + \$31 Trig Lock (Two	R No Cost Trig Ran-dom  T (One Lock) \$-15 (Two Locks) \$-30 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa- rately.
Build your complete Part Number here:												_		_



# **Open Storage Credenza**


All Shelves are fixed.

The upper storage units are 10 1/2" high and the bottom storage units are 11 3/4" high.

Trig Cre	edenzas –	Open Sto	rage						
Depth	Dimensions Width	s Height		Price sed Grade 2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Open Stor. 20" (508) 20" (508) Open Stor. 20" (508)	30" (762) 36" (914)	26°/4" (680) 26°/4" (680) 26°/4" (680)	\$ 1114 \$1204 \$1339	\$1164 \$1255 \$1410	TRGCOS36 TRGCOS36	Thermo- fused Laminate  (See Surface Materials Page 10)	Thermo- fused Laminate  (See Surface Materials Page 10)	Thermo- fused Laminate  (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$13  (See Surface Materials Page 10)
			Build your (	complete					
			Part Numbe			_	_	_	_

Sample Part Number:

Total Cost \$1339 =



The Trig Freestanding Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side, letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

#### Freestanding Pedestal

The Trig Freestanding Pedestal includes full extension ball bearing slides, sideto-side filing bars, front-to-back filing bars, and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.


Units ship fully assembled except for 2" support legs.

# **Trig Freestanding Lateral**

Depth	Dimension: Width	s Height	Therm	Price ofused ade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
20" (508) 20" (508)	30" (762) 36" (914)	26 <sup>3</sup> / <sub>4</sub> " (680) 26 <sup>3</sup> / <sub>4</sub> " (680)	\$1394 \$1606	Ι'	TRG612LAT20 TRG612LAT2036	L Classic E Stream- line	Thermo- Fused Lami- nate (See Surface Materials Page 10)	Thermo- Fused Lami- nate (See Surface Materials Page 10)	Thermo- Fused Lami- nate (See Surface Materials Page 10)	Thermo- Fused Lami- nate Drawer Edge will match	Stan- dard Finish No Cost Pre- mium Finish	NL No Cost No Lock TRG + \$31 Trig	R No Cost Trig Random T \$-15 Trig
Trig Fre	estandin Dimensions Width		Price ofused ade 2	Catalog Number	AZ Designer MM Mod2			33 3,	Drawer Color	+ \$13 (See Surface Materials Page 10)	Lock	Note: Be sure to order core/key sets (TLCK)	
20" (508)	151/2" (394)	263/4" (680)	\$1105	\$1135	TRG612PED20	Modem							separately.
		Build yo Part Nur				_	_	_	_	_	_	_	_



Total Cost \$1425 =



Freestanding Double Door Storage

The Trig Freestanding Double Door Storage include hinged doors with optional locking. (Locking not available with aluminum door option) Unit comes with (1) shelf that adjusts vertically in 2 1/2" increments. Unit also includes leveling glides in each 2" support leg.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

**Trig Bookcase** 

The bookcase unit includes one adjustable shelf. The shelf is 5/8" thick and adjust vertically in 2 1/2" (64) increments.

Shipped ready to assemble.

# **Trig Freestanding Double Door Storage**

	Dimensions		Therm	Price ofused ade	Catalog	Door	Framed Door	Pull	Unit	Тор	Top Edge	Door	Trim	Lock	Lock
Depth 20" (508) 20" (508)	Width 30" (762)	Height 263/4" (680) 263/4" (680)	1 \$1238 1398	2 \$1289 1468	Number	Style LD	Plexi- glass (01, 02) No Cost	No Cost Applied L Classic E Stream- line AZ Designer MM Mod2	Color Thermofused Laminate (See Surface Materials Page 10)	Color Thermo- fused	Thermo- fused Laminate (See Surface Materials	Color Thermofused Laminate Door Edge will match door color	Stan- dard Finish No Cost	NL No Cost No Lock TRG + \$31 Trig	Option  R No Cost Trig Ran- dom  T \$-15 Trig Key Alike Note: Be sure to order core/ key sets (TLCM) sepa- rately.
		Build yo											_		_

# **Trig Bookcases**

Depth	<u> </u>			Price ofused ade 2	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	36" (914)		\$ 837 927	\$ 887 977	TRGCBC30 TRGCBC36	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Standard Finish No Cost  Premium Finish + \$13  (See Surface Materials Page 10)
		Build your complete Part Number here:							_

Sample Part Number:	TRGCBC30	.XZY	.XZY 	.XZY	.K _
Total Cost \$837 =	\$837	N/C	N/C	N/C	N/C

The Trig Bench-Height Storage is available in five different widths. Lateral units include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars, and leveling glides.

Optional locking available on drawers.

45" wide Lateral Open Shelf unit comes with (1) shelf that adjusts vertically in 2 1/2" increments.

Units are intended for freestanding applications.


Units ship fully assembled except for 2" support legs.

## **Trig Bench-Height Storage**

Dimens	ions			List I Therm Gra		Catalog	Pull	Unit/ Shelf	Тор	Top Edge	Drawer Front	Trim	Lock	Lock
Depth Wid	th He	eight	Lock	1	2	Number	Style	Color	Color	Color	Color	Color	Type	Option
(12) Lateral 20" (508) 30" (7 20" (508) 36" (9	,	` '	1 Lock 1 Lock	\$1356 1514	\$1406 1565	TRGBFLAT30 TRGBFLAT36	No Cost Applied L Classic	fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	fused Lami- nate	Stan- dard Finish No Cost	NL No Cost No Lock	R No Cost Trig Ran-
(12) Lateral w/ O	nen Shel	f DU					lino	I		Materials	Drawer Edge will match Drawer	Pre- mium Finish + \$13	TRG (One Lock) + \$31	dom  T (One Lock)
20" (508) 45" (12 20" (508) 48" (12 20" (508) 60" (12	143) 21" 219) 21"	(533) (533)	1 Lock	\$1645 1688 1860	1758	TRGBFLATOSR45 TRGBFLATOSR48 TRGBFLATOSR60	AZ De- signer				Color	(See Surface Materi- als	Trig Lock	\$-15
(12) Lateral w/ O 20" (508) 45" (1 20" (508) 48" (1 20" (508) 60" (1	143) 21" 219) 21"	(533) (533)	1 Lock	\$1645 1688 1860	1758	TRGBFLATOSL45 TRGBFLATOSL48 TRGBFLATOSL60	MOd2 MD Modern					Page 10)		Alike  Note: Be sure to order
Right-Han	d Shown													core/ key sets (TLCK) separately.
Build your complete Part Number here:											_		_	

Sample Part Number:

**Total Cost** \$1876 =



**Bench-Height Storage (continued)** 

### **Bench-Height Cushion**

Trig Bench-Height Cushion includes upholstered cushion and four attached velcro tabs to affix cushion to top of Bench-Height Storage Units.

Trig Bench-H	eight S	itora	ige (co	ontini	ued)											
Dimens Depth Wid		eight	Lock	1	2		Catalo Numbe		Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
2 (12) Lateral			2 Locks	\$2099	\$2194	TRGB	F2LA	T60	No	Thermo-	Thermo-	Thermo-	Thermo-	Stan-	NL	R
		elf (533)		\$2264 2306	\$2390 2432	1			AZ De-	nate (See Surface Materials	fused Lami- nate (See Surface Materials Page 10)	Materials		dard Finish No Cost Pre- mium Finish + \$13 (See Surface	No Cost No Lock  TRG (Two Locks) + \$47 Trig Lock	No Cost Trig Ran- dom T (Two Locks) \$-30 Trig Key
									MM Mod2 MD Modern					Materials Page 10)		Alike  Note: Be sure to order core/ key sets (TLCK) separately.
			your co Number		•									_		_
	Trig B	enc	h-Heic	sht C	ushid	n .										
	Width	D	imensio Depth			A	В	С	D E	List P Fabric (		ı	J K		alog mber	Seating Fabric Color
	15" (381 30" (762		0" (508)	1" (	(25)				354 \$374 124 458		120 \$447 662 622		486 \$506 675   708		BC2015 BC2030	See Seating price book Surface Material Section
											Build you Part Num					
			Sample Part Number:				2LAT	CS75	.MD	.XZ3	.XZ3	.XZ3	.XZ4	.K _	.TRG	.T _
		To	otal Cos	t \$2323	s = [	\$2	2306	-	N/C	N/C	N/C	N/C	N/C	N/C	\$47	\$-30

The book case unit includes one adjustable shelf. The shelf is 5/8" thick and adjusts vertically in 2 1/2" (64) increments. The bookcase unit is designed to accommodate standard binders on one of the shelves.

Shipped ready to assemble.


# **Trig Bench-Height Bookcase**

Depth	Dimensions Width	Height	List Price Thermofused Grade		Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762) 36" (1219)	21" (533)	\$771 861	\$821 911	TRGBFBC30 TRGBFBC36	Thermofused Laminate	Thermofused Laminate	Thermofused Laminate	Standard Finish No Cost
						(See Surface Materials Page 10)	(See Surface Materials Page 10)	(See Surface Materials Page 10)	Premium Finish + \$13  (See Surface Materials Page 10)
			d your coi Number h						

Desks & Work Surfaces

Sample Part Number:

Total Cost \$771 =



#### **Combination Storage**

The Trig Combination Storage unit combines the functionality of a lateral and pedestal with added storage of shelves. Units are intended to be placed at the aisle side of a workstation to provide storage and privacy.


The Laterals include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Available accessories include Marker Board or Tackboard for addition to the aisle side of the units.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

#### Trig Combination Storage **List Price** Thermofused Work Top Grade **Dimensions** Catalog Pull Unit Drawer Lock Surface Top Edge Lock Depth Height Width Lock Number Color **Bracket** Style Color Color Color Type Option Aisle Side 6612 Lateral - User Side No Thermo-Thermo-Thermo-Thermo-NL BN Open Shelves Cost fused No No No fused fused fused Applied Laminate Laminate Laminate Lami-Cost Cost Cost 20" (508) 533/4" (1365) 1 Lock \$1896 \$1991 TRGCSLATOS30 30" (762) No Trig No nate Lock Ran-**Bracket** (See (See (See Classic Drawer dom Surface Surface Surface BY **TRG** Edge Materials Materials Ε will (One + \$58 Page 10) Page 10) Page 10) Streammatch Lock) (One Two line Drawer + \$31 Lock) Brack-Color \$-15 Trig ets ΑZ Lock Aisle User (Two De-Side Side (Two Locks) signer \$-30 Locks + \$47 MM Trig Mod2 Trig Key Lock Alike MD Aisle Side 6612 Lateral - User side Note: Modern 6612 ped, and open hutch storage RH Be sure 53<sup>3</sup>/<sub>4</sub>" (1365) 2 Locks \$3169 \$3294 TRGCSOSR45 20" (508) 45" (1143) to order Aisle Side 6612 Lateral - User side core/key sets 6612 ped, and open hutch storage LH (TLCK) 45" (1143) 53<sup>3</sup>/<sub>4</sub>" (1365) 2 Locks 3169 3294 TRGCSOSL45 20" (508) separatel\ Aisle User Side Side **Build your complete** Left-Hand Shown Part Number here:



The Double Doors include hinged doors with optional locking. (Locking not available with aluminum doors) Unit comes with 2 shelves that adjust vertically in 2 1/2" increments.

Depth	Dimensio Width		Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type		Work Surface Bracket
User Si	de Open	User Side	\$1751	\$1876	TRGCSDDOS30	LD No Cost Lami- nate Door FD + \$787 Framed Door	Plexi- glass (01, 02) No Cost  Frost- ed Plexi- glass (E3A) + \$130  3-Form (E01- E03) + \$261	No Cost Applied L Classic E Streamline AZ Designer MM Mod2 MD Modem Not available with Frame Door (FD) option	fused Laminate (See Surface Materials	Thermo- fused Lami- nate (See Surface Materi- als Page 10)	fused Lami- nate (See Surface Materi- als Page 10)	Thermo- fused Lami- nate  Door Edge will match door color Specify only if LD selected	No Cost  (See Surface Materials Page 10)  Specify only if FD selected	NL No Cost No Lock TRG + \$31 Trig Lock	R No Cost Trig Ran-dom T \$-15 Trig Key Alike Note: Be sure to order core/key sets (TLCK) sepa- rately.	BN No Cost No Bracket  BY + \$58 Two Brackets
		Build you Part Num														

.XZ2

.XZ2

.XZ2

N/A

.XZ2

.NL

N/A

.BN

**Electrical** 

#### **Pedestal Shelf Combination Storage**

The Trig Pedestal Shelf Combination Storage combines the functionality of a pedestal with the added storage of shelves. The storage unit is available in Right- and Left- Hand versions. The Right Hand version is intended for placement on the right-hand of a workstation with the shelves facing inward. The Left-Hand version is intended for placement on the left-hand of a workstation with the shelves facing inward. The 6612 Pedestal includes full extension ball bearing slides, sideto-side and front-to-back filing bars and leveling glides. Drawers accommodate

side-to-side letter, A4, legal and EDP filing. The shelf storage includes one adjustable shelf that adjusts. vertically in 2 1/2" increments.


Available accessories include a Marker Board or Tackboard that can be added to the aisle side of the unit. Option locking available on pedestal drawers.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

#### Trig Pedestal Shelf Combination Storage – Right-Hand **List Price** Thermofused Top Drawer Work Grade **Dimensions** Catalog Pull Unit Тор Edge Front Surface Lock Lock Depth Width Height 2 Number Style Color Color Color Color **Bracket** Type Option 6612 Ped and Open Shelves on Side No Thermo-Thermo-Thermo-Thermo-NL BN Cost fused No No No TRGCS6612OSR20 fused 20" (508) 151/2" (394) 473/4" (1213) \$ 1370 \$ 1441 fused fused Applied Laminate Laminate Laminate aminate Cost Cost Cost 151/2" (394) 473/4" (1213) TRGCS6612OSR24 24" (610) 1459 1530 No Trig No 30" (762) 151/2" (394) 473/4" (1213) TRGCS6612OSR30 1529 1599 Lock Ran-**Bracket** (See (See (See Classic Drawer dom Surface Surface Surface **TRG** BY Edge Materials Materials Materials Ε + \$31 + \$58 will Page 10) Page 10) Page 10) \$-15 Streammatch Trig Two line Drawer Lock Trig Brack-Color Key ets ΑZ Alike Designer Note: Trig Pedestal Shelf Combination Storage – Be sure MM Left-Hand to order Mod2 core/ List Price key sets Thermofused MD (TLCK) Grade **Dimensions** Catalog Modern sepa-Depth Width Height Number rately 6612 Ped and Open Shelves on Side 20" (508) 473/4" (1213) \$1370 TRGCS6612OSL20 151/2" (394) \$1441 24" (610) 473/4" (1213) 1459 1530 TRGCS6612OSL24 151/2" (394) 30" (762) 151/2" (394) 473/4" (1213) 1529 1599 TRGCS6612OSL30 **Build your complete** Part Number here:

Sample	
Part Number:	




### **Marker Boards**

The Trig Marker Board provides a white, writing surface for use with dry erase markers. Marker Boards can be mounted to the aisle side of Combination Storage units.

#### **Tackboards**

The Trig Tackboard can be mounted to the aisle side of Combination Storage units. The Tackboard has a tackable panel fabric front and velcro attachment

Width	Usage
12	Front of Pedestal Shelf Combination Storage
16	Aisle Side 20" Deep Ped Shelf Combination Storage
20	Aisle Side 24" Deep Ped Shelf Combination Storage
24	Aisle Side 30" Deep Ped Shelf or 30" Wide Combination Storage
36	Aisle Side 45" Wide Combination Storage



# **Trig Marker Boards**

Dimer Width	nsions Height	List Price	Catalog Number
12" (305)	17" (432)	\$206	TRGMB1217
16" (406)	17" (432)	247	TRGMB1617
20" (508)	17" (432)	309	TRGMB2017
24" (610)	17" (432)	358	TRGMB2417
36" (914)	17" (432)	454	TRGMB3617
	D.:Id		

**Build your complete** Part Number here:




# **Trig Tackboards**

Dime	nsions			List Fabric		Catalog	Fabric		
Width	Height	0/1	2	3	4	5	6	Number	Color
12" (305)	17" (432)	\$ 96	\$ 122	\$ 135	\$148	\$164	\$180	TRGTB1217	(See
16" (406)	17" (432)	102	128	141	154	170	186	TRGTB1617	Surface
20" (508)	17" (432)	110	136	149	162	178	194	TRGTB2017	Material
24" (610)	17" (432)	124	150	163	176	192	213	TRGTB2417	Page 7)
36" (914)	17" (432)	137	163	176	189	205	233	TRGTB3617	
				Build yo		plete			

Part Number here:

Sample Part Number:





**Storage Tower with Double-Door** 

The Trig Storage Tower with Double-Doors include hinged double doors, with three shelves that adjust vertically in 2 1/2" increments, and leveling glides.


Optional locking and aluminum doors available (Locking not available in combination with aluminum doors)

Units are intended for freestanding applications.

Units ship fully assembled.

Depth	Dimensions Width	; Height	Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option
20" (508) 20" (508)		53°/4" (1365) 65°/4" (1670)	1	1	TRGTSDD54 TRGTSDD66	LD No Cost Laminate Door FD + \$1050 Framed Door	Plexi- glass (01,02) No Cost Frosted Plexi- glass (E3A) \$261 3-Form (E01- E03) + \$524	No Cost Applied  L Classic  E Stream-line  AZ Designer  MM Mod2  MD Modern  Not available with Framed Door (FD) option	fused Laminate (See Surface Materials Page 10)	fused Laminate (See	(See Surface Materials	Lami- nate Door Edge	Cost (See Surface Materials Page 10) Specify only if FD selected	NL No Cost No Lock TRG +\$31 Trig Lock	R No Cost Trig Random T \$-15 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
Build your complete Part Number here:					_								_		

Sample Part Number:



Lateral, Double Door Storage Tower

The Storage Towers are available with two lateral drawer configurations: 12/12 with 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars. Pre-installed counterbalance weights included. Double-Door storage includes hinged double doors, with two shelves that adjust vertically in 2 1/2" increments.

Optional locking available for both double door and lateral portion. (Lock option not available with framed doors)

Units include leveling glides.

Units ship fully assembled.


Single lock can be specified for laterals.

# Trig Lateral, Double-Door Storage Tower

Depth	Dimension: Width	s Height	List I Therma Gra		Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer/ Door Color	Framed Door Trim Color	Lock Type	Lock Option
1212 Latera storage(2 a 20" (508)	adjustable s 30" (762) 30" (762) all and doub djustable s 30" (762)	shelves) 53 <sup>1</sup> / <sub>4</sub> " (1365) 65 <sup>3</sup> / <sub>4</sub> " (1670)	\$2293	\$2418	TRGTS6612DD54 TRGTS6612DD66 TRGTS1212DD54 TRGTS1212DD66	LD No Cost Lami- nate Door FD + \$787 Framed Door	Plexi- glass (01, 02) No Cost Frost- ed Plexi- glass (E3A) + \$130 3-Form (E01- E03) + \$261	plied  L Classic  E Stream-line  AZ	6)	Thermo- fused Lami- nate (See Surface Materi- als Page 6)	Thermo- fused Lami- nate (See Surface Materi- als Page 6)	Thermo- fused Lami- nate  Drawer/ Door Edge will match door/ drawer color  Specify for Lateral/ Lami- nate door only	No Cost Stan- dard or Pre- mium Finish (See Materials Page 10) Specify only if FD se- lected	NL No Cost No Lock (One Locks) + \$31 Trig Lock (Two Locks) + \$47 Trig Lock	R No Cost Trig Ran- dom T (One Lock) \$-15 (Two Locks) \$-30 Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately
-	Build your complete Part Number here:														_

Sample Part Number:

**Total Cost** \$2439 =



### Lateral, Open Shelf Storage Tower

Trig Lateral, Open Shelf Storage Tower are available in two lateral drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and frontto-back filing bars.

#### **Display Towers**

Display Tower with Drawers and Open Shelves The 6" Drawers have full extension ball bearing slides. Locking not available on 6" Drawers.


Display Tower with Open Shelves Features include three shelves that adjust vertically in 2 1/2" increments.

All units are intended for freestanding applications. All units ship fully assembled.

Trig Lateral, Op	en Shelf S	Stora	ge To	wer							
Dimensions Depth Width	Height	Therm	Price ofused ade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
6612 Lateral and 2 Op 20" (508) 30" (762) 20" (508) 30" (762)	533/4" (1365)	\$2202 2306	l .	TRGTS6612OS54 TRGTS6612OS66	No Cost Applied L Classic	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	Thermo- fused Lami- nate	NL No Cost No Lock	R No Cost Pack Ran-
1212 Lateral and 2 Open Shelves 20" (508) 30" (762) 53 <sup>3</sup> / <sub>4</sub> " (1365) 20" (508) 30" (762) 65 <sup>3</sup> / <sub>4</sub> " (1670)		\$2099 2169	l .	TRGTS12120S54 TRGTS12120S66		Materials Page 10)	(See Surface Materi- als Page 10)	(See Surface Materi- als Page 10)	Drawer Edge will match Drawer Color	TRG (One Lock) + \$31	dom  T \$-15 Trig Key Alike
Trig Display To	wers				MM Mod2						Note: Be sure to order core/ key sets
Dimensions Depth Width	Height	Therm	Price ofused ade 2	Catalog Number	<b>MD</b> Modern						(TLCK) separately.
Display Tower w/ (2) and Open Shelves	6" Drawers										
, , , ,	53 <sup>3</sup> / <sub>4</sub> " (1365) 65 <sup>3</sup> / <sub>4</sub> " (1670)	\$1425 1622	l .	TRGTS66OS54 TRGTS66OS66							
Display Tower with Open Shelves       20" (508)     15" (381)     53³/4" (1365)     \$12       20" (508)     15" (381)     65³/4" (1670)     13		\$1202 1364	1	TRGTSOS54 TRGTSOS66							
	uild your com art Number he	,							-	_	

Sample Part Number:

Total Cost \$2202 =



# Trig Wardrobe Storage Tower and Wardrobe Storage Tower with Bookcase

The Wardrobe Storage Tower provides, wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Wardrobe Storage Towers are available in either Right-Hand version with the wardrobe on the right side or a Left-Hand version with the wardrobe on the left side.

Wardrobe Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable shelf. The cupboard unit includes two adjustable shelves. The bookcase unit and cupboard unit includes two adjustable shelves. Shelves adjust vertically in 2 ½" (64) increments. The pedestals have full extension ball bearing slides on both the 6" and 12" drawers.

Unit ships fully assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing unit to lock. The Core/Key set (CLCK) must be order separately or by using the keying order form. Check Customer Care for availability.

# **Trig Wardrobe Storage Tower**

Dimensions Depth Width Height	Therm	Price ofused ade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
Right Handed Units 24" (610) 24" (610) 66" (167)  Left Handed Units 24" (610) 24" (610) 66" (167)  Right-Hand Left-Hand	2350 \$2299 2350	\$2424 2476 \$2424 2476	TRGWSTR661212 TRGWSTR666612 TRGWSTL661212 TRGWSTL666612	No Cost Applied  L Classic  E Stream-line  AZ Designer  MM Mod2  MD Modern	Thermo- fused Lami- nate (See Surface Materials Page 10)	fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate  (See Surface Materials Page 10)  Door Edge will match door color	NL No Cost No Lock TRG (three Lock) + \$67 Trig Lock	R NoCost Trig Random T (three Lock) \$-45 Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
Depth Dimensions Width Height  Right Handed Units 24" (610) 24" (610) 66" (167)  Left Handed Units 24" (610) 24" (610) 66" (167)	List Therm Gr 1 1 2456	Price of the second sec	Catalog Number  TRGBCSTR661212 TRGBCSTR666612  TRGBCSTL661212 TRGBCSTL666612						NL No Cost No Lock TRG (two Lock) + \$47 Trig Lock	NoCost Trig Random T (two Lock) \$-30 Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
	your com								_	

Total Cost \$2366 =



**Electrical** 

### **Display Towers Continue**

Display Tower with Door features include a hinged door, with three shelves that adjust vertically in 2 1/2" increments. Optional laminate or framed aluminum doors available. (Lock option not available with aluminum doors)


**Trig Display Tower with Door** 

	Dimensions Depth Width Height			Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Display To 20" (508) 20" (508)  Display To 20" (508) 20" (508)	wer with I 15" (381) 15" (381) wer with I 15" (381)	Door RH 53 <sup>3</sup> / <sub>4</sub> " (1365) 65 <sup>3</sup> / <sub>4</sub> " (1670) Door LH 53 <sup>3</sup> / <sub>4</sub> " (1365) 65 <sup>3</sup> / <sub>4</sub> " (1670)	1487 \$ 1314	\$1384 1581	TRGTSSDR54 TRGTSSDR66 TRGTSSDL54	LD No Cost Laminate Door FD + \$524 Framed Door	Plexi- glass (01, 02) <b>No</b> <b>Cost</b> <b>Frost-</b> <b>ed</b> Plexi- glass (E3A) +\$130 <b>3-Form</b> (E01- E03)	No Cost Ap- plied L Classic E Stream- line AZ De-	Ther- mo- fused Lami- nate (See	Ther- mo- fused Lami- nate  (See Surface Materi- als Page 10)	Ther-mo- fused Lami- nate (See Surface Materi- als Page 10)	Ther- mo- fused Lami- nate  Door Edge will match door color  Specified only if LD selected	No Cost Stan- dard or Pre- mium Finish (See Surface Materials Page 10)	NL No Cost No Lock TRG + \$31 Trig Lock	R No Cost Trig Ran- dom T \$-15 Trig



**Build your complete** Part Number here:

Total Cost \$1968 =



Door (FD) option

#### **Trig Wardrobe Display Tower**

The Wardrobe Display Tower features include a hinged locking door, one shelf, full width wardrobe bar and leveling glides. Optional laminate or framed aluminum door available. (Lock option not available with framed aluminum door). Wardrobe Display Towers are available in either Right-Hand version with the wardrobe opening tothe right side or a Left-Hand version with the wardrobe opening to the left side.

Wardrobe Display Tower has adjustable leveling glides.


Units ship fully assembled.

# **Trig Wardrobe Display Tower**

Depth	Dimensions Width	Height	List F Thermo Gra 1	ofused	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
<b>Left Hande</b> 20" (508)	15" (381) 53 <sup>3</sup> / <sub>4</sub> 65 <sup>3</sup> / <sub>4</sub> <b>d</b> 15" (381) 53 <sup>3</sup> / <sub>4</sub>	' (1670) ' (1365) ' (1670)	1355 \$1188	1449 \$1258	TRGTSWRR54 TRGTSWRL54 TRGTSWRL66	LD No Cost Lami- nate Door FD + \$524 Framed Door	Plexi- glass (01, 02) No Cost Frosted Plexi- glass (E3A) +\$130 3-Form (E01- E03) +\$261	L Classic E	fused Lami- nate (See Surface Materials	fused Lami- nate (See Surface Materials	Thermo- fused Lami- nate (See Surface Materials Page 10)	fused Lami- nate  Door Edge will match Door Color	Cost Stan- dard or Pre- mium Finish (See Surface Materials	NL No Cost No Lock TRG (one Lock) + \$31 Trig Lock	R No-Cost Trig Ran-dom  T (one Lock) \$-15 Trig Key Alike  *Note: Be sure to order Core/ Key Sets (TLCK) separately
	Build your complete Part Number here:								_	_	_	_	_		

Sample Part Number:

Total Cost \$1842 =



## **Under Desk Lateral Support Storage**

Trig Under Desk Lateral Support Storage is available in three depths. The Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front to back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Trig Under Desk Lateral Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Optional locking available for drawers.

Units are intended for work surface support applications.

Ships fully assembled except 2" support leg.


**Under Desk Pedestal Support Storage** 

Trig Under Desk Pedestals include a 1" riser for mouting under the desk. Pedestals have full extension ball bearing slides, side-to-side and front to back filing bars and leveling glides.

Optional locking available for drawers.

Ships fully assembled except 2" support

Trig Und	ler Desk	Lateral S	uppo	rt Sto	rage								
Depth	Dimension Width	s Height	Therm	Price ofused ade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Draw- er Color	Leg Trim Color	Lock Type	Lock Op- tion
20" (508) 24" (610) 30" (762)	30" (762) 30" (762) 30" (762)	27 <sup>3</sup> / <sub>4</sub> " (705) 27 <sup>3</sup> / <sub>4</sub> " (705) 27 <sup>3</sup> / <sub>4</sub> " (705)	\$1412 1508 1571	\$1463 1578 1622	TRGUDLAT20 TRGUDLAT24 TRGUDLAT30	No Cost Applied L Classic E Stream- line	Thermo- fused Laminate (See Surface Materials Page 10)	(See Surface Materials		Thermo- fused Laminate Drawer Edge will match Drawer Color	Premium Finish + \$13 (See Surface	NL No Cost No Lock TRG + \$31 Trig Lock	R No Cost Trig Random T \$-15 Trig Key
Trig Un	der Desk	Pedesta	List	port S Price ofused	Storage	AZ Designer MM					Materials Page 10)		Alike Note: Be sure to order core/ key sets
Depth	Dimension Width	Height	Gr 1	ade 2	Catalog Number	Mod2							(TLCK) separately.
24" (610)	15'/2" (394) 15'/2" (394) 15'/2" (394)	27 <sup>3</sup> / <sub>4</sub> " (705) 27 <sup>3</sup> / <sub>4</sub> " (705) 27 <sup>3</sup> / <sub>4</sub> " (705)	\$ 1170 1261 1321	\$1200 1291 1371	TRGUDPED20 TRGUDPED24 TRGUDPED30	Modern							
	-	Build yo Part Nu									_		_



## **Under Desk Double-Door Support Storage**

Trig Under Desk Double-Door Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Features included hinged doors with optional locking. (Locking not available with aluminum doors) Units come with one shelf that adjusts vertically in 2 1/2" increments. Leveling glides are included in 2" support legs. Units are intended for under work surface support applications.

Ships fully assembled except 2" support leg.


**Note:** Trim color includes support legs and Framed Door option (FD) when selected.

## **Trig Under Desk Double-Door Support Storage**

Depth	Dimensio Width	ons Height	Therm	Price ofused ade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Otion
20" (508) 24" (610) 30" (762)	, ,	273/4" (705)	1394	1465	TRGUDDD20 TRGUDDD24 TRGUDDD30	LD Cost Lami- nate Door FD + \$787 Framed Door	1	L Classic E Stream-line AZ De-	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate  Door  Edge  will  match  door  color  Specify  only if  LD  selected	Standard Finish No Cost  Pre- mium Finish + \$13  (See Surface Materials Page 10)	,	R No Cost Trig Ran- dom  T \$-15 Trig Key Alike Note: Be sure to prider core key sets (TLCk) separately
			our con				_						_		_



Total Cost \$1347 =



## Trig Stack Storage - Open Shelf

Open Shelves can be used where open shelf storage is desired above any Trig credenza or freestanding storage 30" or wider. The stackers are available in two different heights to align with 53 3/4" and 65 3/4" high combination storage and storage towers. Standard features include a 3/8" (10) cord pass-through gap behind the shelves and a 1" full length cord management gap at the base of the back panel. An optional gap guard is available. The 27" high stacker has one adjustable shelf and the 39" has two adjustable shelves. Shelves are 5/8" thick and adjust in 2 1/2" increments.

Stackers ship ready to assemble with all necessary mounting hardware.

### Trig Stack Storage - Paper Management Shelf

The Paper Management Shelf can be used above any Trig Credenza, Bench Height or Freestanding storage unit 30" or wider.

The Paper Management Shelf width does not need to match the width of the storage unit it stacks on. A narrower shelf can be placed anywhere along the width of the storage unit where paper management or open cubby storage is desired.

The 30" (762) & 45" (1143) wide shelf has a single opening and 60" (1524) & 75" (1905) have two openings with a center divider.

The Shelf ships ready to assemble.

## Stack Storage - Open Shelf

Depth	Dimensions Width	Height	Therm	Price ofused ade 2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Gap Guard
14" (356)	30" (914)	27" (686) 39" (991)	\$577 721	\$607 772	TRGSOS3027 TRGSOS3039	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	Thermo- fused Laminate (See Surface Materials Page 10)	XN No Cost No Gap Guard XG + \$55 Gap Guard
Stack St	orage – P	aper Ma	List	ment Price	Shelf				
Depth	Dimensions Width	Height		ade 2	Catalog Number				
14" (356)	30" (914) 45" (1143) 60" (1524) 75" (1905)	5" (127)	\$253 311 433 563	\$268 326 448 592	TRGSPMS45 TRGSPMS60 TRGSPMS75				

Sample	
Part Number:	

Total Cost \$577 =

Part Number here:



## Trig Overhead - Single Sliding Door

The Single Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

The thermofused laminate door travels in an aluminum track by means of a pull. Each unit has a center divider, so there is always one cubby open and one closed. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

## Trig Overhead – Dual Sliding Doors

The Dual Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

The two frosted plexiglass doors have pulls and run back to back in an aluminum track. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference

the Overhead – Open Shelf or Hinged Door units.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.


Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Towers when mounted on top of a Trig work surface.

## **Trig Overhead - Single Sliding Door**

ing Ove	Trig Overnead - Single Silding Door												
Depth	Width	Height (without Legs)	Therm	Price ofused ade 2	Catalog Number	Pull Style	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Door Grain Direction	Trim Color
14" (356)	48" (1219) 54" (1372) 60" (1524) 66" (1676)	151/211 (394)	\$1156 1262 1314 1428 1472	\$ 1206 1313 1365 1479 1523	TRGOSS48 TRGOSS54 TRGOSS60 TRGOSS66 TRGOSS72	No Cost Applied L Classic E Stream- line AZ Designer MM	54L + \$426 Legs to align with 54" high towers 66L + \$458 Legs to align with 66" high towers	Thermo- Fused Laminate (See Surface Materials Page 10)	Thermo- Fused Laminate (See Surface Materials Page 10)	Thermo- Fused Laminate (See Surface Materials Page 10)	Thermo- Fused Laminate (See Surface Materials Page 10)	Direction  DGH  Horizon- tal Grain	Standard Finish No Cost  Premium Finish + \$19  (See Surface Materials Page 10)
Trig Ove	rhead - D	Height (without Legs)	List Therm	Price ofused ade	Catalog Number	Wodz							
14" (356)	48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829)	15'/2" (394)	\$1472 1586 1689 1819 1890	\$1502 1636 1740 1870 1941	TRGODS48 TRGODS54 TRGODS60 TRGODS66 TRGODS72								
	·		your cor umber h										_

Sample Part Number:

Total Cost \$1582 =



## Trig Overheade - Hinged Doors

The Hinged Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Each unit includes 2 pairs of locking hinged doors. The same door size is used for all units. Overheads that are 66" (1676) and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

If a wood grain laminate is selected the grain will run vertically on the door front. Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available that will align the Overhead with either the 53 3/4" (1365) or 65 3/4" (1670) Trig Storage Towers when mounted on top of Trig work surfaces.


Center Cubby Size Per Overhead									
Unit Width	Center Cubby Width								
66" (1676)	6" (152)								
72" (1829)	12" (305)								
78" (1981)	18" (457)								
84" (2134)	24" (610)								

## **Trig Overhead - Hinged Door**

Depth	Width	Height (without Legs)	Therm	Price ofused ade 2	Catalog Number	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Leg Trim Color	Lock Type	Lock Option
14" (356)	60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134)	15¹/²" (394)	\$1032 1111 1139 1240 1269	\$1083 1181 1210 1311 1339	TRGOHD60 TRGOHD66 TRGOHD72 TRGOHD78 TRGOHD84	54L +\$426 Legs to align with 54" high towers 66L +\$458 Legs to align with 66" high towers	Materials Page 10)	Thermo- Fused Laminate (See Surface Materials Page 10)	Thermo- Fused Laminate (See Surface Materials Page 10)	Thermo- Fused Laminate (See Surface Materials Page 10)	Standard Finish No Cost Premium Finish + \$19	NL No Cost No Lock TRG +\$66 Trig Lock	R No Cost Trig Random T \$-30 Trig Key- Alike Note: Be sure to order core/ key sets (TLCK) separately.
	•		our con										_

Sample Part Number:

Total Cost \$1458 =



Trig Overhead - Open Shelf

The Open Shelf Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

Open Shelf Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 3/4" (1365) or 65 3/4" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

## Trig Overhead - Open Shelf

		-								
Depth	Width	Height (without Legs)	Therm	Price ofused ade 2	Catalog Number	Suport Option	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
14" (356)	48" (1219) 54" (1372) 60" (1524) 66" (1676) 72" (1829) 78" (1981) 84" (2134)	151/2" (394)	\$446 542 691 837 894 980 1008	\$476 592 742 887 944 1050 1079	TRGOOS48 TRGOOS54 TRGOOS60 TRGOOS72 TRGOOS78 TRGOOS84	54L + \$426 Legs to align with 54" high towers 66L + \$458 Legs to align with 66" high towers	Surface Materials Page 10)	(See Surface Materials	(See Surface Materials	Cost
			our con ımber h							

Sample Part Number:

Total Cost \$872 =



### **Trig Storage to Panel Brackets**

Storage to Panel Brackets are used to connect Trig Storage units to Capture or Choices system panels for additional workstation rigidity. Brackets are designed to provide stability to layouts that would otherwise require return panels.

For detailed application information regarding use of the Storage to Panel Bracket, refer to the Trig Desking Planning Guide.

Storage to Panel Brackets are available in Charcoal only.

All necessary hardware for assembling brackets to Trig storage is included.

## **Trig Support Leg to Panel Brackets**

The Leg to Panel Bracket is used to connect Trig Support Legs to Capture or Choices system panels for additional workstation rigidity. Brackets are designed to provide stability to configurations that would otherwise require return panels.

Two different brackets are available for use with either Capture or Choices. Their specific use depends on the orientation of the work surface relative to the panel.

#### Capture

TRGLCPTPB1 - Used when a work surface is parallel to a Capture panel

TRGLCPTPB2 - Used when a work surface is perpendicular to a Capture panel

TRGLCPTPB3 – Used when two work surface are parallel to a Capture panel, with a side to side shared leg between

#### Choices

TRGLCSPB1 - Used when a work surface is parallel to a Choices panel

TRGLCSPB2 - Used when a work surface is perpendicular to a Choices panel

TRGLCSPB3 - Used when two work surface are parallel to a Choices panel, with a side to side shared leg between

#### them

For detailed application information regarding use of the Support Leg to Panel Bracket, refer to the Trig Desking Planning Guide.

Support Leg to Panel Brackets are available in all Standard and Premium Systems Trim Finishes.

All necessary hardware for assembling brackets to Trig Support Legs is included.

## Trig Storage to Panel Brackets

Description	List Price	Catalog Number
Storage to Capture Panel Storage to Choices Panel	\$157 144	TRGSCPTPB TRGSCSPB
	Build your complete	


Part Number here:

## Trig Support Leg to Panel Brackets

Description	Usage	List Price	Catalog Number	Trim Color
Support Leg to Capture Panel	Parallel	\$160	TRGLCPTPB1	Standard
Cupport Log to Chaines Band	Perpendicular Parallel	160 146	TRGLCPTPB2	Finish No Cost
Support Leg to Choices Panel	Perpendicular	146	TRGLCSPB2	Premium Finish + \$5
Side to Side Support Leg to Capture Panel	Parallel	\$160	TRGLCPTPB3	(See
Side to Side Support Leg to Choices Panel	Parallel	\$146	TRGLCSPB3	Surface Materials Page 10)
	Build your Part Numbe			_

Sample Part Number:

Total Cost \$146 =



Screens & Desks & Modesties Work Surfaces

Overview & Order Information

of Line

Surface Material

Desks & Work Surfaces

Screens & Modesties

Storage

Benchin Electric

## Trig Benching Electrical

Benching Electrical Components	80
Benching Electrical Accessories	83


## Components

## **Trig Power Raceway**

The Trig Power Raceway consists of four parts - Raceway to Table Connector, Trig Raceway Shroud, Power Block Brackets, and the Power Block.

The Bracket and Blocks ship attached to the Raceway to Table Connector. The Raceway to Table Connector attaches to the underside of the desk. Once installed, the Shroud attach to it to form a complete raceway. The width of the Raceway is actual. Please refer to the chart below to specify the correct width Raceway for each desk configuration.

The Trig Power Raceway is designed to work in a double sided application. It will be placed across the seam on the underside of two Trig Tops. If a single sided option is needed, please contact Trendway Customer Care for specifics.




## **Specifying Raceway Widths**


The support on both sides of the Trig Desk will play a part in the Raceway width needed. This chart shows how much room the support takes up. Add up the supports on both sides of the desk and subtract from the overall width of the desk.

Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

		Surface	Surface Width								
		Width	36	42	48	54	60	66	72	78	84
Support 1	Support 2	Minus	Raceway Width								
Leg (6)	Leg (6)	12	24	30	36	42	48	54	60	N/A	N/A
Leg (6)	Bench Hgt Riser(18)	24			24	30	36	42	48	54	60
Leg (6)	Ped (18)*	24			24	30	36	42	48	54	60
Leg (6)	UD Support (30)*	42						24	30	36	42

<sup>\*</sup> In order for a Raceway to span the full width, the depth of any Under Desk support used must be 4" shorter on a 24" deep surface, and 6" shorter on a 30" deep surface to allow sufficient clearance.






## **Trig Power Raceway Spanning Cover**


The Trig Power Raceway Spanning Cover is used to enclose power and data cables when they span across to an adjacent Table's Raceway. There are three versions of the Cover to accommodate most configurations.

The TRGPRSC12SL is specified when a single U Leg is shared in the center of four adjacent Tops. There is a single notch opening to accommodate the U Leg.







The TRGPRSC12DL is specified when two U Legs are shared legs in the center of four adjacent Tops. There is a single notch opening large enough to accommodate two U Legs.






The TRGPRSC364R is specified when four risers are used, or a combination of four storage pieces that all must be at least 4" shorter than the depth of the Top. There is no opening. This version can be used to accommodate most configurations.








#### **Power Block**


Power Blocks ship complete with the Raceway.

- Power Blocks provide power access on both sides, accommodating up to two snap-in Power Duplexes per
- 24" (610) Raceways include only one Power Block, a single Distribution Block that accommodates up to two snap-in Power Duplexes (maximum one per side).
- 30" (762), 36" (914), 42" (1067), 48" (1219), 54" (1372) and 60" (1524) Raceways ship with two Distribution Blocks to accommodate up to four snap-in Power Duplexes (maximum two per side).




## **Trig Electrical Harness**

Electrical Harnesses connect power horizontally from one



Leg	6"
Ped	18"
Riser	18"
Under Desk Storage	36"

In the figure below, connection A supports include a Ped and a Leg (18" + 6") + (18" for the distance inside the raceway), for a total of 42". For connection B, the supports consist of a Leg and a Leg (6" + 6") + (18") for the distance inside the raceway) for a total of 30".



**NOTE:** A Harness cannot be used if a full depth storage piece is located next to a Leg. This configuration does not allow sufficient clearance for the Harness to extend to the next table.

NOTE: If no full depth under desk storage is present and fulldepth U legs are positioned diagonally from each other on facing Work Surfaces, you must add 6" to the length of a Harness in order to pass around the U Leas.

## **Trig Power Infeed**

### Trig End Mount Infeed

The Trig End Mount Infeed installs into the end of a Power Block. It includes 6' (1829) of flexible liquid tight conduit for hardwiring the standard 4-Circuit Base Feed to the building's electrical system. It can be used on its own or housed by a Trig Floor Power Pole.




## **Trig Floor Power Pole**

The Trig Floor Power Pole is used to channel electrical components and communication cables. It attaches



## **Trig Ceiling Feed**

The Trig Ceiling Feed supplies power from the ceiling to the Power Block. The Feed is housed by the Trig Ceiling Power Pole. It has 13' (3962) of wire and 12' (3658) of flexible conduit.



## **Trig Ceiling Power Pole**

The Trig Ceiling Power Pole is used to house electrical components and communication cables accessed from the ceiling. It attaches to a Trig U Leg at the end of a run.




## **Trig Electrical Duplex**

The Trig Electrical Duplex provides user access to power. It plugs into the Power Blocks that ship complete with the Raceway. There are nine different duplexes used to create three different 4-Circuit options (See Electrical Circuit Planning section). Each Duplex is color coded and marked to distinguish whether it is a general, dedicated or isolated circuit.

Circuits are marked with the following symbols: I, II, III, IV, I, II, III, IV. Duplexes must be specified separately to match the desired electrical circuit plan.

#### **Communication Module**

The Communication Module snaps into an open Duplex location in the Raceway to provide access to communication distribution.








# The 8-Wire Trig Electrical Circuit Planning and Hardwiring to Building Electrical Source

The Trig Electrical System is an 8-Wire, 4-Circuit system including a dedicated neutral and ground. Each circuit is rated for 20 amps. The PowerPac Electrical Schematic is included to show how the system installs to the building's power source (Fig. 1). There are three - four circuit options which include:


- Three general circuits, one dedicated circuit (Fig. 2).
- Three isolated circuits, one dedicated circuit (Fig. 3).
- Two general circuits, two isolated circuits (Fig. 4).

## Fig. 1 Installing to Buildings Power Source

208/120V 3-Phase Building Supply




### 240/120V Single-Phase Building Supply



## **Options for PowerPac Four Circuit System**

#### Fig. 2 Three General Circuits, One Dedicated



## Fig. 3 Three Isolated Circuits, One Dedicated





Fig. 4 Two General Circuits, Two Isolated



Accessories

**Trig Power Raceway** 

The Trig Power Raceway provides a steel enclosure that houses and routes power and data in Trig Benching applications. Each Raceway 30" and wider has four openings per side, two for power duplexes and two for data. The 24" Power Raceway has one power and two data openings per side. Raceways are specified to accommodate Trendway's standard 8 wire 4 circuit power system (P1) or a hardwire solution (H). The Power Raceway ships with an Electrical Block or 2 hardwire boxes included, and attachment brackets installed. Power

Duplexes, Harnesses and Infeeds must be specified separately.

The unit ships with all attachment hardware included. The Raceway is available in all Trendway Standard and Premium Finishes.

### **Trig Power Raceway End Cover**

The Trig Power Raceway End Cover provides a finished appearance at the end of a Trig Power Raceway.


Not to be used on the same side as an Infeed.

The unit ships with all attachment hardware included. The End Cover is available in all Trendway Standard and Premium Finishes.

## Trig Power Raceway Spanning Covers

The Trig Power Raceway Spanning Cover is used to conceal power and data cables where they span to an adjacent Raceway. The Cover attaches two Trig Power Raceways to create a continuous steel enclosure beneath the surfaces.

The Spanning Cover is available in all Trendway Standard and Premium Finishes.




## **Trig Power Raceway**

Width	Dimension	s	List	Catalog	Power	Trim
	Depth	Height	Price	Number	Option	Color
24" (610) 30" (762) 36" (914) 42" (1067) 48" (1219) 54" (1372) 60" (1524)	( 3,	51/4" (133)	\$361 409 460 480 508 526 569	TRGPR24 TRGPR30 TRGPR36 TRGPR42 TRGPR48 TRGPR54 TRGPR60	No Cost P1 8 Wire 4 Circuit H Hardwired	Standard Finish No Cost Premium Finishes +\$36



## **Trig Power Raceway End Cover**

Width	Dimensions Height	List Price	Catalog Number	Trim Color
23/4" (70)	51/4" (133)	\$55	TRGPREC	Standard Finish No Cost
				Premium Finishes +\$6




## **Trig Power Raceway Spanning Cover**

Description	Dime Width	nsions Height	List Price	Catalog Number	Trim Color
Single Shared Leg	141/4" (362)	51/4" (133)	\$128	TRGPRSC12SL	Standard
Double "Single sided" Legs	141/4" (362)	51/4" (133)	128	TRGPRSC12DL	Finish
4 Bench Height Risers	381/4" (972)	51/4" (133)	159	TRGPRSC364R	No Cost
					Premium Finishes +\$19

Sample Part Number:

Total Cost \$361 =



TRGPRSC364R

TRGPRSC12DL

## **Trig Ceiling Power Pole**


The Trig Ceiling Power Pole encloses and routes power and communication cables from the ceiling to the Trig Power Raceway. The Power Pole is 12' in height and will attach structurally into the ceiling and to the Trig U Leg at the end of a run. Pole capacity is 50 1/4" diameter cables with a ceiling feed.

**Note:** To connect the Trig electrical system to ceiling power, order the CFTP power feed.

#### **Trig Floor Power Pole**


The Trig Floor Power Pole has a 2 inch by 2 inch profile that attaches seamlessly to the side of a Trig U Leg. The Power Pole has a removable 4th side that allows for easy access to power and communication cables. The Pole is 26" high and attaches on the inside quarter of the leg. The Pole capacity is 31 1/4" diameter cables without an infeed, and 23 1/4" diameter cables with an infeed.

**Note:** To connect the Trig electrical system to building power, order the EBFH Infeed.



## **Trig Ceiling Power Pole**

Width	Dimensions Depth	Height	List Price	Catalog Number	Trim Color
2 <sup>5</sup> /8" (67)	2 <sup>5</sup> /8" (67)	12' (3658)	\$418	TRGCPP144	Standard Finish No Cost Premium Finishes +\$38
					See Surface Material Page 10




## **Trig Floor Power Pole**

Width	Dimensions Depth	Height	List Price	Catalog Number	Trim Color
2" (51)	2" (51)	26 <sup>5</sup> /8" (676)	\$143	TRGFPP27	Standard Finish No Cost Premium Finishes +\$19 See Surface Material Page 10
		uild your com art Number he			

Sample Part Number:

Total Cost \$143 =



## **Trig Ceiling Feed**

The Ceiling Feed supplies power from the ceiling to the Trig Raceway. The feed is channeled through the Trig Ceiling Power Pole. The CFTP which has 13' (3692) of wire and 12' (3658) of flexible conduit when fully extended. The Ceiling Feed includes junction box and attachment hardware.


### **Trig End Mount Feed**

The End Mount Base Feed plugs into a Power Block to feed power from the building's electrical system. It provides 6' (1829) of flexible liquid tight conduit for hardwiring the standard four-circuit system. UL and CUL Listed/CSA Certified.

Available in Black only.


## **Trig Benching Electrical Harness**

Trig Electrical Harnesses connect Electrical Blocks, distributing power horizontally from one Trig unit to another. The Electrical Harness is UL Listed and CUL Listed/CSA Certified.



## **Trig Ceiling Feed**

Wire	Conduit	List	Catalog
Length	Length	Price	Number
15' (67)	14" (4267)	\$190	CFTP144



## Trig End Mount Feed

	Cord Length	List Price	Catalog Number	
_	6' (1829)	\$209	EBFH	



## **Trig Benching Electrical Harness**

Length	List Price	Catalog Number
30" (762)	\$114	TRGPBH30
42" (762)	124	TRGPBH42
48" (762)	134	TRGPBH48
54" (762)	139	TRGPBH54
60" (762)	148	TRGPBH60
66" (762)	152	TRGPBH66
72" (762)	156	TRGPBH72
78" (762)	160	TRGPBH78
90" (762)	162	TRGPBH90

Sample Part Number:

**Build your complete** Part Number here:

CFTP144

Total Cost \$190 =

## **Trig Power Duplexes**

The Power Duplex plugs into Electrical Blocks for access to the circuit. Power Duplex is clearly marked for Circuit I, II,III, IV $\Delta$ , I $\Delta$ , II $\Delta$ , III $\Delta$ ,  $\Delta$ III $\Delta$  or IV access. See Power Electrical Components and Electrical Circuit Planning for guidelines on specifying Electrical Duplexes. Packaged in boxes of six of the same duplex. UL and CUL Listed/CSA Certified.

#### **Communication Modules**

The Communication Module snaps into an open duplex location in the baseline and at the beltway. It provides access to communication cables. Jacks are color coded as noted below. Includes icon tabs for easy identification of Data, Phone, Voice, and LAN (Local Area Network)

Note: Verify your configuration with your building telecommunication contractor.

Note: All modules can be installed back to back.

Note: The RJ11 Jacks are rated category 3. The RJ45 Jacks are rated category 5e.


## **Trig Power Duplexes**

Description		List Price	Catalog Number	Trim Color
15 AMP Receptic	als			Standard
Circuit I	Box of 6	\$ 169	TRGPD151	Finish
Circuit II	Box of 6	169	TRGPD152	No Cost
Circuit III	Box of 6	169	TRGPD153	See
Circuit IV△	Box of 6	190	TRGPD154	Surface Material
Circuit I△	Box of 6	\$ 204	TRGPD151A	Page 10
Circuit II△	Box of 6	204	TRGPD152A	
Circuit III△	Box of 6	204	TRGPD153A	
Circuit △III△	Box of 6	204	TRGPD153B	
Circuit IV	Box of 6	204	TRGPD154A	



## CM552

CM553, CM553BW, CM554



CM555

## **Communication Modules**

Description	List Price	Catalog Number
One RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate Two RJ45, Cat. 5e, 110 Terminal, Black Jacks, Black Faceplate Two RJ45, Cat. 5e, 110 Terminal, One Blue Jack, One White	\$ 90 123	CM552 CM553
Jack, Black Faceplate	123	CM553BW
One RJ11, Cat. 3, One RJ45, Cat. 5e, 110 Terminal Three RJ45, Cat. 5e, 110 Terminal, One Black Jack, One Blue	123	CM554
Jack, One White Jack, Black Faceplate Four RJ45, Cat. 6, One Black Jack, One White Jack,	156	CM555
One Green Jack, One Gray Jack	347	CM6666
Note: Communication Modules require an open duplex location.  110 Terminal		

**Build your complete** 

Part Number here:

Sample

\$169 Total Cost \$169 =

TRGPD151


Part Number:


**Electrical** 


## **Trig Power Grommet**

The Trig Power Grommet includes the Grommet and a 6' cord to plug into an adjacent standard 15 amp outlet. Grommets can be specified with two power outlets, one power outlet and one USB port, or one power outlet and one open data port. The Power Grommet fits a factory cut opening on Trig tops with the PNDR or PNDL option selected. It can also be purchased separately and field installed where desired. Available in Black or White.

**Note:** A power grommet cannot be installed in a worksurface with a 26.75" high storage unit below.







## **Trig Power Grommets**

269 379 269	TRGPND2PW TRGPND1P1UW TRGPND1P1DW
379	TRGPND1P1UW
269	TRGPND1P1DW
269	TRGPND2PB
379	TRGPND1P1UB
269	TRGPND1P1DB
	379 269

Build your complete Part Number here:

Sample Part Number:

TRGPND2PW

Total Cost \$269 =

## Trig Electrical

Electrical Specification Guide	90
Electrical Components	91
Electrical Accessories	93

Storage

## **Trig Electrical Planning Guide**

Trig Workstations can be powered by the optional 4-wire, 2-circuit, 20 Amps each (circuit 1 and 2 only) electrical system. The systems excepts up to 10 receptacles per circuit, 20 receptacles per Base Feed. Allowing for a total of 10 Power Sets per Base Feed.

The main system components are Power Sets, Electrical Harnesses, H-Connectors and Power Base Feeds. All components are UL listed.

All work surfaces are predrilled to accept Power Sets. These are attached to the underside of the surface by a metal spring clip. The overall height of the system is just over an inch. This provides a very low profile which will not interfere with the user's legs under the table.

There is currently no capacity in this system for data management.

#### **Electrical Harness Selection**

Trig Electrical Harnesses are used to connect Power Sets mounted on different work surfaces. The length of the harness needed will depend on the layout and size of work surfaces used. The following diagrams and tables will help identify the specific length harness needed for a particular layout.

## Side By Side ELECTRICAL HARNESS (TRGEH60) 0 0 SURFACE (1) SURFACE (2) 60" Work Surface 66" Work Surface

POWER SET

(TRGDR12)

For this layout, the harness length is calculated by the following equation:


(Half of Surface 1 width) + (Half of Surface 2 width) -6" = Harness Length

If calculated harness length does not match an exact size, select next longer length.

Surface (1) is 60" wide Example: Surface (2) is 66" wide

(30") + (33") - 6" = 57" (57" is not a standardsize so a 60" length is selected)

#### Back to Back (Surfaces of Equal Width)




In this layout, the power Base Feed connects to the H-Connector. From there, the power is split to the Electrical Harness to bring power to each surface.

The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	48"	54"	60"	66"	72"	78"	84"
Harness Length	18"	24"	24"	30"	30"	36"	36"


## **COMBINING LAYOUTS** Side by Side and Back to Back



In this layout, both side-by-side and back-toback planning information is needed to specify the correct electrical components. The harness length required to connect the work surfaces side-by-side is determined by using this equation:

(Half of Surface 1 width) + (Half of Surface 2 width) -6" = Harness Length.


To connect these work surfaces back-to-back, refer to the corresponding chart above.



In this U-Shape layout where only 48" deep ends can be used, the power Base Feed will connect to the H-Connector and the power is split to go to each surface. The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	54"	60"	66"	72"	78"	84"
Harness Length	60"	60"	66"	66"	66"	66"

## L-Shape (Except Blade)



For this layout, the needed harness length will vary as the width and depth of the work surfaces change. The Trig Base Feed will end mount to Power Sets on one of the tables, but the harness length that connects the two work surfaces is determined from the following tables:

## Layout 1

Main Surface (1) = 20" deep Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Main Surface (1) width

	54"	60″	66"	66"	72"
48"	48"	48"	54"	54"	60"
54"	48"	48"	54"	54"	60"
60"	48"	48"	54"	54"	60"
66"	48"	54"	54"	54"	60"
72"	48"	54"	54"	60"	60"
78"	54"	54"	54"	60"	60"
84"	54"	54"	60"	60"	66"

#### Layout 2

Main Surface (1) = 24" deep Return Surface (2) = 20'', 24'' or 30'' deep

Return Surface (2) width (maximum size is 72" with under desk)

Main Surface (1) width

	48"	54"	60"	66"	72"
48"	48"	48"	54"	54"	60"
54"	48"	48"	54"	54"	60"
60"	48"	48"	54"	54"	60"
66"	54"	54"	54"	54"	60"
72"	54"	54"	54"	60"	66"
78"	54"	60"	60"	60"	66"
84"	54"	60"	60"	60"	66"

## Layout 3

Main Surface (1) = 30" deep Return Surface (2) = 20", 24" or 30" deep

Return Surface (2) width (maximum size is 72" with under desk)

Work Surface (1) width

	48"	54"	60"	66"	72"
48"	54"	60"	60"	66"	66"
54"	54"	60"	60"	66"	66"
60"	54"	60"	60"	66"	66"
66"	60"	60"	66"	66"	66"
72"	60"	60"	66"	66"	72"
78"	60"	66"	66"	66"	72"
84"	60"	66"	66"	72"	72"

#### **Power Set**

The Trig Power Sets allow power to be connected between work surfaces without the need for a system panel. Each Power Set includes two receptacles for a total of 4 outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2.

Power Sets are centrally located on the work surfaces. Spring clips for mounting are included. Power Sets are connected between work surfaces with Trig Electrical Harnesses. Trig Base Feed brings power to the Power Sets.

**Note:** Work surfaces are predrilled for Trig Power Set mounting to assure a standard location that is centrally located. UL and CUL Listed/CSA Certified


### **Trig Base Feed**

The Trig Base Feed conducts power from the building to the Trig Power Set. It includes 6' (1829) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.


#### **Electrical Harnesses**

Trig Electrical Harnesses connect Trig Power Sets between two surfaces. Harnesses are also used with Trig H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Trig Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Trendway Customer Care for assistance.)



## **Trig Power Set**

List Price	Catalog Number
\$173	TRGDR12



## **Trig Base Feed**

Width	List Price	Catalog Number
6' (1829) 12' (3658)	\$136 \$205	TRGPF TRGPF12



## **Trig Electrical Harness**

Width	List Price	Catalog Number
18" (457)	\$75	TRGEH18
24" (610)	78	TRGEH24
30" (762)	82	TRGEH30
36" (914)	86	TRGEH36
42" (1067)	93	TRGEH42
48" (1219)	101	TRGEH48
54" (1372)	107	TRGEH54
60" (1524)	112	TRGEH60
66" (1676)	117	TRGEH66
72" (1829)	124	TRGEH72
78" (1981)	130	TRGEH78

Build your complete Part Number here:

Sample Part Number: TRGDR12

Total Cost \$173 =

#### **New York Base Feed**

The Trig New York Base Feed conducts power from the building to the Trig Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig New York Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

#### **H-Connector**

The Trig H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces.

(See Planning Guide for Specific Uses.)



## **Trig Base Feed New York**

Width	List Price	Catalog Number
18" (457)	\$129	TRGPFNY



## **Trig H-Connector**

Width		List Price	Catalog Number
2" (51)		\$27	TRGHC
	Build your o	omplete r here:	
		'	

Sample Part Number:

TRGPFNY

Total Cost \$129 =

## **Horizontal Electrical Accessory**

Horizontal Electrical Accessories provide power and data access, mounting to the back edge of a desk or work surface without a modesty panel.

The face plate is available in black or white. The outlet bezel and back of the unit is clear anodized aluminum. Includes a 6' power cord.

UL and CUL Listed.


### **Vertical Electrical Accessory**

Vertical Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty panel.

The face plate is available in black or white. The outlet bezel and back of the unit is clear anodized aluminum. Includes a 6' power cord.


UL and CUL Listed.

## Horizontal Electrical Accessory



Description	List Price	Catalog Number
Black Face Plate		
two power outlets, one USB	\$523	HEA2P1UB
two power outlets, one Ipod Dock	695	HEA2P1PB
two power outlets, two data openings	331	HEA2P2DB
three power outlets, one Extron Bracket	442	HEA3P1EB
three power outlets, three data openings	420	HEA3P3DB
White Face Plate		
two power outlets, one USB	\$523	HEA2P1UW
two power outlets, one Ipod Dock	695	HEA2P1PW
two power outlets, two data openings	331	HEA2P2DW
three power outlets, one Extron Bracket	442	HEA3P1EW
three power outlets, three data openings	420	HEA3P3DW

## **Vertical Electrical Accessory**





Description	List Price	Catalog Number
Black Face Plate		
two power outlets, one USB	\$ 523	VEA2P1UB
two power outlets, two data openings	331	VEA2P2DB
three power outlets, one Extron Bracket	442	VEA3P1EB
three power outlets, three data openings	420	VEA3P3DB
White Face Plate		
two power outlets, one USB	\$ 523	VEA2P1UW
two power outlets, two data openings	331	VEA2P2DW
three power outlets, one Extron Bracket	442	VEA3P1EW
three power outlets, three data openings	420	VEA3P3DW
Build vo		

Sample Part Number:

Part Number here:

HEA2P1UB

Total Cost \$523 =

## **Horizontal Sliding Electrical** Accessory

The Horizontal Sliding Electrical Accessory provides 3 3/4" of sliding access to power and data. The body is anodized aluminum. The unit can be used on work surfaces that are 48" or 54' wide. It cannot be used on other work surface widths because they include a reinforcement bar which will obstruct the track.

UL and CUL Listed.

## **Ribbed Horizontal Electrical** Accessory

Ribbed Horizontal Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty

The body is anodized aluminum.

Unit includes a 6' power cord.

UL and CUL Listed.

## **Horizontal Sliding Electrical Accessory** List Catalog Description Price Number one power outlet, one data opening \$344 HSEA1P1D HSEA2P2D two power outlets, two data openings 366 HSEA1P1D HSEA2P2D **Ribbed Horizontal Electrical Accessory**

RHEA1P1D





RHEA2P



RHEA2P2D

Description	List Price	Catalog Number
one power outlet, one data opening one power outlet, one Extron Bracket two power outlets two power outlets, one USB two power outlets, one data opening, one USB two power outlets, one Extron Bracket two power outlets, one lpod Dock two power outlets, two data openings	\$344 371 358 557 573 392 730 366	RHEA1P1D RHEA1P1E RHEA2P RHEA2P1U RHEA2P1D1U RHEA2P1E RHEA2P1P RHEA2P2D
three power outlets, two data openings four power outlets	392 497	RHEA3P2D RHEA4P



RHEA3P2D

RHEA4P

Sample Part Number:	HSEA1P1D
Total Coat #044	<b>CO 4.4</b>

**Build your complete** Part Number here:

## Trig Desking Accessories

Accessories	98
Monitor Arms	100
Task Light	102

Storage

### **Pedestal Pencil Tray**

The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Trig Pedestal drawers.

Available in black only.

#### Laminate Pedestal Side-to-Side Filing **Bars**

Side-to-Side Filing Bars convert Trig 12" Pedestal and storage tower drawers to side-to-side or legal-size filing.

Available in black only.

## **Vertical Wire Manager**


The Vertical Wire Manager is designed to economically route wires from the floor to the work surface in a freestanding application. It can extend up to 30". The wire manager includes 15 vertibra rings, 1 base mount, 1 work surface mount, an edge clip and mounting screws.

Constructed of durable plastic, available in aluminum-toned finish only.




## **Pedestal Pencil Tray**

Depth	Dimensions Width	Height	Description	List Price	Catalog Number
51/2" (140)	13³/8" (340)	1" (25)	Includes 1 pencil tray.	\$18	НРРТ



## Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number
Includes 6 hanging bars. Requires 1 per drawer.	\$71	ZFPSSB



## **Vertical Wire Manager**

	List Price	Catalog Number
	\$191	TRGVWMAL
Build your complete Part Number here:		

Sample Part Number:

**HPPT** 

Total Cost \$18 =

#### **Vertical Wire Channel**

The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.

## **Horizontal Wire Manager**

The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.

Available in Black only.

### **Grommet for Work Surface**

The Work Surface Grommet is available for situations that require grommets in addition to standard locations or as replacements.

Available in black or silver.



## **Vertical Wire Channel**

Length	Dimensions Width	Depth	List Price	Catalog Number	Trim Color
24" (610) Package Co	1/2" (13) ontains 3 Wire Cha	1/2" (13) annels	\$28	VWC3	Standard Smooth Finish Only
					See Surface Materials Page 5



## **Horizontal Wire Manager**

Catalog Number	List Price	Height	Dimensions Length	Depth
нwм30	\$40	2" (51)	30" (762)	3" (76)



## **Grommet for Work Surface**

Depth	Dimensions Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number	
<sup>15</sup> / <sub>16</sub> " (24)	2.8" (71)	23/8" (60)	\$67	SIZGWS (Black)	
<sup>15</sup> / <sub>16</sub> " (24)	2.8" (71)	23/8" (60)	\$67	SIGSGWS (Silver)	
ncludes 6 gr	ommets.			, ,	

Build your complete
Part Number here:

Sam	ple
Part	Number:

Total Cost \$28 =

				. <u>Y</u>	
=	\$28	4	ŀ	N/C	

### **Monitor Arm**

The monitor arms can be affixed to the back edge of the work surfaces between the panel and work surface or can also be bolted through the surface, with a drilled hole or grommet. The height can be adjusted 13" vertically and has 26" of reach. The arm can be adjusted to accurately counterbalance the weight of the monitor. Finally the arm can swivel 360 degrees. All this leads to an ergonomically correct viewing angle.

### **Single Monitor Arm**

The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 14 lbs.

### **Dual Monitor Arm**

The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 20 lbs total. Measured diagonally, the maximum screen width for each monitor is 22".

Available in silver only.

	Single Monitor Arm		
		List Price	Catalog Number
		\$454	MARMSNGL
(g · p)	Dual Monitor Arm – Desk	Mount	
		List Price	Catalog Number
		\$599	MARMDUAL
	-	Build your complete	
Clamp mount on work surfaces up to 2.625" or grommet mount	Vertica Adjustm Range A.2. Lowest F	e	
		Sample Part Number:	MARMSNGL
		Total Cost \$454 =	\$454

**Freestanding Touch Up Markers** 

The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.

## **Freestanding Touch Up Markers**

Description	List Price	Catalog Number
Wild Cherry Fusion Maple Empire Mahogany Black Chocolate Pear Kit (all 5 colors)	\$ 73 73 73 73 73 73 204	ZFTUPXZ1 ZFTUPXZ2 ZFTUPXZ3 ZFTUPXZ4 ZFTUPXZ5 ZFTUPKIT

Build your complete Part Number here:

Sample Part Number:

ZFTUPXZ3

Total Cost \$73 =

### Luma Touch™ LED Desk Lamp


The Luma Touch LED personal task light is specified with either a Round or an Elongated lamp style. The Lamp can be selected with a Freestanding Base, Clamp Mount, or Slatwall Mount. The Slatwall Mount is compatible with Choices and Capture. Its double-arm articulated design allows the user to position the light effortlessly for optimum illumination. The single control responds to the lightest touch to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting


level if turned off and on. The optional Occupancy Sensor turns the lamp on when a user approaches and shuts it off after 30 minutes of inactivity, conserving energy use. Available in three colors. ETL, TAA and BAA certified.

## **ORI LED Desk Lamp**

The ORI LED Personal Task Light provides 390 Lumens of clear white light right where you need it. It offers a wide range of vertical and rotational adjustment so the user can direct the light where it's needed. The clean, simple and attractive design

complements any interior. The single control responds to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting level if turned off and on. The Lamp is available as a freestanding model or with a clamp mount. UL Listed. Available in a Brushed Nickel finish





Description		List Price	Catalog Number	
Freestanding Base		\$ 360	LEDORIFS	
	Build you	r complete		
	Build your complete Part Number here:			 

Sample Part Number:	
Total Cost \$629 =	

	LEDLTCRFS		.OSN			.BK			
=	\$629	4	ŀ	N/	С	4	}	N/C	

## Terms, Policies & Index

Terms & Policies	104
Warranty	107
Index	108

#### 1. Prices

Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

## 2. Order Placement

Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www. trendealer.com, or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

#### 3. Confirmation

Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at www.trendealer.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

#### 4. Lead-Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

#### 5. Buyer's Credit

If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section

8 or other satisfactory security to insure prompt payment of invoices.

### 6. Order Changes

To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

#### 7. Cancellation

All cancellations must be approved by Trendway Corporation. Orders in production cannot be cancelled without incurring substantial or full purchase price. Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Nonstandard items may not be cancelled.

#### 8. Terms of Sale

Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

#### 9. Taxes

Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

#### 10. Past-Due Accounts

Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

#### 11. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

- 1. Select the COM material.
- Check first with www.trendealer.com/ COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
- If the material is pre-approved in the COM Library, customer must submit a COM Order Submission Form (available from Trendway Customer Care Representative).
- 4. If the material requested is not in the COM Library, customer must submit a COM test request on-line at www.trendealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
- 5. Ship COM samples to:
  - U.S. Mail and UPS, FedEx Shipment: Trendway Corporation 13467 Quincy Street Holland, MI 49424 Attn: COM Request
- You will be notified within five working days of receiving the material sample by Trendway, whether your COM has been approved or disapproved for application.

## TEST YARDAGE REQUIREMENTS

Capture Tiles	1	yard
Choices panels	11/2	yards
Fabric screens	2	yards
Flipper doors	$^{2}/_{3}$	yard
Intrinsic Freestanding	1	yard
Ped Cushions	1	yard
Seating	Tre	ndway
	req	uests
Seating - Parley	1	yard
Seating - Zego	11/2	yards
Tackboards	1	yard
TrendWall	4	yards
Volo tiles	4	yards

**NOTE:** Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

**NOTE:** All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or

## Trendway. >

damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyerfurnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

#### 11a. Custom Color

Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trendealer.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trendealer.com).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Custom Color Request form for details.

#### 12. Special Product

When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

## 13. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations,

orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

## 14. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

#### 15. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

## 16. Transportation

All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Friday's will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not

apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.

- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Care.
- Inside delivery service starts at \$50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at \$50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

#### **Shipping Note:**

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

## 17. Product Ownership

Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

### 18. Damaged Materials

Trendway Corporation is not responsible for shipped products when the

common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 5 days after receipt. Trendway assumes no liability for such damage.

#### 19. Shortage on Order

Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

## 20. Product Usage and Compliance

Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

#### 21. Post-Delivery Assistance

Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

#### 22. Returned Goods

As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. To receive authorization to return goods, please contact Trendway's Customer Care Department.

All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.

Electrical components, nonstandard items, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. **As a** 

general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.

### 23. Special Marking or Tagging

Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.** 

## 24. Trendway Field Technical and Installation Support:

On-site field measurement and installation support is available as a service. The fees are listed below:

Field Installation Assistance: 2 Day On-Site, \$1,200

Field Installation Assistance: 3 Days On-Site, \$1,800

Field Installation Assistance: 4 Days On-site, \$2,400

Field Installation Assistance: 5 Days On-Site, \$3,000

Days include 1/2 day travel to and 1/2 day travel from location. These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trendway.com, in the Price list section.

## Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Products	Seating
10 Year	•Electrical Components •Height-Adjustable Table Frame		•Pneumatic Cylinders •Mechanisms
5 Year	Drawer Slides     Systems Textiles     Finishes     Electronic Ballasts     Height-Adjustable Table     Mechanical Components     Screens	•System Textiles •Finishes	
3 Year	Veneer     Magnetic Ballasts		•Trim •Foam •Upholstery •Arm Pads
2 Year	Surface Trend Fabrics     Height-Adjustable Table     Electrical Components	•Surface Trend Fabrics	
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product	•Non-Standard Product
Not Covered	Light Bulbs     Customer's Own Material	•Customer's Own Material	•Customer's Own Material

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- · Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway Corporation 13467 Quincy St., Holland MI 49422-9016 www.trendway.com 09.12

Trendway.

_	Catalag			Catalog		
& ation	Catalog Number	Description	Page	Catalog Number	Description Pa	ge
Overview ler Inform	CFTP144	Ceiling Feed		SCNBECMS6630	Single Acrylic Screen - Edge Mount Bracket	46
\$₽	CM552	Communication Modules		SCNBECMS7230	Single Acrylic Screen - Edge Mount Bracket	
ēΞ	CM553 CM553BW	Communication Modules  Communication Modules		SCNDTCMS2424	Single Acrylic Screen - Top Mount Bracket	
ove Order	CM554	Communication Modules		SCNDTCMS3024 SCNDTCMS3624	Single Acrylic Screen - Top Mount Bracket Single Acrylic Screen - Top Mount Bracket	
, D	CM555	Communication Modules		SCNDTCMS3024 SCNDTCMS4224	Single Acrylic Screen - Top Mount Bracket	
0	CM6666	Communication Modules	87	SCNDTCMS4824	Single Acrylic Screen - Top Mount Bracket	
_	EBFH	End Mount Feed		SCNDTCMS5424	Single Acrylic Screen - Top Mount Bracket	
e e	HEA2P1PB	Horizontal Electrical Accessory	95	SCNDTCMS6024	Single Acrylic Screen - Top Mount Bracket	
emer Line	HEA2P1PW HEA2P1UB	Horizontal Electrical AccessoryHorizontal Electrical Accessory		SCNDTCMS6624 SCNDTCMS7224	Single Acrylic Screen - Top Mount Bracket Single Acrylic Screen - Top Mount Bracket	
Statement of Line	HEA2P1UW	Horizontal Electrical Accessory		SCNDTCMS7224 SCNDTCMS2430	Single Acrylic Screen - Top Mount Bracket	
is o	HEA2P2DB	Horizontal Electrical Accessory		SCNDTCMS3030	Single Acrylic Screen - Top Mount Bracket	
٠,	HEA2P2DW	Horizontal Electrical Accessory		SCNDTCMS3630	Single Acrylic Screen - Top Mount Bracket	
	HEA3P1EB	Horizontal Electrical Accessory		SCNDTCMS4230	Single Acrylic Screen - Top Mount Bracket	
<u> </u>	HEA3P1EW HEA3P3DB	Horizontal Electrical Accessory		SCNDTCMS4830	Single Acrylic Screen - Top Mount Bracket	
<u>a</u> .g	HEA3PEDW	Horizontal Electrical Accessory Horizontal Electrical Accessory	95	SCNDTCMS5430 SCNDTCMS6030	Single Acrylic Screen - Top Mount Bracket Single Acrylic Screen - Top Mount Bracket	
Surface Materials	HPPT	Pedestal Pencil Tray		SCNDTCMS6630	Single Acrylic Screen - Top Mount Bracket	
Su	HSEA1P1D	Horizontal Sliding Electrical Accessory	96	SCNDTCMS7230	Single Acrylic Screen - Top Mount Bracket	
_	HSEA2P2D	Horizontal Sliding Electrical Accessory		SCNSMPS2424	Single Acrylic Screen - Post Style Bracket	
S	HWM30	Horizontal Wire Manager		SCNSMPS3024	Single Acrylic Screen - Post Style Bracket	
Desks & ork Surfaces	LEDLTCRFS LEDLTCRCP	Luma Touch LED Desk LampLuma Touch LED Desk Lamp		SCNSMPS3624	Single Acrylic Screen - Post Style Bracket	
رة 10 م	LEDLTCRSW	Luma Touch LED Desk Lamp		SCNSMPS4224 SCNSMPS4824	Single Acrylic Screen - Post Style Bracket Single Acrylic Screen - Post Style Bracket	
SES	LEDLTEGFS	Luma Touch LED Desk Lamp		SCNSMPS5424	Single Acrylic Screen - Post Style Bracket	
ķ	LEDLTEGCP	Luma Touch LED Desk Lamp		SCNSMPS6024	Single Acrylic Screen - Post Style Bracket	
De Work	LEDLTEGSW	Luma Touch LED Desk Lamp	102	SCNSMPS6624	Single Acrylic Screen - Post Style Bracket	
>	LEDORIFS MARMSNGL	ORI LED Desk Lamp		SCNSMPS7224	Single Acrylic Screen - Post Style Bracket	
-~ M	MARMDUAL	Monitor Arm - Desk Mount Dual Monitor Arm		SCNSMPS2430 SCNSMPS3030	Single Acrylic Screen - Post Style Bracket Single Acrylic Screen - Post Style Bracket	
s ë	RHEA1P1D	Ribbed Horizontal Electrical Accessory		SCNSMPS3630	Single Acrylic Screen - Post Style Bracket	
ensesst	RHEA1P1E	Ribbed Horizontal Electrical Accessory		SCNSMPS4230	Single Acrylic Screen - Post Style Bracket	
Screens & Modesties	RHEA2P	Ribbed Horizontal Electrical Accessory		SCNSMPS4830	Single Acrylic Screen - Post Style Bracket	
ŠΣ	RHEA2P1D1U RHEA2P1E	Ribbed Horizontal Electrical Accessory		SCNSMPS5430	Single Acrylic Screen - Post Style Bracket	
	RHEA2P1P	Ribbed Horizontal Electrical Accessory Ribbed Horizontal Electrical Accessory		SCNSMPS6030 SCNSMPS6630	Single Acrylic Screen - Post Style Bracket Single Acrylic Screen - Post Style Bracket	
	RHEA2P1U	Ribbed Horizontal Electrical Accessory		SCNSMPS7230	Single Acrylic Screen - Post Style Bracket	
Φ	RHEA2P2D	Ribbed Horizontal Electrical Accessory	96	SCNSMPS2436	Single Acrylic Screen - Post Style Bracket	
ag	RHEA3P2D	Ribbed Horizontal Electrical Accessory	96	SCNSMPS3036	Single Acrylic Screen - Post Style Bracket	
Storage	RHEA4P	Ribbed Horizontal Electrical Accessory		SCNSMPS3636	Single Acrylic Screen - Post Style Bracket	
St	SCNAFS2424 SCNAFS3024	Single Acrylic Screen - Freestanding Plate Single Acrylic Screen - Freestanding Plate		SCNSMPS4236 SCNSMPS4836	Single Acrylic Screen - Post Style Bracket Single Acrylic Screen - Post Style Bracket	
	SCNAFS3624	Single Acrylic Screen - Freestanding Plate		SCNSMPS5436	Single Acrylic Screen - Post Style Bracket	
	SCNAFS4224	Single Acrylic Screen - Freestanding Plate		SCNSMPS6036	Single Acrylic Screen - Post Style Bracket	
<u> </u>	SCNAFS4824	Single Acrylic Screen - Freestanding Plate		SCNSMPS6636	Single Acrylic Screen - Post Style Bracket	
Benchin Electrica	SCNAFS5424 SCNAFS6024	Single Acrylic Screen - Freestanding Plate		SCNSMPS7236	Single Acrylic Screen - Post Style Bracket	
얼청	SCNAFS6624	Single Acrylic Screen - Freestanding Plate Single Acrylic Screen - Freestanding Plate		SCNSMPU362424 SCNSMPU422424	U-Shape Acrylic Screen - Post Style Bracket U-Shape Acrylic Screen - Post Style Bracket	
a B	SCNAFS7224	Single Acrylic Screen - Freestanding Plate		SCNSMPU482424	U-Shape Acrylic Screen - Post Style Bracket	
	SCNAFS2430	Single Acrylic Screen - Freestanding Plate		SCNSMPU542424	U-Shape Acrylic Screen - Post Style Bracket	
	SCNAFS3030	Single Acrylic Screen - Freestanding Plate		SCNSMPU602424	U-Shape Acrylic Screen - Post Style Bracket	
<u></u>	SCNAFS3630	Single Acrylic Screen - Freestanding Plate		SCNSMPU662424	U-Shape Acrylic Screen - Post Style Bracket	
Electrical	SCNAFS4230 SCNAFS4830	Single Acrylic Screen - Freestanding Plate Single Acrylic Screen - Freestanding Plate		SCNSMPU722424 SCNSMPU363024	U-Shape Acrylic Screen - Post Style Bracket U-Shape Acrylic Screen - Post Style Bracket	
당	SCNAFS5430	Single Acrylic Screen - Freestanding Plate		SCNSMPU423024	U-Shape Acrylic Screen - Post Style Bracket	
<u>e</u>	SCNAFS6030	Single Acrylic Screen - Freestanding Plate		SCNSMPU483024	U-Shape Acrylic Screen - Post Style Bracket	
ш	SCNAFS6630	Single Acrylic Screen - Freestanding Plate		SCNSMPU543024	U-Shape Acrylic Screen - Post Style Bracket	
	SCNAFS7230	Single Acrylic Screen - Freestanding Plate		SCNSMPU603024	U-Shape Acrylic Screen - Post Style Bracket	
es	SCNBECMS2424	Single Acrylic Screen - Edge Mount Brack		SCNSMPU663024	U-Shape Acrylic Screen - Post Style Bracket	
Ö	SCNBECMS3024 SCNBECMS3624	Single Acrylic Screen - Edge Mount Brack Single Acrylic Screen - Edge Mount Brack		SCNSMPU723024 SCNSMPU362430	U-Shape Acrylic Screen - Post Style Bracket U-Shape Acrylic Screen - Post Style Bracket	
280	SCNBECMS4224	Single Acrylic Screen - Edge Mount Brack		SCNSMPU422430	U-Shape Acrylic Screen - Post Style Bracket	
ä	SCNBECMS4824	Single Acrylic Screen - Edge Mount Brack		SCNSMPU482430	U-Shape Acrylic Screen - Post Style Bracket	
Accessories	SCNBECMS5424	Single Acrylic Screen - Edge Mount Brack		SCNSMPU542430	U-Shape Acrylic Screen - Post Style Bracket	
	SCNBECMS6024	Single Acrylic Screen - Edge Mount Brack		SCNSMPU602430	U-Shape Acrylic Screen - Post Style Bracket	
Terms, Policies & Index	SCNBECMS6624	Single Acrylic Screen - Edge Mount Brack		SCNSMPU662430 SCNSMPU722430	U-Shape Acrylic Screen - Post Style Bracket U-Shape Acrylic Screen - Post Style Bracket	
	SCNBECMS7224	Single Acrylic Screen - Edge Mount Brack		SCNSMPU363030	U-Shape Acrylic Screen - Post Style Bracket	
e X	SCNBECMS2430	Single Acrylic Screen - Edge Mount Brack		SCNSMPU423030	U-Shape Acrylic Screen - Post Style Bracket	
<u>ថ្មី</u>	SCNBECMS3030	Single Acrylic Screen - Edge Mount Brack		SCNSMPU483030	U-Shape Acrylic Screen - Post Style Bracket	48
ıs,	SCNBECMS3630	Single Acrylic Screen - Edge Mount Brack		SCNSMPU543030	U-Shape Acrylic Screen - Post Style Bracket	
F. so	SCNBECMS4230 SCNBECMS4830	Single Acrylic Screen - Edge Mount Brack Single Acrylic Screen - Edge Mount Brack		SCNSMPU603030	U-Shape Acrylic Screen - Post Style Bracket	
Te	SCNBECMS5430	Single Acrylic Screen - Edge Mount Brack		SCNSMPU663030 SCNSMPU723030	U-Shape Acrylic Screen - Post Style Bracket U-Shape Acrylic Screen - Post Style Bracket	
	SCNBECMS6030	Single Acrylic Screen - Edge Mount Brack		SCNSMPU362436	U-Shape Acrylic Screen - Post Style Bracket	
_					•	

Catalog Number	Description	Page	Catalog Number	Description	Page
SCNSMPU422436	U-Shape Acrylic Screen - Post Style B	racket48	TRGBMS4813	Trig Back Edge Mount Screens	42
SCNSMPU482436	U-Shape Acrylic Screen - Post Style B	racket48	TRGBMS4819	Trig Back Edge Mount Screens	42
SCNSMPU542436	U-Shape Acrylic Screen - Post Style B		TRGBMS5413	Trig Back Edge Mount Screens	42
SCNSMPU602436	U-Shape Acrylic Screen - Post Style B		TRGBMS5419	Trig Back Edge Mount Screens	42
SCNSMPU662436 SCNSMPU722436	U-Shape Acrylic Screen - Post Style B U-Shape Acrylic Screen - Post Style B		TRGBMS6013 TRGBMS6019	Trig Back Edge Mount Screens Trig Back Edge Mount Screens	42
SCNSMPU363036	U-Shape Acrylic Screen - Post Style B		TRGBMS6613	Trig Back Edge Mount Screens	42
SCNSMPU423036	U-Shape Acrylic Screen - Post Style B		TRGBMS6619	Trig Back Edge Mount Screens	42
SCNSMPU483036	U-Shape Acrylic Screen - Post Style B		TRGBMS7213	Trig Back Edge Mount Screens	42
SCNSMPU543036	U-Shape Acrylic Screen - Post Style B		TRGBMS7219	Trig Back Edge Mount Screens	
SCNSMPU603036 SCNSMPU663036	U-Shape Acrylic Screen - Post Style B U-Shape Acrylic Screen - Post Style B		TRGBMSM2428 TRGBMSM3028	Trig Screen/Modesty Combination	
SCNSMPU723036	U-Shape Acrylic Screen - Post Style B		TRGBMSM3628	Trig Screen/Modesty Combination Trig Screen/Modesty Combination	
SCNTDMU362424	U-Shape Acrylic Screen - Low Profile I		TRGBMSM4228	Trig Screen/Modesty Combination	
SCNTDMU422424	U-Shape Acrylic Screen - Low Profile I	Bracket.49	TRGBMSM4828	Trig Screen/Modesty Combination	
SCNTDMU482424	U-Shape Acrylic Screen - Low Profile I		TRGBMSM5428	Trig Screen/Modesty Combination	
SCNTDMU542424	U-Shape Acrylic Screen - Low Profile I		TRGBMSM6028	Trig Screen/Modesty Combination	
SCNTDMU602424 SCNTDMU662424	U-Shape Acrylic Screen - Low Profile I U-Shape Acrylic Screen - Low Profile I		TRGBMSM6628 TRGBMSM7228	Trig Screen/Modesty Combination	
SCNTDMU722424	U-Shape Acrylic Screen - Low Profile I		TRGBSWSL13	Bench Storage W/S Short Support	
SCNTDMU363024	U-Shape Acrylic Screen - Low Profile I		TRGBSWSL19	Bench Storage W/S Short Support	39
SCNTDMU423024	U-Shape Acrylic Screen - Low Profile I		TRGC2DD60	Trig Credenzas with Doors	51
SCNTDMU483024	U-Shape Acrylic Screen - Low Profile I		TRGC2DDCS72	Trig Credenzas with Doors	
SCNTDMU543024 SCNTDMU603024	U-Shape Acrylic Screen - Low Profile I U-Shape Acrylic Screen - Low Profile I		TRGC2DDCS75 TRGC2LAT60	Trig Credenzas with Doors Trig Credenzas with Laterals	
SCNTDMU663024	U-Shape Acrylic Screen - Low Profile I		TRGC2LATCS72	Trig Credenza with Laterals	
SCNTDMU723024	U-Shape Acrylic Screen - Low Profile I		TRGC2LATCS75	Trig Credenzas with Laterals	
SCNTDMU362430	U-Shape Acrylic Screen - Low Profile I		TRGCBC30	Trig Bookcase	57
SCNTDMU422430	U-Shape Acrylic Screen - Low Profile I		TRGCBC36	Trig Bookcase	
SCNTDMU482430 SCNTDMU542430	U-Shape Acrylic Screen - Low Profile I U-Shape Acrylic Screen - Low Profile I		TRGCDDOSR60 TRGCDDOSL60	Trig Credenza w/ Doors & Shelves	
SCNTDMU602430	U-Shape Acrylic Screen - Low Profile I		TRGCDDSDL45	Trig Credenza w/ Doors & Shelves Trig Credenzas with Doors	
SCNTDMU662430	U-Shape Acrylic Screen - Low Profile I		TRGCDDSDR45	Trig Credenzas with Doors	
SCNTDMU722430	U-Shape Acrylic Screen - Low Profile I		TRGCLATOS30	Trig Credenzas with Laterals	
SCNTDMU363030	U-Shape Acrylic Screen - Low Profile I		TRGCLATOSL45	Trig Credenzas with Laterals	
SCNTDMU423030 SCNTDMU483030	U-Shape Acrylic Screen - Low Profile I U-Shape Acrylic Screen - Low Profile I		TRGCLATOSL48 TRGCLATOSL60	Trig Credenza with Laterals	
SCNTDMU543030	U-Shape Acrylic Screen - Low Profile I		TRGCLATOSE00	Trig Credenza with LateralsTrig Credenza with Laterals	
SCNTDMU603030	U-Shape Acrylic Screen - Low Profile I		TRGCLATOSR60	Trig Credenza with Laterals	
SCNTDMU663030	U-Shape Acrylic Screen - Low Profile I		TRGCLATOSR45	Trig Credenzas with Laterals	
SCNTDMU723030	U-Shape Acrylic Screen - Low Profile I		TRGCLATSDL45	Trig Credenzas with Doors and Laterals	
SICSP SIGSGWS	Flush Support PlatesGrommet for Work Surface		TRGCLATSDR45 TRGCOS30	Trig Credenzas with Doors and Laterals  Trig Credenzas - Open Storage	
SIZGWS	Grommet for Work Surface		TRGCOS36	Trig Credenzas - Open Storage	
TRG612LAT20	Trig Freestanding Lateral		TRGCOS45	Trig Credenzas - Open Storage	
TRG612LAT2036	Trig Freestanding Lateral	56	TRGCS6612OSL20	Trig Pedestal Shelf Comb Storage - L-Hand	d63
TRG612PED20	Trig Freestanding Pedestal		TRGCS6612OSL24	Trig Pedestal Shelf Comb Storage - L-Hand	
TRGANGDL309424 TRGANGDR249430	Trig Blade Desk - Left-Hand Trig Blade Desk - Right-Hand		TRGCS6612OSL30 TRGCS6612OSR20	Trig Pedestal Shelf Comb Storage - L-Handrig Pedestal Shelf Comb Storage - R-Handrig Pedestal Shelf Comb Storage - R-Handrig Pedestal Shelf Comb Storage - R-Handrig Pedestal Shelf Comb Storage - L-Handrig Pedestal Shelf Comb Storage - R-Handrig Shelf Comb Storage - R-Handrig Shelf Comb	
TRGANGSL309424	Trig Blade Work Surface - Left-Hand		TRGCS6612OSR24	Trig Pedestal Shelf Comb Storage - R-Han	
TRGANGSR249430	<u> </u>			Trig Pedestal Shelf Comb Storage - R-Han	
TRGBCSTR661212	Trig Wardrobe Storage Tower w/ Book		TRGCSDDOS30	Trig Combination Storage	62
TRGBCSTR666612	Trig Wardrobe Storage Tower w/ Book		TRGCSLATOS30	Trig Combination Storage	
TRGBCSTL661212 TRGBCSTL666612	Trig Wardrobe Storage Tower w/ Book Trig Wardrobe Storage Tower w/ Book		TRGCSOSL45 TRGCSOSR45	Trig Combination Storage  Trig Combination Storage	
TRGBC31L000012	Trig Bench-Height Storage		TRGCPP144	Ceiling Power Pole	
TRGBF2LATCS72	Trig Bench-Height Storage		TRGDD20	Trig Freestanding Double Door Storage	
TRGBF2LATCS75	Trig Bench-Height Storage	59	TRGDD2036	Trig Freestanding Double Door Storage	57
TRGBFBC30	Trig Bench-Height Bookcase		TRGDR12	Trig Power Set	
TRGBFBC36	Trig Bench-Height Bookcase		TRGEH18 TRGEH24	Trig Electrical Harness	
TRGBFLAT30 TRGBFLAT36	Trig Bench-Height Storage Trig Bench-Height Storage		TRGEH24 TRGEH30	Trig Electrical Harness Trig Electrical Harness	
TRGBFLATOSL45	Trig Bench-Height Storage		TRGEH36	Trig Electrical Harness	
TRGBFLATOSL48	Trig Bench-Height Storage		TRGEH42	Trig Electrical Harness	
TRGBFLATOSL60	Trig Bench-Height Storage		TRGEH48	Trig Electrical Harness	
TRGBFLATOSR45	Trig Bench-Height Storage		TRGEH54	Trig Electrical Harness	
TRGBFLATOSR48 TRGBFLATOSR60	Trig Bench-Height Storage Trig Bench-Height Storage		TRGEH60 TRGEH66	Trig Electrical Harness Trig Electrical Harness	
TRGBMS2413	Trig Back Edge Mount Screens		TRGEH72	Trig Electrical Harness	
TRGBMS2419	Trig Back Edge Mount Screens		TRGEPDL305442	Trig Primary Desk - Left-Hand	
TRGBMS3013	Trig Back Edge Mount Screens		TRGEPDL305448	Trig Primary Desk - Left-Hand	
TRGBMS3019	Trig Back Edge Mount Screens		TRGEPDL306042	Trig Primary Dook - Left Hand	
TRGBMS3613 TRGBMS3619	Trig Back Edge Mount Screens Trig Back Edge Mount Screens		TRGEPDL306048 TRGEPDL306642	Trig Primary Desk - Left-Hand Trig Primary Desk - Left-Hand	
TRGBMS4213	Trig Back Edge Mount Screens		TRGEPDL306648	Trig Primary Desk - Left-Hand	
TRGBMS4219	Trig Back Edge Mount Screens		TRGEPDL307242	Trig Primary Desk - Left-Hand	

		<u>,                                      </u>				
& ation	Catalog Number	Description	Page	Catalog Number	Description P	Page
≥Ë	TRGEPDL307248	Trig Primary Desk - Left-Hand	30	TRGESSL488420	Trig Secondary Work Surface - Left-Hand	37
Overview Order Inform	TRGEPDL307842	Trig Primary Desk - Left-Hand		TRGESSR205442	Trig Secondary Work Surface - Right-Hand	
5,5	TRGEPDL307848	Trig Primary Desk - Left-Hand		TRGESSR205448	Trig Secondary Work Surface - Right-Hand	
ě -	TRGEPDL308442	Trig Primary Desk - Left-Hand		TRGESSR206042	Trig Secondary Work Surface - Right-Hand	
ဝမ္မ	TRGEPDL308448	Trig Primary Desk - Left-Hand		TRGESSR206048	Trig Secondary Work Surface - Right-Hand	
č	TRGEPDR425430	Trig Primary Desk - Right-Hand		TRGESSR206642	Trig Secondary Work Surface - Right-Hand	
•	TRGEPDR426030	Trig Primary Desk - Right-Hand		TRGESSR206648	Trig Secondary Work Surface - Right-Hand	
	TRGEPDR426630	Trig Primary Desk - Right-Hand		TRGESSR207242	Trig Secondary Work Surface - Right-Hand	
e e	TRGEPDR427230	Trig Primary Desk - Right-Hand Trig Primary Desk - Right-Hand		TRGESSR207248	Trig Secondary Work Surface - Right-Hand	
ĔĘ	TRGEPDR427830 TRGEPDR428430	Trig Primary Desk - Right-Hand		TRGESSR207842 TRGESSR207848	Trig Secondary Work Surface - Right-Hand Trig Secondary Work Surface - Right-Hand	
Statement of Line	TRGEPDR485430	Trig Primary Desk - Right-Hand		TRGESSR208442	Trig Secondary Work Surface - Right-Hand	
o t	TRGEPDR486030	Trig Primary Desk - Right-Hand		TRGESSR208448	Trig Secondary Work Surface - Right-Hand	
S	TRGEPDR486630	Trig Primary Desk - Right-Hand		TRGFPP27	Floor Power Pole	
	TRGEPDR487230	Trig Primary Desk - Right-Hand		TRGFTMS1813	Top Mount Fabric Screen	
	TRGEPDR487830	Trig Primary Desk - Right-Hand	30	TRGFTMS2213	Top Mount Fabric Screen	50
9 <del>g</del>	TRGEPDR488430	Trig Primary Desk - Right-Hand		TRGFTMS2813	Top Mount Fabric Screen	
ž.	TRGEPSL305442	Trig Primary Work Surface - Left-Hand		TRGFTMS3613	Top Mount Fabric Screen	
Surface Materials	TRGEPSL305448	Trig Primary Work Surface - Left-Hand		TRGFTMS4213	Top Mount Fabric Screen	
Σ̈́	TRGEPSL306042	Trig Primary Work Surface - Left-Hand		TRGFTMS4813	Top Mount Fabric Screen	
	TRGEPSL306048 TRGEPSL306642	Trig Primary Work Surface - Left-Hand Trig Primary Work Surface - Left-Hand		TRGFTMS5413 TRGFTMS6013	Top Mount Fabric Screen Top Mount Fabric Screen	50 50
Ś	TRGEPSL306648	Trig Primary Work Surface - Left-Hand		TRGFTMS6613	Top Mount Fabric Screen	
Desks & ork Surfaces	TRGEPSL307242	Trig Primary Work Surface - Left-Hand		TRGFTMS7213	Top Mount Fabric Screen	
å te	TRGEPSL307248	Trig Primary Work Surface - Left-Hand		TRGFTMS1819	Top Mount Fabric Screen	
훘	TRGEPSL307842	Trig Primary Work Surface - Left-Hand		TRGFTMS2219	Top Mount Fabric Screen	
e ×	TRGEPSL307848	Trig Primary Work Surface - Left-Hand		TRGFTMS2819	Top Mount Fabric Screen	
De Work	TRGEPSL308442	Trig Primary Work Surface - Left-Hand		TRGFTMS3619	Top Mount Fabric Screen	
≥	TRGEPSL308448	Trig Primary Work Surface - Left-Hand		TRGFTMS4219	Top Mount Fabric Screen	
	TRGEPSR425430	Trig Primary Work Surface - Right-Hand		TRGFTMS4819	Top Mount Fabric Screen	
a a	TRGEPSR426030 TRGEPSR426630	Trig Primary Work Surface - Right-Hand		TRGFTMS5419	Top Mount Fabric Screen	
ns sti	TRGEPSR427230	Trig Primary Work Surface - Right-Hand Trig Primary Work Surface - Right-Hand		TRGFTMS6019 TRGFTMS6619	Top Mount Fabric Screen Top Mount Fabric Screen	
e e	TRGEPSR427830	Trig Primary Work Surface - Right-Hand		TRGFTMS7219	Top Mount Fabric Screen	
Screens & Modesties	TRGEPSR428430	Trig Primary Work Surface - Right-Hand		TRGFSMC2428	Fabric Screen/Modesty Combination	
ωΣ	TRGEPSR485430	Trig Primary Work Surface - Right-Hand		TRGFSMC3028	Fabric Screen/Modesty Combination	50
	TRGEPSR486030	Trig Primary Work Surface - Right-Hand		TRGFSMC3628	Fabric Screen/Modesty Combination	
	TRGEPSR486630	Trig Primary Work Surface - Right-Hand		TRGFSMC4228	Fabric Screen/Modesty Combination	
a B	TRGEPSR487230	Trig Primary Work Surface - Right-Hand		TRGFSMC4828	Fabric Screen/Modesty Combination	
Storage	TRGEPSR487830 TRGEPSR488430	Trig Primary Work Surface - Right-Hand Trig Primary Work Surface - Right-Hand		TRGFSMC5428 TRGFSMC6028	Fabric Screen/Modesty CombinationFabric Screen/Modesty Combination	
ᅙ	TRGESDL425420	Trig Secondary Desk - Left-Hand		TRGFSMC6628	Fabric Screen/Modesty Combination	
Ś	TRGESDL426020	Trig Secondary Desk - Left-Hand		TRGFSMC7228	Fabric Screen/Modesty Combination	
	TRGESDL426620	Trig Secondary Desk - Left-Hand		TRGHC	Trig H-Connector	
	TRGESDL427220	Trig Secondary Desk - Left-Hand		TRGLCSPB1	Trig Support Leg to Panel Bracket	
Benching Electrical	TRGESDL427820	Trig Secondary Desk - Left-Hand	31	TRGLCSPB2	Trig Support Leg to Panel Bracket	
늘은	TRGESDL428420	Trig Secondary Desk - Left-Hand		TRGLCSPB3	Trig Support Leg to Panel Bracket	/ /
ᅙᅙ	TRGESDL485420 TRGESDL486020	Trig Secondary Desk - Left-Hand Trig Secondary Desk - Left-Hand		TRGLDS1613	Trig Desk Top Screen Trig Desk Top Screen	42
<u>e e</u>	TRGESDL486620	Trig Secondary Desk - Left-Hand		TRGLDS168 TRGLDS2013	Trig Desk Top Screen	
шш	TRGESDL487220	Trig Secondary Desk - Left-Hand		TRGLDS208	Trig Desk Top Screen	
	TRGESDL487820	Trig Secondary Desk - Left-Hand		TRGLDS2613	Trig Desk Top Screen	
_	TRGESDL488420	Trig Secondary Desk - Left-Hand		TRGLDS268	Trig Desk Top Screen	42
Electrical	TRGESDR205442	Trig Secondary Desk - Right-Hand		TRGLDS3813	Trig Desk Top Screen	42
Ξ	TRGESDR205448	Trig Secondary Desk - Right-Hand		TRGLDS388	Trig Desk Top Screen	42
ပ	TRGESDR206042	Trig Secondary Desk - Right-Hand Trig Secondary Desk - Right-Hand		TRGLDS4413	Trig Desk Top Screen	
▥	TRGESDR206048 TRGESDR206642	Trig Secondary Desk - Right-Hand		TRGLDS448 TRGMB1217	Trig Desk Top Screen Trig Marker Boards	
	TRGESDR206648	Trig Secondary Desk - Right-Hand		TRGMB1617	Trig Marker Boards	64
	TRGESDR207242	Trig Secondary Desk - Right-Hand		TRGMB2017	Trig Marker Boards	64
ccessories	TRGESDR207248	Trig Secondary Desk - Right-Hand		TRGMB2417	Trig Marker Boards	64
ō	TRGESDR207842	Trig Secondary Desk - Right-Hand	31	TRGMB3617	Trig Marker Boards	64
SS	TRGESDR207848	Trig Secondary Desk - Right-Hand		TRGMOD24	Trig Modesty	
ဗ	TRGESDR208442	Trig Secondary Desk - Right-Hand		TRGMOD30	Trig Modesty	
Α̈́	TRGESDR208448	Trig Secondary Desk - Right-Hand		TRGMOD36	Trig Modesty	
	TRGESSL425420 TRGESSL426020	Trig Secondary Work Surface - Left-Hand. Trig Secondary Work Surface - Left-Hand.		TRGMOD42 TRGMOD48	Trig ModestyTrig Modesty	
v	TRGESSL426020 TRGESSL426620	Trig Secondary Work Surface - Left-Hand.  Trig Secondary Work Surface - Left-Hand.		TRGMOD48 TRGMOD54	Trig Modesty	43 43
<u>e</u>	TRGESSL427220	Trig Secondary Work Surface - Left-Hand		TRGMOD60	Trig Modesty	
ë	TRGESSL427820	Trig Secondary Work Surface - Left-Hand		TRGMOD66	Trig Modesty	
, Policies ndex	TRGESSL428420	Trig Secondary Work Surface - Left-Hand.		TRGMOD72	Trig Modesty	
ž.	TRGESSL485420	Trig Secondary Work Surface - Left-Hand	37	TRGODS48	Trig Overhead - Dual Sliding Door	74
Terms, & In	TRGESSL486020	Trig Secondary Work Surface - Left-Hand		TRGODS54	Trig Overhead - Dual Sliding Door	74
er	TRGESSL486620	Trig Secondary Work Surface - Left-Hand.		TRGODS60	Trig Overhead – Dual Sliding Door	
-	TRGESSL487220	Trig Secondary Work Surface - Left-Hand.		TRGODS66	Trig Overhead – Dual Sliding Door	
	TRGESSL487820	Trig Secondary Work Surface - Left-Hand	31	TRGODS72	Trig Overhead - Dual Sliding Door	/ 4

Catalog Number	Description	Page	Catalog Number	Description	Page
TRGOHD60	Trig Overhead - Hinged Door	75	TRGRECS2060	Trig Rectangular Work Surface	32
TRGOHD66	Trig Overhead – Hinged Door		TRGRECS2066	Trig Rectangular Work Surface	
TRGOHD72	Trig Overhead - Hinged Door	75	TRGRECS2072	Trig Rectangular Work Surface	
TRGOHD78	Trig Overhead - Hinged Door	75	TRGRECS2078	Trig Rectangular Work Surface	
TRGOHD84	Trig Overhead – Hinged Door		TRGRECS2084	Trig Rectangular Work Surface	
TRGOOS48	Trig Overhead – Open Shelf		TRGRECS2448	Trig Rectangular Work Surface	
TRGOOS54	Trig Overhead – Open Shelf		TRGRECS2454	Trig Rectangular Work Surface	
TRGOOS60	Trig Overhead – Open Shelf		TRGRECS2460	Trig Rectangular Work Surface	
TRGOOS66 TRGOOS72	Trig Overhead – Open Shelf		TRGRECS2466 TRGRECS2472	Trig Rectangular Work Surface Trig Rectangular Work Surface	
TRGOOS84	Trig Overhead – Open Shelf Trig Overhead – Open Shelf		TRGRECS2478	Trig Rectangular Work Surface	
TRGOSS48	Trig Overhead – Single Sliding Door		TRGRECS2484	Trig Rectangular Work Surface	
TRGOSS54	Trig Overhead – Single Sliding Door		TRGRECS3048	Trig Rectangular Work Surface	
TRGOSS60	Trig Overhead – Single Sliding Door		TRGRECS3054	Trig Rectangular Work Surface	
TRGOSS66	Trig Overhead - Single Sliding Door		TRGRECS3060	Trig Rectangular Work Surface	32
TRGOSS72	Trig Overhead - Single Sliding Door		TRGRECS3066	Trig Rectangular Work Surface	
TRGPBH30	Benching Electrical Harness		TRGRECS3072	Trig Rectangular Work Surface	
TRGPBH42	Benching Electrical Harness		TRGRECS3078	Trig Rectangular Work Surface	
TRGPBH48	Benching Electrical Harness		TRGRECS3084	Trig Rectangular Work Surface	
TRGPBH54	Benching Electrical Harness		TRGSCSPB TRGSOS3027	Trig Storage to Panel BracketStack Storage – Open Shelf	/ / 72
TRGPBH60	Benching Electrical Harness		TRGSOS3027	Stack Storage – Open Shelf	
TRGPBH66 TRGPBH72	Benching Electrical Harness		TRGSPMS30	Stack Storage – Paper Management Shelf	
TRGPBH78	Benching Electrical Harness		TRGSPMS45	Stack Storage – Paper Management Shelf.	
TRGPBH90	Benching Electrical Harness		TRGSPMS60	Stack Storage – Paper Management Shelf.	
TRGPD151	Power Duplexes		TRGSPMS75	Stack Storage - Paper Management Shelf.	
TRGPD152	Power Duplexes		TRGTB1217	Trig Tackboards	
TRGPD153	Power Duplexes		TRGTB1617	Trig Tackboards	64
TRGPD154	Power Duplexes	87	TRGTB2017	Trig Tackboards	64
TRGPD151A	Power Duplexes	87	TRGTB2417	Trig Tackboards	
TRGPD152A	Power Duplexes		TRGTB3617	Trig Tackboards	
TRGPD153A	Power Duplexes		TRGTMS2413	Trig Surface Mount Screens	
TRGPD153B	Power Duplexes		TRGTMS2419	Trig Surface Mount Screens	41
TRGPD154A	Power Duplexes		TRGTMS3013 TRGTMS3019	Trig Surface Mount Screens Trig Surface Mount Screens	41
TRGPF TRGPFNY	Trig Base Feed Trig Base Feed New York		TRGTMS3613	Trig Surface Mount Screens	
TRGPND1P1DB	Power Grommets		TRGTMS3619	Trig Surface Mount Screens	
TRGPND1P1DW	Power Grommets		TRGTMS4213	Trig Surface Mount Screens	
TRGPND1P1UB	Power Grommets		TRGTMS4219	Trig Surface Mount Screens	41
TRGPND1P1UW	Power Grommets		TRGTMS4813	Trig Surface Mount Screens	
TRGPND2PB	Power Grommets	88	TRGTMS4819	Trig Surface Mount Screens	
TRGPND2PW	Power Grommets	88	TRGTMS5413	Trig Surface Mount Screens	41
TRGPR24	Power Raceway		TRGTMS5419	Trig Surface Mount Screens	41
TRGPR30	Power Raceway		TRGTMS6013	Trig Surface Mount Screens	
TRGPR36	Power Raceway		TRGTMS6019	Trig Surface Mount Screens	
TRGPR42 TRGPR48	Power Raceway		TRGTMS6613	Trig Surface Mount Screens	
TRGPR54	Power Raceway		TRGTMS7213	Trig Surface Mount Screens	
TRGPR60	Power Raceway	84	TRGTMS7219	Trig Surface Mount Screens  Trig Surface Mount Screens	
TRGPREC	Power Raceway End Cover		TRGTMS7813	Trig Surface Mount Screens	
TRGPRSC12SL	Power Raceway Spanning Cover		TRGTMS7819	Trig Surface Mount Screens	
TRGPRSC12DL	Power Raceway Spanning Cover	84	TRGTMS8413	Trig Surface Mount Screens	
TRPRSC364R	Power Raceway Spanning Cover	84	TRGTMS8419	Trig Surface Mount Screens	
TRGRECD2048	Trig Rectangular Desk		TRGTS1212DD54	Trig Lateral, Double-Door Storage Tower	66
TRGRECD2054	Trig Rectangular Desk		TRGTS1212DD66	Trig Lateral, Double-Door Storage Tower	
TRGRECD2060	Trig Rectangular Desk		TRGTS12120S54	Trig Lateral, Open Shelf Storage Tower	
TRGRECD2066	Trig Rectangular Desk		TRGTS12120S66	Trig Lateral, Open Shelf Storage Tower	
TRGRECD2072 TRGRECD2078	Trig Rectangular Desk Trig Rectangular Desk		TRGTS6612DD54	Trig Lateral, Double-Door Storage Tower	
TRGRECD2084	Trig Rectangular Desk		TRGTS6612DD66	Trig Lateral, Double-Door Storage Tower	
TRGRECD2448	Trig Rectangular Desk		TRGTS6612OS54 TRGTS6612OS66	Trig Lateral, Open Shelf Storage Tower	
TRGRECD2454	Trig Rectangular Desk		TRGTS66OS54	Trig Lateral, Open Shelf Storage Tower Trig Display Towers	
TRGRECD2460	Trig Rectangular Desk		TRGTS66OS66	Trig Display Towers	
TRGRECD2466	Trig Rectangular Desk		TRGTSDD54	Trig Storage Tower with Double-Door	
TRGRECD2472	Trig Rectangular Desk	26	TRGTSDD66	Trig Storage Tower with Double-Door	
TRGRECD2478	Trig Rectangular Desk		TRGTSOS54	Trig Display Towers	
TRGRECD2484	Trig Rectangular Desk		TRGTSOS66	Trig Display Towers	
TRGRECD3048	Trig Rectangular Desk		TRGTSSDL54	Trig Display Towers with Door	
TRGRECD3054	Trig Rectangular Desk		TRGTSSDL66	Trig Display Towers with Door	69
TRGRECD3060 TRGRECD3066	Trig Rectangular Desk		TRGTSSDR54	Trig Display Towers with Door	
TRGRECD3066	Trig Rectangular Desk Trig Rectangular Desk		TRGTSSDR66	Trig Display Towers with Door	
TRGRECD3072	Trig Rectangular Desk		TRGTSWRR54	Trig Wardrobe Display Tower	
TRGRECD3084	Trig Rectangular Desk		TRGTSWRR66	Trig Wardrobe Display Tower	
TRGRECS2048	Trig Rectangular Work Surface		TRGTSWRL54 TRGTSWRL66	Trig Wardrobe Display Tower Trig Wardrobe Display Tower	/U 70
TRGRECS2054	Trig Rectangular Work Surface	32	THOTOVVILOU	mg wardrope Display Tower	10

& ition	Catalog Number	Description	Page	Catalog Number	Description	Page
Overvie Order Infor	TRGUDDD20 TRGUDDD30 TRGUDLAT20 TRGUDLAT24 TRGUDLAT30 TRGUDPED20 TRGUDPED24	Trig Under Desk Dbl-Door Support Storage Trig Under Desk Dbl-Door Support Storage Trig Under Desk Dbe-Door Support Storage Trig Under Desk Lateral Support Storage Trig Under Desk Lateral Support Storage Trig Under Desk Lateral Support Storage Trig Under Desk Pedestal Support Storage Trig Under Desk Pedestal Support Storage Trig Under Desk Pedestal Support Storage	e72 e72 71 71 71	TRGWEGSR205424 TRGWEGSR205430 TRGWEGSR206024 TRGWEGSR206030 TRGWEGSR206624 TRGWEGSR206630	Trig Wedge Work Surface - Left-Hand Trig Wedge Work Surface - Right-Hand	35 33 33 33 33
Stateme of Line	TRGUDPED30 TRGULEG20 TRGULEG24 TRGULEG30 TRGULEG40 TRGULEG48 TRGULEG60	Trig Under Desk Pedestal Support Storage Trig Work Surface Support Legs Trig Work Surface Support Legs Trig Work Surface Support Legs Trig Shared Work Surface Support Legs	71 38 38 38 38	TRGWEGSR207230 TRGWEGSR207824 TRGWEGSR207830 TRGWEGSR208424 TRGWEGSR208430 TRGWEGSR245430	Trig Wedge Work Surface - Right-Hand	33 33 33 33 
urface sterials	TRGULEGSS20 TRGULEGSS24 TRGULEGSS30 TRGULEGSS40 TRGULEGSS40 TRGULEGSS48 TRGULEGSS60 TRGVWMAL	Side to Side Shared Work Surface Support Legs Side to Side Shared Work Surface Support Leg Vertical Wire Manager	39 39 39 39 39	TRGWEGSR246630 TRGWEGSR247230 TRGWEGSR247830	Trig Wedge Work Surface - Right-Hand Trig Work Surface Support Brackets Trig Support Riser Trig Wardrobe Storage Tower	33 33 33 40
Desks & Work Surfac	TRGWEGDL245420 TRGWEGDL246020 TRGWEGDL246620 TRGWEGDL247220 TRGWEGDL247820 TRGWEGDL248420 TRGWEGDL305420	Trig Wedge Desk - Left-Hand	28 28 28 28 28 28	TRGWSTR666612 TRGWSTL661212 TRGWSTL666612 VEA2P1UB VEA2P1UW VEA2P2DB VEA2P2DW VEA3P1EB	Trig Wardrobe Storage Tower Trig Wardrobe Storage Tower Trig Wardrobe Storage Tower Vertical Electrical Accessory Vertical Electrical Accessory Vertical Electrical Accessory Vertical Electrical Accessory	65 65 82 95 95
Screens & Modesties	TRGWEGDL306020 TRGWEGDL306024 TRGWEGDL306620 TRGWEGDL306624 TRGWEGDL307220 TRGWEGDL307224 TRGWEGDL307820	Trig Wedge Desk - Left-Hand	28 28 28 28 28 28	VEA3P1EW VEA3P3DB VEA3P3DW VWC3 ZFPSSB ZFTUPKIT ZFTUPXZ1	Vertical Electrical Accessory	95 95 99 rs98 101
Storage	TRGWEGDL308420 TRGWEGDL308424 TRGWEGDR205424 TRGWEGDR205430 TRGWEGDR206024 TRGWEGDR206030	Trig Wedge Desk - Left-Hand  Trig Wedge Desk - Left-Hand  Trig Wedge Desk - Left-Hand  Trig Wedge Desk - Right-Hand	28 29 27 27	ZFTUPXZ2 ZFTUPXZ3 ZFTUPXZ4 ZFTUPXZ5	Freestanding Touch Up Markers Freestanding Touch Up Markers Freestanding Touch Up Markers Freestanding Touch Up Markers	101 101
Benching Electrical	TRGWEGDR206630 TRGWEGDR207224 TRGWEGDR207230 TRGWEGDR207824 TRGWEGDR207830 TRGWEGDR208424	Trig Wedge Desk - Right-Hand	27 27 27 27 27			
Electrical	TRGWEGDR245430 TRGWEGDR246030 TRGWEGDR246630 TRGWEGDR247230 TRGWEGDR247830 TRGWEGDR248430	Trig Wedge Desk - Right-Hand Trig Wedge Work Surface - Left-Hand	27 27 27 27 27			
ccessories	TRGWEGSL205430 TRGWEGSL206024 TRGWEGSL206030 TRGWEGSL206624 TRGWEGSL206630 TRGWEGSL207224	Trig Wedge Work Surface - Left-Hand	36 34 34 34 34			
Terms, Policie & Index	TRGWEGSL207824 TRGWEGSL207830 TRGWEGSL208424 TRGWEGSL208430 TRGWEGSL245430 TRGWEGSL246030 TRGWEGSL246030 TRGWEGSL247230	Trig Wedge Work Surface - Left-Hand	34 34 34 34 34 34			

112

Overview & Order Information

Desks & Work Surfaces

Screens & Modesties

Storage